

A hand is shown in silhouette, reaching out from the left side of the frame to touch a glowing spiderweb. The spiderweb is illuminated from behind, creating a bright, intricate pattern of light lines against a dark background. The web's structure is a complex, interconnected network of lines, with a central spiral and radiating lines that form a series of overlapping, roughly circular shapes. The overall mood is mysterious and technological, suggesting themes of digital networks, the dark web, or hidden connections.

DARKWEB & ONION SERVICES

BOLDEANU MARIUS-PAUL
MASTERAND CSML2

CUPRINS

- Surface Deep and Dark Web
- Triada CIA (Confidentialitate, Integritate, Disponibilitate)
- OSI (Open Systems Interconnection)
- Cum functioneaza TOR (The Onion Router)?
- DPI (Deep Packet Inspection)
- Rutare Onion in Straturi
- Criptare Simetrica
- Transfer de key Diffie-Hellman
- Guvernul in TOR
- Investigatii criminale
- Cine si in ce scopuri foloseste TOR?
- Cazuri
- Filme si Documentare cu referinta
- Criptare Asimetrica
- Semnatura Digitala
- Concluzii
- Referinte

Surface web, Deep web & Dark web

Surface web cuprinde navigarea zilnică pe internet și este disponibil pentru publicul larg. Exemple:

- Google
- Yahoo
- Bing
- Firefox
- Wikipedia
- Surse de știri

Deep web protejează conturile private și informațiile care nu sunt destinate vizualizării publice.

Exemple:

- Informații academice
- Dosare medicale
- Documente legale
- Rapoarte guvernamentale
- Baze de date private
- Platforme pe bază de abonament

Dark web este o extensie a internetului ascuns, operând pe conexiuni internet criptate. Exemple:

- Trafic de droguri
- Escrocherii cu criptomonede
- Activități ilegale
- Proteste politice
- Comunicații private

De unde a început?

Rețeaua Tor a fost creată de către David Goldschlag, Mike Reed și Paul Syverson în anul **2002**, sub inițiativa **Laboratorului de Cercetare Navală al Statelor Unite**.

Scopul principal al rețelei Tor (The Onion Router) a fost să ofere utilizatorilor o metodă sigură și anonimă de navigare pe internet.

Inițial, tehnologia Tor a fost dezvoltată pentru a proteja **confidențialitatea** și **anonimitatea** comunicărilor online, permițând utilizatorilor să acceseze informații și servicii **fără teama de a fi urmăriți, monitorizați sau cenzurați** de către autorități sau alte părți interesate.

De unde a început?

Conceptul de rutare prin straturi de ceapă (onion routing) a fost fundamental în implementarea Tor. Acest concept implică criptarea și redirectionarea traficului prin mai multe noduri (releuri) într-un mod care ascunde **originea și destinația reală** a datelor. Astfel, într-o rețea Tor, traficul utilizatorilor este transmis printr-o serie de releu alese aleatoriu, iar fiecare releu cunoaște doar releul de la care **a primit datele și către care le transmite**, menținând astfel **anonimitatea** utilizatorului.

De-a lungul anilor, rețeaua Tor a evoluat și a devenit cunoscută nu doar pentru **navigarea anonimă**, ci și pentru facilitarea accesului la **servicii ascunse** (Hidden Services) și pentru rezistența sa la **cenzură**. Utilizarea Tor a devenit populară în rândul celor preocupați de **confidențialitatea online, jurnaliștilor, activiștilor** și oricui dorește să-și protejeze identitatea în mediul digital.

Ce este DarkWeb?

Dark Web se referă la o parte a internetului care nu este **indexată** de motoarele de căutare tradiționale și este adesea **asociată** cu activități **ilegale**. Funcționează pe rețele criptate și necesită instrumente speciale, cum ar fi Tor, pentru a accesa.

Exista **mituri** comune legate de Dark Web, cum ar fi faptul că este doar un **refugiu** pentru **activități criminale**, recunoscând totodată utilizările legitime, cum ar fi **protejarea confidențialității și ocolirea cenzurii**.

CIA (Confidentialitate Integritate Disponibilitate)

1. Confidențialitate (Confidentiality)

Confidențialitatea se referă la **protejarea informațiilor de accesul neautorizat**. Scopul este de a se asigura că doar persoanele autorizate pot accesa și vizualiza informațiile sensibile.

2. Integritate (Integrity)

Integritatea implică asigurarea faptului că informațiile **sunt corecte și nu au fost modificate sau corupte neautorizat**. Aceasta include protecția datelor împotriva modificării de către părți neautorizate și detectarea eventualelor modificări neautorizate.

3. Disponibilitate (Availability)

Disponibilitatea se referă la asigurarea faptului că informațiile și resursele **sunt accesibile atunci când sunt necesare**. Scopul este de a minimiza întreruperile și de a asigura continuitatea operațională.

Intimitatea si anonimizarea in cadrul Tor

Intimitatea:


- Se cunoaste identitatea persoanei.
- Nu se cunosc activitatile persoanei respective.

Anonimizarea:

- Nu se cunoaste identitatea persoanei
- Se cunosc activitatile persoanei respective.


Ce este un router?

Un router este un dispozitiv care conectează două sau mai multe rețele sau subrețele de comutare de pachete. Are două funcții principale: gestionează traficul între aceste rețele prin dirijarea pachetelor de date către adresele IP destinate și permite mai multor dispozitive să folosească aceeași conexiune la internet.



Ce este OSI? (Open Systems Interconnection)

Modelul OSI (Open Systems Interconnection) este un model conceptual care caracterizează modul în care **componente de software și hardware** implicate în comunicarea în rețea ar trebui să împartă sarcinile și să interacționeze între ele.



Rolul Tor


Tor, joacă un rol crucial în facilitarea **comunicării anonime** prin **redirecționarea** traficului de internet printr-o rețea **globală** de **voluntari**.

E2EE (End to end encryption)

Datele transmise prin rețeaua Tor sunt supuse unei criptări e2e, protejând confidențialitatea și integritatea informațiilor schimbate între utilizatori.

Rezistență la cenzură

Natura **descentralizată** a rețelei Tor **sporește** rezistența la **cenzură**, permițând utilizatorilor să acceseze informații fără **restricții impuse** de autorități sau terțe părți.



Mecanismul de rutare prin straturi de ceapă

Tehnica de rutare prin **straturi de ceapă** folosită de Tor **criptează** datele în mai multe **straturi**, asemănător cu straturile unei cepe, asigurând o confidențialitate și securitate sporită pentru utilizatori.

Servicii Ascunse

Platformele dark web utilizează **servicii ascunse** pentru a menține **anonimatul**, permițând site-urilor să fie găzduite pe servere în timp ce ascund **adresele IP reale**.

Suport comunitar


Suportul comunitar solid în spatele Tor și **operațiunilor** dark web creează un mediu sigur pentru persoanele care caută **confidențialitate** și **anonimitate** în activitățile lor online.

Cum functioneaza?

Conexiunile regulate la internet urmează cea mai **scurtă, rapidă și eficientă** rută la transferul de pachete de rețea, în funcție de algoritmul folosit. Utilizatorii de internet nu trebuie să își facă griji în legătură cu acest aspect, deoarece furnizorii de servicii de internet (ISP) se ocupă de livrarea pachetelor de internet în cel mai eficient mod posibil.


O rețea Tor urmează o abordare diferită. Ea creează o cale **privată** de rețea, numită **circuit**. Pornind de la end user, pachetele de rețea urmează diferite noduri intermediare, numite **relee**, până la ultimul nod al circuitului, releul de ieșire. Noduri de ieșire vor transmite apoi cererea către destinație (de exemplu, site-ul web pe care utilizatorul dorește să-l acceseze).

Toate conexiunile între **primul nod și nodul de ieșire sunt criptate**, iar fiecare nod de-a lungul traseului cunoaște doar **nodul anterior și următorul nod**. Nimeni nu cunoaște **întregul traseu în această arhitectură**, cu excepția atacurilor care pot dezvălui unele din aceste noduri.




Serverele țintă sunt în partea dreaptă, nodurile Tor (releuri) sunt în mijloc, iar clientul și Directorul Tor sunt în stânga. În primul pas, un client care dorește să se alăture rețelei Tor trimite o cerere criptată către Directorul Tor pentru a obține o listă de noduri Tor disponibile.

Odată ce primește lista, clientul este pregătit să inițieze conexiuni cu acele releuri în norul internetului.



Dacă clientul trimite o cerere către un site HTTPS, cum ar fi "google.com", atunci întregul lanț ar fi criptat. Totuși, conexiunile criptate pot dezvălui și informații sensibile, în funcție de implementarea serviciului web. Această temă va fi detaliată mai târziu.

Clientul alege o rută aleatoare către destinație, Serverul 1 în acest exemplu. Se observă că toate conexiunile de rețea între client și ultimul releu (nod de ieșire) sunt criptate, cu excepția celei dintre Releul de ieșire și Serverul 1. Aceasta se întâmplă atunci când clientul dorește să se conecteze la servicii necriptate cum ar fi site-urile web HTTP.




Clientul dorește să stabilească o conexiune nouă către un alt server, Serverul 2. În acest caz, **Tor furnizează o rută diferită către destinație pentru a preveni posibilele atacuri de corelație**. Există și alte modalități de a beneficia de Tor, cum ar fi Serviciile Ascunse. În Serviciile Ascunse, **traficul nu iese din releuri Tor**, ci rămâne în interiorul rețelei.

Tor oferă o funcționalitate numită Servicii Ascunse, care permite protejarea destinațiilor pe internet, cum ar fi serviciile web, utilizând un sistem de puncte de întâlnire distribuite.

În loc să se conecteze direct la serverul destinație, clienții Tor folosesc un identificator (cum ar fi xyz.onion) pentru a găsi și accesa serviciile ascunse. Acest sistem asigură confidențialitatea atât pentru clienți, cât și pentru servere.

Traficul în cadrul serviciilor ascunse rămâne în interiorul rețelei Tor, prevenind astfel problemele de securitate asociate cu monitorizarea traficului la nodurile de ieșire.



Intrarea în TOR

Există diferite opțiuni de implicare activă în Tor, cum ar fi descărcarea aplicației browserului Tor și utilizarea sa ca client, **administrarea unui releu sau utilizarea unui bridge**. Majoritatea utilizatorilor preferă prima opțiune și se conectează la rețeaua Tor pentru uzul lor personal. Conform statisticilor de astăzi, există în jur de **2 milioane de conexiuni** directe în fiecare zi.

Cele mai frecvente 5 țări de utilizare și procentele sunt: Statele Unite (15,64%), Germania (8,90%), Franța (6,27%), Rusia (6,14%) și Brazilia (4,68%).

A doua opțiune este să administrezi un releu. Tor nu **este doar o rețea tehnică, ci și o rețea socială de voluntari** care împart lățimea de bandă a rețelei cu alții.

Intrarea in TOR - Bridge

Clienții Tor trebuie să obțină o listă de releuri active în rețea pentru a începe să creeze circuitul. Odată stabilit, fluxul de rețea va porni de la primul releu. Dar ce se întâmplă dacă acel **releu, sau chiar toate releurile din circuit, sunt inaccesibile utilizatorului**? Acest lucru ar face pur și simplu imposibilă conectarea la rețea. Aceasta este o tehnică comună pentru furnizorii de servicii internet în țările care blochează Tor.

Releurile pod (**Bridge**) sunt releuri **necomunicate, ascunse**, pe care utilizatorii le pot folosi ca prim pas pentru accesarea Tor. Chiar dacă un ISP blochează toate releelor, utilizatorii încă se pot conecta la Tor cu ajutorul podurilor. Există diferite **modalități** de a **afla adresa IP** a unui pod, cum ar fi trimiterea unui email la `bridges@bridges.torproject.org` cu linia „get bridges” în corpul emailului. Un răspuns automat va trimite instantaneu 3 adrese IP expeditorului.

Nodurile de ieșire

Administrarea unui releu de ieșire este un subiect puțin diferit și controversat. Există diverse motive în spatele acestui fapt, dar din punct de vedere tehnic și legal, unul iese în evidență: **releurile de ieșire sunt interfața rețelei Tor cu internetul.**

Orice ar face utilizatorii Tor, **oriunde s-ar conecta**, fie că este legal sau ilegal, **releurile de ieșire transportă acele mesaje către destinația finală.**

Principalele probleme nu apar din aplicația Tor în sine, ci din **mediul înconjurător.** Într-o **configurație adecvată**, ajustarea **setărilor** serverului pentru limitarea ratei și politici reduse de ieșire, **gestionarea relațiilor** cu furnizorii de servicii internet, obținerea unei **adrese IP separate pentru nod.**

Nodurile de ieșire

Deoarece Tor nu este utilizat doar pentru motive **nevinovate, activitățile spammerilor, încărcătorilor de fișiere Torrent și abuzatorilor** par a proveni toate de la **releurile de ieșire** Tor.

Comunitatea Tor **oferă o listă de ISP-uri** din **diferite țări** și evaluează răspunsul acestora dacă cineva **administrează un pod, un releu sau un nod de ieșire în infrastructura lor**.

Citirea **experiențelor anterioare colectate pe paginile Wiki** este una dintre **primele** lucruri pentru cei care iau în **considerare** să administreze un nod de ieșire pe cont propriu.

Anonimizarea in TOR

Asigurarea anonimatului cuprinzător și fără erori pentru utilizatorii Tor este în centrul cercetării academice și a discuțiilor tehnice. **Din punct de vedere tehnic, designul arhitecturii Tor** pare să poată atinge acest scop, însă există multe probleme care fac **sistemul susceptibil la eșecuri**.

Unele sunt legate de **greșelile utilizatorilor**, altele de problemele de rutare onion, iar altele sunt probleme indirecte care afectează rata de succes a sistemului.

Nu fiecare utilizator poate fi de-anonimizat de fiecare dată, dar unii utilizatori ar putea fi de-anonimizați la un moment dat.

Anonimizarea in TOR

Lăsând la o parte toate problemele nelegate de Tor, subiectul principal al cercetării anonimatului provine din rezultatele monitorizării datelor transmise prin Tor. Apoi, **gradul de anonim** poate fi măsurat prin diferite modele cum ar fi **probabilitatea, similaritatea, entropia** . Deoarece tot fluxul de rețea este criptat între releurile Tor cu ajutorul acestor modele, **ar putea fi posibil să se coreleze traficul și să se dezvăluie adresele IP** reale ale utilizatorilor.

Colectarea datelor pentru analiza traficului, care este în mare parte criptat, reprezintă un **pas crucial** și de cea mai mare importanță. Există studii anterioare care s-au concentrat pe analiza rețelei, colectarea URL-urilor traficului HTTP și altele asemenea. **Un releu de ieșire** Tor creează o altă posibilitate aici, deoarece oricine poate opera un releu de ieșire și releul transmite pachetele de internet într-un **format necriptat către destinație** dacă clientul a folosit **HTTP în loc de HTTPS** .

Erori umane

Tor oferă o experiență de navigare diferită. Pentru a profita la maximum de aceasta și pentru a face ca sistemul să funcționeze corect, există câteva aspecte care necesită o atenție deosebită. **Primul aspect important este browser-ul Tor, deși există și alte soluții pentru a utiliza Tor cu un sistem de operare complet.**

Este foarte obișnuit să **vizualizăm un document**, să utilizăm un add-on în browser-ele internet obișnuite. În browser-ul Tor, **astfel de încercări pot perturba** mecanismul sistemului și ar putea **dezvălui adresa IP reală** a utilizatorului. Motivul este simplu. Tor este **conceput** să comunice doar cu alte **relee** înainte de **nodul de ieșire**. Cu toate acestea, unele **obiecte** sau **executabile** încorporate în **documente** pot forța ruptura acestei lanțuri și pot duce la o **scurgere**. Aceste capcane pot face, de asemenea, parte dintr-o **campanie** de **atac** împotriva unor utilizatori pentru a afla adresele lor IP reale.

Erori umane

Utilizarea Torrent peste Tor **nu este recomandată**, deoarece logica este similară cu amenințările menționate anterior. Aplicațiile de partajare a fișierelor Torrent pot **ignora setările de proxy** ale browser-ului Tor și pot crea **conexiuni directe** cu alți **utilizatori**.

Un exemplu de atacuri legate de Tor **împotriva anonimatului** este faptul că se pretinde că plăți anonime pot fi făcute cu criptomonede precum Bitcoin. Utilizarea **Bitcoin** peste **Tor** se credea că îmbunătățește și mai mult acest lucru. Cu toate acestea, în octombrie 2014, cercetătorii de la Universitatea Luxemburg au demonstrat că **combinarea** lor permite atacuri de tip om în mijloc (**MitM**) pentru a obține **control** total asupra fluxurilor de informații între utilizatorii care folosesc **Bitcoin** peste **Tor**.

Erori umane

Un ultim exemplu este utilizarea site-urilor web **HTTP** în loc de **HTTPS**. Nodurile de ieșire Tor pot **vizualiza pachetele** de internet care trec prin ele. Dacă clienții Tor folosesc **HTTP**, acest lucru ar face pur și simplu sistemul **vulnerabil** la supraveghere.

Natura umană este întotdeauna susceptibilă la **erori** în lumea **cibernetică**. Dacă un utilizator poate fi înșelat să **întreprindă** o acțiune **extraordinară** în timp ce folosește Tor, **identitatea sa reală** poate fi **dezvăluită**.

Deep Packet Inspection

Inspecția profundă a pachetelor (Deep Packet Inspection - DPI) este o metodă de filtrare a pachetelor de rețea care analizează atât **antetul**, cât și **partea de date a unui pachet**. În cazul unui furnizor de servicii de internet (ISP), DPI implică **analizarea** întregii **conexiuni** și a **traficului** online al unui **utilizator**, nu doar a unor informații despre **conexiune**, cum ar fi numerele de **port**, adresele **IP** accesate și protocoalele.

ISP-urile folosesc în general DPI pentru a **aloca resursele disponibile** în scopul **fluidizării traficului**, pentru a-și optimiza serverele în vederea **detectării hackerilor**, **combaterii malware-ului** și **colectării datelor** comportamentale despre utilizatorii lor.

Deși DPI poate părea **inofensiv**, în realitate poate avea un **impact** foarte negativ asupra intimității tale online.

Cum functioneaza DPI?

DPI este realizată în mod normal la nivel de **firewall**, în special la cel de-al **saptelea strat** al (OSI) – Stratului de Aplicație. Metoda **evaluatează** conținutul oricărui **pachet** de date care trece printr-un punct de control.

Modul în care DPI **evaluatează** conținutul **pachetelor** de date se bazează pe **reguli stabilite** de **administratorul** rețelei. DPI efectuează evaluarea în timp **real** și poate **determina** de unde **provin pachetele** de **date** (de la ce aplicație sau serviciu, mai exact).

De asemenea, pot fi **stabilite filtre** pentru ca DPI să **redirecționeze** traficul de la **servicii online** (cum ar fi Facebook, de exemplu).

DPI in diferite tari

Furnizorii de servicii de internet (ISP) au putut de mult timp să urmărească și să înregistreze fiecare mișcare a ta online. De asemenea, pot și vor **bloca** utilizatorii de la **accesarea anumitor** site-uri. Această practică este frecvent utilizată de anumite țări care au **impus interdicții** asupra **conținutului** de pe **internet**. SUA, Rusia, Coreea de Nord, China, Iran și alte țări folosesc DPI pentru a bloca accesul la site-uri în scopuri de **cenzură** și pentru a-și **monitoriza** cetățenii.

De exemplu, guvernul chinez folosește DPI pentru a **cenzura** conținutul considerat „**dăunător**” pentru cetățenii chinezi și interesele statului. În acest scop, ISP-urile chineze folosesc DPI pentru a urmări anumite **cuvinte cheie** care trec prin rețelele lor, **restricționând conexiunile** dacă se găsesc astfel de informații.

Un alt exemplu este Agenția Națională de Securitate a SUA, care folosește DPI pentru **supravegherea traficului** pe internet. De asemenea, se presupune că guvernul iranian folosește DPI pentru a colecta **informații** despre **indivizi** și a **bloca** comunicațiile.

Cum Folosesc ISP-urile DPI?

Unul dintre principalele moduri în care ISP-urile folosesc DPI este pentru a căuta **conținut P2P** - în special în țările unde **torrenting**-ul nu este tocmai **legal**. Când găsesc conținut P2P, fie vor **încetini viteza** de **descărcare** a utilizatorului (în cel mai bun caz), fie vor **preda datele utilizatorului** autorităților și agențiilor de **copyright**.

În afară de aceasta, ISP-urile pot recurge la DPI dacă trebuie să **blocheze accesul** la anumite site-uri web. De obicei, fac acest lucru pentru a se conforma reglementărilor guvernamentale și, potențial, celor legate de copyright.

ISP-urile pot folosi DPI și pentru a **spiona conexiunile utilizatorilor** și pentru a compila **profiluri detaliate** bazate pe activitățile și preferințele lor online, pe care le-ar putea **vinde** apoi **agențiilor de publicitate terțe**. Este genul de lucru care poate avea loc legal în SUA și pe ascuns în alte țări. Deoarece **DPI** le oferă atât de multe informații despre ceea ce faci online și ce descarci, pot **potențial** să îți **încetinească viteza** dacă consideră că folosești „**prea multe date**” pentru o anumită activitate - cum ar fi **jocurile online, streaming-ul online sau descărcarea de fișiere**

Cum te Afectează DPI?

Deoarece toate informațiile pe care le trimiți și le primești online sunt compilate în mici pachete de date care sunt apoi scanate și analizate de ISP-ul tău, este destul de clar că DPI reprezintă o încălcare majoră a intimității tale.


Practic, dacă DPI nu este controlat și alegi să-l ignori, iată ce s-ar putea întâmpla:

- **Reclame Intruzive și Personalizate:** Este posibil să începi să primești o mulțime de reclame personalizate și intruzive dacă ISP-ul tău a împărtășit datele DPI cu agenții de publicitate.
- **Probleme Legale:** Ai putea avea probleme legale pentru descărcarea de torrente dacă trăiești într-o țară unde acest lucru este o problemă legală.
- **Încetinirea Vitezei Conexiunii:** Vitezele conexiunii tale ar putea fi intenționat încetinite ca o modalitate de a te „convinge” să plătești pentru un abonament mai scump sau un plan de date mai costisitor.
- **Lipsa Intimității:** Va trebui să trăiești cu gândul că tot ceea ce faci online nu este niciodată privat – va exista întotdeauna cineva care îți urmărește obiceiurile de navigare și conversațiile.
- **Acces Restricționat:** S-ar putea să nu poți accesa anumite site-uri web dacă ISP-ul tău este forțat să folosească DPI pentru a le bloca.

Cum putem prevenii DPI?

- **Utilizează un VPN (Virtual Private Network)**
- **Folosește Tor**
- **Activează HTTPS Everywhere**
- **Utilizează un Proxy**

Rutare Onion



Symmetric encryption



Plain Text



encryption




Af#1hrN
%5VY*\$
sdg25^f
aJQ#32

Cipher Text



decryption



Plain Text



SECRET KEY



Rutare Onion



Bob

(a, g, p)

$$A = g^a \text{ mod } P$$

$$K = B^a \text{ mod } P$$



Alice

(b)

$$B = g^b \text{ mod } P$$

$$K = A^b \text{ mod } P$$




(A, g, p)


(B)




Rutare Onion




Rutare Onion




Rutare Onion



Rutare Onion




Rutare Onion



Rutare Onion




Rutare Onion



Rutare Onion



Dezanonimizare



Guvernul in Tor

Deși nu confirmat oficial, se raportează că **NSA** a făcut încercări repetate de a dezvolta **atacuri împotriva persoanelor care utilizează Tor**. În 2013, s-a sugerat că documentele scurse confirmă faptul că NSA **operează și colectează** trafic de la unele noduri din rețeaua Tor, fără a exista informații suplimentare cu privire la câte noduri sunt controlate și dacă tehnica propusă de de-anonimizare a fost vreodată implementată.

Unele surse susțin că „NSA **urmărește** utilizatorii care se presupune că locuiesc în afara SUA și care **solicită informații despre punțile** Tor prin e-mail sau care caută sau descarcă **Tor** sau sistemul de operare **TAILS** live”.

Guvernul in Tor

Alte țări au propus, de asemenea, **măsuri** pentru a contesta **anonimitatea** oferită de Tor. Un exemplu este **Rusia**, care, cu scopul „de a asigura **apărarea** și **securitatea** țării”, a oferit deschis o recompensă de **110.000** de **dolari** oricui poate **sparge identitățile** utilizatorilor rețelei Tor.

Într-o dezvoltare recentă, **EUROPOL** a anunțat în 2014 închiderea „a peste **410** servicii ascunse”, numărul fiind ulterior corectat la **27** de site-uri web.

Fortele de ordine in investigatiile criminale

Astăzi, Tor este o unealtă comună pentru autoritățile de aplicare a legii naționale. Proiectul Tor rezumă trei activități principale pentru utilizarea de către forțele de ordine:

- **Supravegherea online:** Tor permite oficialilor să navigheze pe site-uri web suspecte și servicii fără a lăsa urme evidente. Dacă administratorul unui site **illegal de jocuri de noroc**, de exemplu, ar observa mai multe conexiuni de la **adrese IP** ale **guvernului** sau ale forțelor de ordine în jurnalele de utilizare, **investigațiile** ar putea fi **împiedicate**.
- **Sting Operations:** Similar, **anonimatul** permite **ofițerilor** de **poliție** să participe la operațiuni „**sub acoperire**” online. Indiferent cât de credibile pot fi acoperirile ofițerilor sub acoperire, dacă **comunicările** includ IP-uri de la adrese de poliție, acoperirea poate fi **compromisă**.
- **Anonymous tip lines:** În timp ce **liniile de informații anonime** online sunt populare, fără software de anonimat sunt mult mai puțin utile. Sursele sofisticate înțeleg că, deși un **nume** sau o **adresă** de email **nu** este atașată **informațiilor**, **jurnalele serverului** pot să le **identifice** foarte repede.

Folosirea nodurilor de iesire pentru colectarea de dovezi

Au existat rapoarte care pretind că unele guverne au control și rulează anumite de ieșire .

În ciuda diferențelor dintre sistemele legale din diferite țări, supravegherea poate fi în mod general împărțită în două categorii:

- supravegherea țintită** (de obicei 'interceptarea')

- supravegherea non-țintită** ('monitorizarea' sau 'filtrarea') nu vizează persoane sau date specifice, ci mai degrabă tipuri generale de conținut nedorit în scopuri generale de '**securitate**'

Din perspectiva autorităților de aplicare a legii, ar fi dificil, dacă nu imposibil, să se determine că datele care trebuie interceptate ar trece printr-un anumit nod de ieșire, deoarece Tor **își schimbă ruta în medie la fiecare 10 minute**, ceea ce ar face **dificilă** determinarea **scopului** și detaliilor **mandatului necesar** pentru accesarea acestor date.

Cine foloseste TOR si in ce scopuri?

- **Jurnaliști și activiști:**
- **Scopuri:** Protejarea surselor, comunicarea sigură, și accesarea de informații cenzurate în anumite țări. Jurnaliștii și activiștii folosesc TOR pentru a evita supravegherea guvernamentală și pentru a comunica în siguranță în regimuri opresive.
- **Informatori (whistleblowers):**
- **Scopuri:** Dezvăluirea de informații sensibile și protejarea identității lor. Informatorii folosesc TOR pentru a trimite informații mass-mediei sau organizațiilor fără a-și compromite siguranța personală.
- **Utilizatori obișnuiți preocupați de confidențialitate:**
- **Scopuri:** Protejarea datelor personale și navigarea anonimă. Mulți utilizatori obișnuiți aleg să folosească TOR pentru a-și proteja intimitatea online și pentru a evita urmărirea și colectarea de date de către terți.

Cine foloseste TOR si in ce scopuri?

- **Cercetători și academicieni:**
- **Scopuri:** Accesarea de materiale și baze de date restricționate sau cenzurate. Cercetătorii pot folosi TOR pentru a accesa informații necesare studiilor lor, care ar putea fi blocate sau filtrate în anumite regiuni.

- **Utilizatori din țări cu cenzură strictă:**
- **Scopuri:** Ocolirea cenzurii și accesarea liberă a internetului. În țările unde guvernul cenzurează internetul, cetățenii folosesc TOR pentru a accesa site-uri și servicii care sunt blocate.

Cine foloseste TOR si in ce scopuri?

- **Infractori cibernetici:**
- **Scopuri:** Activități ilegale, cum ar fi vânzarea de droguri, arme, informații furate, și alte activități ilicite. Din păcate, TOR este folosit și pentru a desfășura activități ilegale pe Dark Web, datorită anonimatului pe care îl oferă.
- **Organizații și corporații:**
- **Scopuri:** Protejarea comunicărilor interne și a datelor sensibile. Unele companii și organizații folosesc TOR pentru a proteja datele confidențiale și pentru a evita **spionajul industrial**.

Caz – NSA Whistleblower

Edward Snowden, un fost asistent tehnic de 29 de ani la CIA și angajat al Booz Allen Hamilton, este responsabil pentru dezvăluirile semnificative privind supravegherea NSA.

El a divulgat documente strict secrete pentru a expune amploarea activităților de supraveghere ale NSA, sperând să declanșeze o dezbatere globală despre intimitate și puterea guvernului.

- **PRISM:** Un program care permite NSA să colecteze direct date de la serverele unor mari companii de internet, precum Google, Facebook, Microsoft și Apple. Aceste date includ **e-mailuri, chat-uri video și voce, fotografii, fișiere transferate** și alte informații de comunicație.
- **XKeyscore:** Un sistem de analiză care permite agenților NSA să caute și să analizeze vaste **baze de date** de internet. Prin intermediul acestui program, NSA poate **urmări activitățile online ale utilizatorilor**, inclusiv istoricul de navigare, e-mailuri și căutări pe internet.

Caz – NSA Whistleblower

CO-TRAVELER: Un program care **analizează locațiile telefoanelor mobile** pentru a urmări **mișcările și întâlnirile** oamenilor. Acesta ajută la **identificarea tiparelor de mișcare și asociații** între **indivizi**.

Dishfire: Un program care colectează "**aproape toate**" mesaje **SMS** trimise zilnic la nivel global. Aceasta include nu doar **conținutul mesajelor**, ci și **informațiile asociate** precum **locațiile și contactele**.

Caz – Wikileaks

Julian Assange este un jurnalist, programator și activist australian cunoscut pentru fondarea WikiLeaks, o organizație non-profit dedicată publicării de informații secrete, documente clasificate și scurgeri de informații.

Vault 7: În 2017, WikiLeaks a publicat documente ale **CIA** care dezvăluie detalii despre capabilitățile **agenției** de a **desfășura** operațiuni de **hacking** și **supraveghere cibernetică**, inclusiv **compromiterea** dispozitivelor electronice.

Guantanamo Files: Documentele despre **deținuții** de la Guantanamo Bay au expus detalii despre **reținerea** și **interogarea prizonierilor**, evidențiind problemele legate de justiția militară americană.

Collateral Murder: Tot în 2010, WikiLeaks a publicat un videoclip militar clasificat care arată un **atac aerian american** în Bagdad, Irak, în care au fost **ucși civili** și doi **jurnaliști Reuters**. Videoclipul a provocat un val de critici la adresa tacticilor militare ale SUA.

Caz – Silkroad

Silk Road a fost un magazin online ilegal, cunoscut pentru facilitarea vânzării de droguri și alte bunuri și servicii ilicite. A funcționat pe dark web, utilizând rețeaua Tor pentru a anonimiza **locația utilizatorilor și tranzacțiile**, și a **acceptat** plăți în **Bitcoin** pentru a asigura **anonimitatea financiară**.

Silk Road a fost creat de **Ross Ulbricht**, un fost student american în fizică, cunoscut online sub pseudonimul „**Dread Pirate Roberts**”. Ulbricht a lansat site-ul în **februarie 2011** și a operat până la arestarea sa în **octombrie 2013**.

Caz – Silkroad

Operațiunile Silk Road

- **Platformă anonimă:** Silk Road a fost construit pe rețeaua Tor pentru a ascunde locațiile serverelor și identitățile utilizatorilor.
- **Plăți în Bitcoin:** Tranzacțiile au fost realizate în Bitcoin, o criptomonedă care oferă un anumit grad de anonimitate.
- **Vânzarea de bunuri ilicite:** Site-ul permitea vânzarea și cumpărarea de droguri, falsuri, date de carduri furate și alte bunuri și servicii ilegale.

•Arestarea și procesul

- Arestarea:** Ross Ulbricht a fost arestat pe 1 octombrie 2013 într-o bibliotecă din San Francisco, în timp ce era conectat la Silk Road.
- Acuzarea și condamnarea:** Ulbricht a fost acuzat de conspirație pentru trafic de droguri, conspirație pentru spălare de bani și alte infracțiuni. În 2015, a fost găsit vinovat și condamnat la închisoare pe viață fără posibilitatea de eliberare condiționată.

Caz – Silkroad

Impactul Silk Road

Silk Road a avut un impact **semnificativ** asupra **piețelor online ilegale**, demonstrând cum tehnologiile **anonime** și **criptomonedele** pot fi folosite pentru **activități ilicite**. A creat precedentul pentru multe alte piețe negre online, chiar dacă a fost închis după arestarea lui Ulbricht.

Caz – The Pirate Bay

The Pirate Bay este unul dintre cele mai cunoscute și controversate site-uri de torrente din lume, cunoscut pentru facilitarea distribuției ilegale de conținut protejat de drepturile de autor, cum ar fi filme, muzică, software și jocuri video.

- **Platformă de torrente:** The Pirate Bay este un site web care permite utilizatorilor să descarce fișiere torrent, care sunt folosite pentru partajarea de conținut digital.
- **Anonimizare și rezistență:** Site-ul operează pe baza tehnologiilor de anonimizare și rezistență, ceea ce îi permite să evite închiderile și blocările de către autorități.

Caz – The Pirate Bay

Istoric și Fondatori

- **Fondatori:** The Pirate Bay a fost fondat în 2003 de către Gottfrid Svartholm, Fredrik Neij și Peter Sunde, din Suedia.
- **Misiune:** Inițial, **platforma** a fost creată pentru a **facilita** schimbul liber de **informații** și conținut, dar a devenit cunoscută în principal pentru **descărcarea ilegală** de **conținut protejat** de **drepturi de autor**.

Siteurile de torrente

Folosesc adesea mai multe strategii pentru a evita acțiunile legale și pentru a-și menține operațiunile în ciuda eforturilor autorităților de a le închide.

- **Schimbarea Domeniilor:** Site-urile de torrente **schimbă frecvent** numele **domeniilor** sau folosesc o rețea de site-uri mirror. Aceasta le permite să treacă **rapid** la un **nou domeniu** în cazul în care cel actual este **confiscat** sau **blocat** de **autorități**. Aceste **domenii** pot fi găzduite în țări cu **legi slabe** în ceea ce privește **drepturile** de **autor** sau aplicarea acestora.
- **Găzduire Offshore:** Multe site-uri de **torrente** sunt găzduite pe servere situate în țări unde nu **există legi stricte** privind drepturile de autor sau unde aplicarea acestora este **minimă**. Aceasta face **dificilă** pentru **autorități** să **confiște** fizic **serverele** din alte țări.

Filme & Documentare


Snowden (2016)

Silk Road (2021)


The Fifth Estate (2013) - Wikileaks

TPB AFK – The Pirate Bay Away From Keyboard (2013)

Criptare Asimetrica



Semnatura digitala



Concluzii

Dark web-ul este o parte ascunsă și enigmatică a internetului, accesibilă prin rețele anonime și criptate cum ar fi Tor. În concluzie, iată câteva puncte cheie despre dark web:

- **Anonimat și Confidențialitate:** Dark web-ul oferă utilizatorilor un grad mare de anonimat, permițându-le să navigheze și să interacționeze fără a fi ușor de urmărit sau identificat.
- **Activități Ilegale și Controverse:** Este cunoscut pentru activități ilegale, cum ar fi vânzarea de droguri, arme, date personale și alte bunuri ilegale sau servicii. Aceasta a generat controverse și preocupări legate de securitate și aplicarea legii.
- **Platformă pentru Libertatea de Expresie:** În ciuda reputației sale negative, dark web-ul servește și ca un spațiu unde activiștii pentru drepturile omului, jurnaliștii și alți indivizi vulnerabili pot comunica în siguranță și evita cenzura.
- **Tehnologii Avansate și Riscuri:** Utilizează tehnologii avansate pentru a asigura confidențialitatea, dar adesea este asociat și cu riscuri de securitate, inclusiv atacuri cibernetice, phishing și fraudă.
- **Monitorizare și Reglementare:** Guvernele și agențiile de aplicare a legii monitorizează activitățile pe dark web și iau măsuri pentru combaterea criminalității, ceea ce ridică întrebări despre echilibrul dintre securitate și respectarea drepturilor individuale.

Referinte

https://ccdcoe.org/uploads/2018/10/TOR_Anonymity_Network.pdf

<https://www.cactusvpn.com/beginners-guide-to-online-privacy/what-is-deep-packet-inspection/>

<https://www.youtube.com/watch?v=6eWkdyRNfqY>

https://en.wikipedia.org/wiki/Diffie%E2%80%93Hellman_key_exchange#/media/File:DiffieHellman.png

<https://www.sangfor.com/glossary/cybersecurity/what-is-cia-triad>

<https://community.fs.com/article/tcpip-vs-osi-whats-the-difference-between-the-two-models.html>

<https://www.clickssl.net/blog/what-is-symmetric-encryption>

Referinte

<https://uk.norton.com/blog/emerging-threats/deep-web-vs-dark-web>

<https://www.theguardian.com/world/2013/jun/09/edward-snowden-nsa-whistleblower-surveillance>

<https://www.bbc.com/news/world-us-canada-68282613>

[https://en.wikipedia.org/wiki/Silk_Road_\(marketplace\)](https://en.wikipedia.org/wiki/Silk_Road_(marketplace))

https://en.wikipedia.org/wiki/The_Pirate_Bay

<https://coindesk.com/markets/2014/10/29/bitcoin-over-tor-anonymity-can-be-busted-for-2500-a-month/>



DARKWEB & ONION SERVICES

BOLDEANU MARIUS-PAUL

MASTERAND CSML2


IMPORT MASINA VIRTUALA TAILS OS

- Instalare VirtualBox-7.0.18
- Import masina virtuala
- Verificare resurse (MINIM: 2G RAM + 2vcpus)

Tips:

- Instalarea VirtualBox se face in C:
- Pentru folderul masinii virtuale se creaza un folder nou intr-un spatiu de lucru ales.

 **Tools**  

 **1**    

Preferences Import Export New Add

Welcome to VirtualBox!

 Import Virtual Appliance ? X




Appliance to import

Please choose the source to import appliance from. This can be a local file system to import OVF archive or one of known cloud service providers to import cloud VM from.

Source:

Please choose a file to import the virtual appliance from. VirtualBox currently supports importing appliances saved in the Open Virtualization Format (OVF). To continue, select the file to import below.

File: 





Appliance settings

These are the virtual machines contained in the appliance and the suggested settings of the imported VirtualBox machines. You can change many of the properties shown by double-clicking on the items and disable others using the check boxes below.

Virtual System 1

Name	tailsos1
Guest OS Type	Debian (64-bit)
CPU	4
RAM	4096 MB
DVD	<input checked="" type="checkbox"/>
USB Controller	<input checked="" type="checkbox"/>
Sound Card	<input checked="" type="checkbox"/> ICH AC97

Machine Base Folder: C:\Users\kilimanjaro\VirtualBox VMs

MAC Address Policy: Include only NAT network adapter MAC addresses

Additional Options: Import hard drives as VDI

Appliance is not signed

Help

Back

Finish

Cancel

Shutdown

Start Tails

Welcome to Tails!

Language and Formats ?

 Language	English - United States
 Keyboard Layout	English (US)
 Formats	United States - English

Persistent Storage

You can save some of your files and configuration in an encrypted Persistent Storage on your Tails USB stick: your documents, browser bookmarks, Wi-Fi passwords, and so on.


 **Create Persistent Storage**

Create and configure a Persistent Storage after starting Tails

Additional Settings ?

The default settings are safe in most situations. To add a custom setting, press the "+" button below.





- Network
- Bluetooth
- Appearance
- Notifications
- Search
- Multitasking
- Applications >
- Privacy >
- Sharing
- Sound
- Power
- Displays**
- Mouse & Touchpad

Orientation Landscape ▾

Resolution 1280 × 720 (16:9) ▾

Refresh Rate 59.86 Hz

Night Light Off >

Tor Connection



Everything you do on the Internet from Tails goes through the Tor network.

Tor encrypts and anonymizes your connection by passing it through 3 relays.

Tor relays are servers operated by different organizations and volunteers around the world.

Connect to Tor automatically

We recommend connecting to Tor automatically if you are on a public Wi-Fi network or if many people in your country use Tor to circumvent censorship.

Configure a Tor bridge

Hide to my local network that I'm connecting to Tor

You might need to go unnoticed if using Tor could look suspicious to someone who monitors your Internet connection.

[Learn more about how Tails connects to Tor](#)

Connect to Tor

Workspace 2

Connecting to Tor without bridges...

10%



Connected to Tor successfully

You can now browse the Internet anonymously and uncensored.



Start Tor Browser

View Tor Circuits

Onion Circuits



Circuit	Status
...	Extended
Unnamed	Built
CheeseRobot	Built
deaddrop	Built
CheeseRobot, TorHet2, NTH45R3	Built
deaddrop, Alastor, NTH45R3	Built
deaddrop, inhonourofecho, relayon0141	Built
CheeseRobot, Lemminkainen, relayon0141	Built
CheeseRobot, LauchYT, CalyxInstitute11	Built
deaddrop, ChocolateBit, CalyxInstitute11	Built
deaddrop, frozone, artikel5ev8	Built
deaddrop, trpi, jJbzwynG	Built
deaddrop, siffeurattex, ingwer	Built
CheeseRobot, emioperations, marcuse3	Built
deaddrop, NoSoul, marcuse3	Built
deaddrop, Assange010us, mochi	Built
CheeseRobot, NAKAM, mochi	Built
deaddrop, 1blu4DEicebeer01, sciurus1	Built
CheeseRobot, 1blu4DEicebeer01, CzPelyu2EurbCCD	Built

Click on a circuit for more detail about its Tor relays.





Tails

Using DuckDuckGo...

 **Donate**[Home](#)[How Tails works](#)[Install Tails](#)[Documentation](#)[Support](#)[Contribute](#)[News](#)

English

Welcome to Tails!

Subscribe to our newsletter to receive the same news by email:

Subscribe[Archive of all news](#)**RSS****Atom****Tor check**

This page is also available in the following languages: English Go



Congratulations. This browser is configured to use Tor.

Your IP address appears to be: 185.220.101.68

Please refer to the [Tor website](#) for further information about using Tor safely. You are now free to browse the Internet anonymously. For more information about this exit relay, see: [Relay Search](#).

Return to Tor Browser

Circuit for torproject.org

Tor Circuit

- This browser
- Germany (guard) 188.40.162.205
- Israel 77.91.74.149
- Germany 185.220.101.68, 2a0b:f4c2:3::68
- torproject.org

New Tor circuit for this site
Your guard node may not change



Browser is configured to use Tor.

Your IP address appears to be: **185.220.101.68**


Please refer to the [Tor website](#) for further information about using Tor safely. You are now free to browse the Internet anonymously. For more information about this exit relay, see: [Relay Search](#).

Download Tor Browser



Download Tor Browser

Get Bridges



2 Get Bridges

Add the Bridges



Add the Bridges

Get Bridges!

BridgeDB can provide bridges with several types of [Pluggable Transports](#), which can help obfuscate your connections to the Tor Network, making it more difficult for anyone watching your internet traffic to determine that you are using Tor.

Some bridges with IPv6 addresses are also available, though some Pluggable Transports aren't IPv6 compatible.

Additionally, BridgeDB has plenty of plain-ol'-vanilla bridges — without any Pluggable Transports — which maybe doesn't sound as cool, but they can still help to circumvent internet censorship in many cases.

[Just give me bridges!](#)

Advanced Options

BridgeDB / Get Bridges!



y2upTaP

Support

What are bridges?

Here are your bridge lines:

```
obfs4 198.98.53.149:443 886CA31F71272FC8B3808C601FA3ABB8A2905DB4 cert=D+zypuFdMpP8ri
```

 Copy All



-Exista o posibilitate de a configura un bridge inainte de conectare la retea TOR.

-Va trebui sa cream o partitie in plus la masina virtuala.

-Opriti masina virtuala !!!!!!!!!!!



tailsos1
Powered Off

tailsos1 1
Powered Off

- Settings... Ctrl+S
- Clone... Ctrl+O
- Move...
- Export to OCI...
- Remove...
- Move to Group
- Start
- Pause
- Reset
- Stop
- Discard Saved State...
- Show Log... Ctrl+L
- Refresh
- Show in Explorer
- Create Shortcut on Desktop
- Sort
- Search Ctrl+F

General

Name: tailsos1
Operating System: Debian (64-bit)

System

Base Memory: 4096 MB
Processors: 4
Boot Order: Floppy, Optical, Hard Disk
Acceleration: Nested Paging, KVM Paravirtualization

Display

Video Memory: 20 MB
Graphics Controller: VMSVGA
Remote Desktop Server: Disabled
Recording: Disabled

Storage

Controller: IDE
IDE Secondary Device 0: [Optical Drive] tailsos1-disk002_1.iso (1.36 GB)
Controller: SATA
SATA Port 0: tailsos1-disk001.vdi (Normal, 20.00 GB)
SATA Port 1: tailsos1_1.vdi (Normal, 11.58 MB)

Audio

Host Driver: Default
Controller: ICH AC97

Network

Adapter 1: Intel PRO/1000 MT Desktop (NAT)

USB

USB Controller: OHCI, EHCI
Device Filters: 0 (0 active)

Shared folders

None

Description

None

Preview





tailsos1 Powered Off

tailsos1 1 Powered Off

General

Preview



tailsos1 - Settings

- General
- System
- Display
- Storage
- Audio
- Network
- Serial Ports
- USB
- Shared Folders
- User Interface

Storage

Storage Devices

- Controller: IDE
 - tailsos1-disk002_1.iso
- Controller: SATA
 - tailsos1-disk001.vdi

Attributes

Name: SATA

Type: AHCI

Port Count: 2

Use Host I/O Cache

OK Cancel Help

Device Filters: 0 (0 active)

Shared folders

None

Description

None

Medium Selector



Name	Virtual Size	Actual Size
Attached		
tailsos1_1.vdi	11.58 MB	14.00 MB
tailsos1-disk001.vdi	20.00 GB	2.00 MB
tailsos1-disk001.vdi	20.00 GB	2.00 MB
Not Attached		
⚠️ kali-linux-2023.3-virtualbox-amd64_3.vdi	--	--

Search By Name ▾



Choose

Cancel

Medium Selector



Add

Create

Refresh

Name	Virtual Size	Actual Size
Attached		
tailsos1_1.vdi	11.58 MB	14.00 MB
tailsos1-disk001.vdi	20.00 GB	2.00 MB
tailsos1-disk001.vdi	20.00 GB	2.00 MB
Not Attached		
⚠️ kali-linux-2023.3-virtualbox-amd64_3.vdi	--	--

Create Virtual Hard Disk

Virtual Hard disk file type

Please choose the type of file that you would like to use for the new virtual hard disk. If you do not need to use it with other virtualization software you can leave this setting unchanged.

- VDI (VirtualBox Disk Image)
- VHD (Virtual Hard Disk)
- VMDK (Virtual Machine Disk)

Help Expert Mode Back Next Cancel



Add




Create



Refresh

Name	Virtual Size	Actual Size
Attached		
tailsos1_1.vdi	11.58 MB	14.00 MB
tailsos1-disk001.vdi	20.00 GB	2.00 MB
tailsos1-disk001.vdi	20.00 GB	2.00 MB
Not Attached		
⚠️ kali-linux-2023.3-virtualbox-amd64_3.vdi	--	--

Create Virtual Hard Disk



Storage on physical hard disk

Please choose whether the new virtual hard disk file should grow as it is used (dynamically allocated) or if it should be created at its maximum size (fixed size).

A **dynamically allocated** hard disk file will only use space on your physical hard disk as it fills up (up to a maximum **fixed size**), although it will not shrink again automatically when space on it is freed.

A **fixed size** hard disk file may take longer to create on some systems but is often faster to use.

Pre-allocate Full Size

Split into 2GB parts

[Help](#) [Back](#) [Next](#) [Cancel](#)

Medium Selector



Add



Create



Refresh

Name	Virtual Size	Actual Size
Attached		
tailsos1_1.vdi	11.58 MB	14.00 MB
tailsos1-disk001.vdi	20.00 GB	2.00 MB
tailsos1-disk001.vdi	20.00 GB	2.00 MB
Not Attached		
⚠️ kali-linux-2023.3-virtualbox-amd64_3.vdi	--	--

Create Virtual Hard Disk

File location and size

Please type the name of the new virtual hard disk file into the box below or click on the folder icon to select a different folder to create the file in.

E:\cybersec\vm\folder for vm\tailsos1\tailsos1_2.vdi

Select the size of the virtual hard disk in megabytes. This size is the limit on the amount of file data that a virtual machine will be able to store on the hard disk.

9.56 MB

4.00 MB 2.00 TB

[Help](#) [Back](#) [Finish](#) [Cancel](#)

Medium Selector



Add

Create

Refresh

Name	Virtual Size	Actual Size
Attached		
tailsos1_1.vdi	11.58 MB	14.00 MB
tailsos1-disk001.vdi	20.00 GB	2.00 MB
tailsos1-disk001.vdi	20.00 GB	2.00 MB
Not Attached		
⚠ kali-linux-2023.3-virtualbox-amd64_3.vdi	--	--
tailsos1_2.vdi	9.56 MB	2.00 MB

Search By Name ▾

1 Choose

Cancel



tailsos1
Powered Off

tailsos1 1
Powered Off

General

Preview



tailsos1 - Settings

- General
- System
- Display
- Storage
- Audio
- Network
- Serial Ports
- USB
- Shared Folders
- User Interface

Storage

Storage Devices

- Controller: IDE
 - tailsos1-disk002_1.iso
- Controller: SATA
 - tailsos1-disk001.vdi
 - tailsos1_2.vdi

Attributes

Name: SATA

Type: AHCI

Port Count: 2

Use Host I/O Cache

1

OK Cancel Help

Device Filters: 0 (0 active)

Shared folders

None

Description

None

root@amnesia:~#

File Edit View Search Terminal Help

```
root@amnesia:~# fdisk -l
Disk /dev/sda: 20 GiB, 21474836480 bytes, 41943040 sectors
Disk model: VBOX HARDDISK
Units: sectors of 1 * 512 = 512 bytes
Sector size (logical/physical): 512 bytes / 512 bytes
I/O size (minimum/optimal): 512 bytes / 512 bytes

Disk /dev/sdb: 9.56 MiB, 10027008 bytes, 19584 sectors
Disk model: VBOX HARDDISK
Units: sectors of 1 * 512 = 512 bytes
Sector size (logical/physical): 512 bytes / 512 bytes
I/O size (minimum/optimal): 512 bytes / 512 bytes

Disk /dev/loop0: 1.3 GiB, 1398935552 bytes, 2732296 sectors
Units: sectors of 1 * 512 = 512 bytes
Sector size (logical/physical): 512 bytes / 512 bytes
I/O size (minimum/optimal): 512 bytes / 512 bytes

Disk /dev/zram0: 3.82 GiB, 4104974336 bytes, 1002191 sectors
Units: sectors of 1 * 4096 = 4096 bytes
Sector size (logical/physical): 4096 bytes / 4096 bytes
I/O size (minimum/optimal): 4096 bytes / 4096 bytes
root@amnesia:~#
```

File Edit View Search Terminal Help

Sector size (logical/physical): 4096 bytes / 4096 bytes

I/O size (minimum/optimal): 4096 bytes / 4096 bytes

root@amnesia:~# fdisk /dev/sdb

Welcome to fdisk (util-linux 2.38.1).

Changes will remain in memory only, until you decide to write them.

Be careful before using the write command.

Device does not contain a recognized partition table.

Created a new DOS (MBR) disklabel with disk identifier 0x9e081fe2.

Command (m for help): n

Partition type

p primary (0 primary, 0 extended, 4 free)

e extended (container for logical partitions)

Select (default p): p

Partition number (1-4, default 1):

First sector (2048-19583, default 2048):

Last sector, +/-sectors or +/-size{K,M,G,T,P} (2048-19583, default 19583):

Created a new partition 1 of type 'Linux' and of size 8.6 MiB.

Command (m for help): w

The partition table has been altered.

Calling ioctl() to re-read partition table.

Syncing disks.

root@amnesia:~#

File Edit View Search Terminal Help

```
root@amnesia:~# mkfs.ext4 /dev/sdb
mke2fs 1.47.0 (5-Feb-2023)
Found a dos partition table in /dev/sdb
Proceed anyway? (y,N) y
Creating filesystem with 9792 1k blocks and 2448 inodes
Filesystem UUID: 4395f1b9-8470-4a65-afaf-5a3b62d1f607
Superblock backups stored on blocks:
    8193

Allocating group tables: done
Writing inode tables: done
Creating journal (1024 blocks): done
Writing superblocks and filesystem accounting information: done


root@amnesia:~# mount /dev/sdb /mnt/
root@amnesia:~# cd /mnt/
root@amnesia:/mnt# ls
lost+found
root@amnesia:/mnt# touch bridges
root@amnesia:/mnt# ls
bridges lost+found
root@amnesia:/mnt# █
```

BridgeDB / Get Bridges!

Here are your bridge lines:

```
obfs4 198.98.53.149:443 886CA31F71272FC8B3808C601FA3ABB8A2905DB4 cert=D+zypuFdMpP8ri
```

Copy All



File Edit View Search Terminal Help

root@amnesia:~# mkfs.ext4 /dev/sdb

mke2fs 1.47.0 (5-Feb-2023)

Found a dos partition table in /dev/sdb

Proceed anyway? (y,N) y

Creating filesystem with 9792 1k blocks and 2448 inodes

Filesystem UUID: 4395f1b9-8470-4a65-afaf-5a3b62d1f607

Superblock backups stored on blocks:

8193

Allocating group tables: done

Writing inode tables: done

Creating journal (1024 blocks): done

Writing superblocks and filesystem accounting information: done

root@amnesia:~# mount /dev/sdb /mnt/

root@amnesia:~# cd /mnt/

root@amnesia:/mnt# ls

lost+found

root@amnesia:/mnt# touch bridges

root@amnesia:/mnt# ls

bridges lost+found

root@amnesia:/mnt# ls

bridges lost+found

root@amnesia:/mnt# echo "obfs4 198.98.53.149:443 886CA31F71272FC8B3808C601FA3ABB8A2905DB4 cert=D+zypuFdMpP8riBUbInxIguzqClR0JKkP1DbkKz5es1+0
P2Fao8jiXyM+B/+DYA2ZFy6UA iat-mode=0" > bridges

File Edit View Search Terminal Help

```
mke2fs 1.47.0 (5-Feb-2023)
Found a dos partition table in /dev/sdb
Proceed anyway? (y,N) y
Creating filesystem with 9792 1k blocks and 2448 inodes
Filesystem UUID: 4395f1b9-8470-4a65-afaf-5a3b62d1f607
Superblock backups stored on blocks:
    8193

Allocating group tables: done
Writing inode tables: done
Creating journal (1024 blocks): done
Writing superblocks and filesystem accounting information: done

root@amnesia:~# mount /dev/sdb /mnt/
root@amnesia:~# cd /mnt/
root@amnesia:/mnt# ls
lost+found
root@amnesia:/mnt# touch bridges
root@amnesia:/mnt# ls
bridges lost+found
root@amnesia:/mnt# ls
bridges lost+found
root@amnesia:/mnt# echo "obfs4 198.98.53.149:443 886CA31F71272FC8B3808C601FA3ABB8A2905DB4 cert=D+zypuFdMpP8riBUbInxIguzqClR0JKkP1DbkKz5es1+O
P2Fao8jiXyM+B/+DYA2ZFy6UA iat-mode=0" > bridges
root@amnesia:/mnt# cat bridges
obfs4 198.98.53.149:443 886CA31F71272FC8B3808C601FA3ABB8A2905DB4 cert=D+zypuFdMpP8riBUbInxIguzqClR0JKkP1DbkKz5es1+OP2Fao8jiXyM+B/+DYA2ZFy6UA
iat-mode=0
root@amnesia:/mnt#
```


File Edit View Search Terminal Help

```
root@amnesia:/mnt# ls
lost+found
root@amnesia:/mnt# touch bridges
root@amnesia:/mnt# ls
bridges lost+found
root@amnesia:/mnt# ls
bridges lost+found
root@amnesia:/mnt# echo "obfs4 198.98.53.149:443 886CA31F71272FC8B3808C601FA3ABB8A2905DB4 cert=D+zypuFdMpP8riBUbInxIguzqClR0JKkP1DbkKz5es1+O
P2Fao8jiXyM+B/+DYA2ZFy6UA iat-mode=0" > bridges
root@amnesia:/mnt# cat bridges
obfs4 198.98.53.149:443 886CA31F71272FC8B3808C601FA3ABB8A2905DB4 cert=D+zypuFdMpP8riBUbInxIguzqClR0JKkP1DbkKz5es1+OP2Fao8jiXyM+B/+DYA2ZFy6UA
iat-mode=0
root@amnesia:/mnt# df -H
Filesystem      Size  Used Avail Use% Mounted on
udev            2.1G     0  2.1G   0% /dev
tmpfs           411M  1.4M  410M   1% /run
/dev/sr0        1.5G  1.5G     0 100% /usr/lib/live/mount/medium
/dev/loop0     1.4G  1.4G     0 100% /usr/lib/live/mount/rootfs/filesystem.squashfs
tmpfs           2.1G  115M  2.0G   6% /usr/lib/live/mount/overlay
overlay         2.1G  115M  2.0G   6% /
tmpfs           2.1G  3.3M  2.1G   1% /dev/shm
tmpfs           5.3M   8.2k  5.3M   1% /run/lock
tmpfs           2.1G     0  2.1G   0% /var/tmp
tmpfs           2.1G  121M  2.0G   6% /run/initramfs
tmpfs           2.1G   25k  2.1G   1% /tmp
tmpfs           411M  103k  411M   1% /run/user/1000
/dev/sdb        8.2M   16k  7.5M   1% /mnt
root@amnesia:/mnt#
```

Terminal

File Edit View Search Terminal Help

```

tmpfs          2.1G 115M 2.0G 6% /usr/lib/live/mount/overlay
overlay        2.1G 115M 2.0G 6% /
tmpfs          2.1G 3.3M 2.1G 1% /dev/shm
tmpfs          5.3M 8.2k 5.3M 1% /run/lock
tmpfs          2.1G 0 2.1G 0% /var/tmp
tmpfs          2.1G 121M 2.0G 6% /run/initramfs
tmpfs          2.1G 25k 2.1G 1% /tmp
tmpfs          411M 103k 411M 1% /run/user/1000
/dev/sdb       8.2M 16k 7.5M 1% /mnt

```

```

root@amnesia:/mnt# umount /dev/sdb
umount: /run/nosymfollow/mnt: target is busy.

```

```

root@amnesia:/mnt# cd /
root@amnesia:/# umount /dev/sdb

```

```

root@amnesia:/# df -H
Filesystem      Size  Used Avail Use% Mounted on
udev            2.1G     0 2.1G   0% /dev
tmpfs           411M  1.4M  410M   1% /run
/dev/sr0        1.5G  1.5G     0 100% /usr/lib/live/mount/medium
/dev/loop0     1.4G  1.4G     0 100% /usr/lib/live/mount/rootfs/filesystem.squashfs
tmpfs           2.1G  121M  2.0G   6% /usr/lib/live/mount/overlay
overlay         2.1G  121M  2.0G   6% /
tmpfs           2.1G  3.3M  2.1G   1% /dev/shm
tmpfs           5.3M  8.2k  5.3M   1% /run/lock
tmpfs           2.1G     0  2.1G   0% /var/tmp
tmpfs           2.1G  121M  2.0G   6% /run/initramfs
tmpfs           2.1G  25k  2.1G   1% /tmp
tmpfs           411M  103k  411M   1% /run/user/1000

```

root@amnesia:/#

Terminal

File Edit View Search Terminal Help

```

tmpfs          2.1G 115M 2.0G 6% /usr/lib/live/mount/overlay
overlay        2.1G 115M 2.0G 6% /
tmpfs          2.1G 3.3M 2.1G 1% /dev/shm
tmpfs          5.3M 8.2k 5.3M 1% /run/lock
tmpfs          2.1G 0 2.1G 0% /var/tmp
tmpfs          2.1G 121M 2.0G 6% /run/initramfs
tmpfs          2.1G 25k 2.1G 1% /tmp
tmpfs          411M 103k 411M 1% /run/user/1000
/dev/sdb       8.2M 16k 7.5M 1% /mnt

```

```

root@amnesia:/mnt# umount /dev/sdb
umount: /run/nosymfollow/mnt: target is busy.
root@amnesia:/mnt# cd ..

```

```

root@amnesia:/# umount /dev/sdb
root@amnesia:/# df -H

```

Filesystem	Size	Used	Avail	Use%	Mounted on
udev	2.1G	0	2.1G	0%	/dev
tmpfs	411M	1.4M	410M	1%	/run
/dev/sr0	1.5G	1.5G	0	100%	/usr/lib/live/mount/medium
/dev/loop0	1.4G	1.4G	0	100%	/usr/lib/live/mount/rootfs/filesystem.squashfs
tmpfs	2.1G	121M	2.0G	6%	/usr/lib/live/mount/overlay
overlay	2.1G	121M	2.0G	6%	/
tmpfs	2.1G	3.3M	2.1G	1%	/dev/shm
tmpfs	5.3M	8.2k	5.3M	1%	/run/lock
tmpfs	2.1G	0	2.1G	0%	/var/tmp
tmpfs	2.1G	121M	2.0G	6%	/run/initramfs
tmpfs	2.1G	25k	2.1G	1%	/tmp
tmpfs	411M	103k	411M	1%	/run/user/1000

```

root@amnesia:/# reboot -f

```

Tor Connection

Everything you do on the Internet from Tails goes through the Tor network.

Tor encrypts and anonymizes your connection by passing it through 3 relays.
Tor relays are servers operated by different organizations and volunteers around the world.

Connect to Tor automatically

We recommend connecting to Tor automatically if you are on a public Wi-Fi network or if many people in your country use Tor to circumvent censorship.

Hide to my local network that I'm connecting to Tor

You might need to go unnoticed if using Tor could look suspicious to someone who monitors your Internet connection.

[Learn more about how Tails connects to Tor](#)

Connect to Tor



tem.squa

zypuFdMp

File Edit View Search Terminal Help

root@amnesia:~# df -H

Filesystem	Size	Used	Avail	Use%	Mounted on
udev	2.1G	0	2.1G	0%	/dev
tmpfs	411M	1.4M	410M	1%	/run
/dev/sr0	1.5G	1.5G	0	100%	/usr/lib/live/mount/medium
/dev/loop0	1.4G	1.4G	0	100%	/usr/lib/live/mount/rootfs/filesystem.squashfs
tmpfs	2.1G	55M	2.0G	3%	/usr/lib/live/mount/overlay
overlay	2.1G	55M	2.0G	3%	/
tmpfs	2.1G	3.3M	2.1G	1%	/dev/shm
tmpfs	5.3M	8.2k	5.3M	1%	/run/lock
tmpfs	2.1G	121M	2.0G	6%	/run/initramfs
tmpfs	2.1G	0	2.1G	0%	/var/tmp
tmpfs	2.1G	17k	2.1G	1%	/tmp
tmpfs	411M	111k	411M	1%	/run/user/1000

root@amnesia:~# mount /dev/sdb /mnt/

root@amnesia:~# cat /mnt/

bridges lost+found/

root@amnesia:~# cat /mnt/bridges

obfs4 198.98.53.149:443 886CA31F71272FC8B3808C601FA3ABB8A2905DB4 cert=D+zypuFdMpP8riBUbInxIguzqClR0JKkP1DbkKz5es1+OP2Fao8jiXyM+B/+DYA2ZFy6UA
iat-mode=0

root@amnesia:~# █

Tor Connection



Configure a Tor bridge

Bridges are secret Tor relays. Use a bridge as your first Tor relay if accessing Tor is blocked from where you are.

[Learn more about Tor bridges](#)

Use a default bridge

Ask for a Tor bridge by email

Send an empty email to `bridges@torproject.org` from a Gmail or Riseup email address with your phone and scan the QR code that is attached to the automatic reply.

Scan QR code

Enter a bridge that you already know

Bridge

To save your bridge, [create a Persistent Storage](#) on your Tails USB stick.

Back

Connect to Tor



z5es1+OP2Fao8jiXyM+B/+DYA2ZFy6UA

Tor Connection



Connecting to Tor with a custom bridge...

14%



z5es1+OP2Fao8jiXyM+B/+DYA2ZFy6UA

Tor Connection

Connected to Tor successfully with bridges

You can now browse the Internet anonymously and uncensored.



Start Tor Browser

View Tor Circuits

z5es1+OP2Fao8jiXyM+B/+DYA2ZFy6UA

Circuit for torproject.org

Tor Circuit

- This browser
-  Germany (guard) 188.40.162.205
-  Germany 212.132.89.150, 2a02:247a:237:d000::1
-  Germany 185.220.101.28, 2a0b:f4c2::28
- torproject.org

New Tor circuit for this site
Your guard node may not change



Browser is configured to use Tor.

Your IP address appears to be: **185.220.101.28**

Please refer to the [Tor website](#) for further information about using Tor safely. You are now free to browse the Internet anonymously. For more information about this exit relay, see: [Relay Search](#).



Circuit for torproject.org

Tor Circuit

- This browser
- Germany (guard) 188.40.162.205
- Germany 212.132.89.150, 2a02:247a:237:d000::1
- Germany 185.220.101.28, 2a0b:f4c2::28
- torproject.org

New Tor circuit for this site
Your guard node may not change

1



Browser is configured to use Tor.

Your IP address appears to be: 185.220.101.28

Please refer to the [Tor website](#) for further information about using Tor safely. You are now free to browse the Internet anonymously. For more information about this exit relay, see: [Relay Search](#).

Circuit for torproject.org

Tor Circuit

-  This browser
-   Finland (guard) 95.216.23.120, 2a01:4f9:2a:1787:0:999:0:2086
-   Germany 178.63.40.99, 2a01:4f8:120:205b::2
-   Finland 185.227.68.78
-  torproject.org

New Tor circuit for this site
Your guard node may not change




Browser is configured to use Tor.

Your IP address appears to be: **185.227.68.78**

Please refer to the [Tor website](#) for further information about using Tor safely. You are now free to browse the Internet anonymously. For more information about this exit relay, see: [Relay Search](#).




This page is also available in the following languages: English  Go

Congratulations. This browser is configured to

Your IP address appears to be: **185.227.68.78**

Please refer to the [Tor website](#) for further information about using Tor safely. You are now free to browse the Internet and about this exit relay, see: [Relay Search](#).

- New tab Ctrl+T
- New window Ctrl+N
- New identity Ctrl+Shift+U**
- New Tor circuit for this site Ctrl+Shift+L
- Bookmarks >
- History >
- Downloads Ctrl+Shift+Y
- Passwords
- Add-ons and themes Ctrl+Shift+A
- Print... Ctrl+P
- Save page as... Ctrl+S
- Find in page... Ctrl+F
- Zoom - 100% + 
- Settings
- More tools >
- Help >
- Quit Ctrl+Q

Congratulations. This brov x

https://check.torproject.org

Reset your identity?

Tor Browser will close all windows and tabs. All website sessions will be lost.

Restart Tor Browser now to reset your identity?

Never ask me again

Cancel

Restart Tor Browser

Congratulations. This browser is configured to use Tor.

Your IP address appears to be: **185.227.68.78**

Please refer to the [Tor website](#) for further information about using Tor safely. You are now free to browse the Internet anonymously. For more information about this exit relay, see: [Relay Search](#).

Circuit for torproject.org

Tor Circuit

- This browser
- + Finland (guard) 95.216.23.120, 2a01:4f9:2a:1787:0:999:0:2086
- + Finland 95.217.28.112
-  United States 23.154.177.14
- torproject.org

New Tor circuit for this site
Your guard node may not change



Browser is configured to use Tor.

Your IP address appears to be: **23.154.177.14**

Please refer to the [Tor website](#) for further information about using Tor safely. You are now free to browse the Internet anonymously. For more information about this exit relay, see: [Relay Search](#).



Your browser is being managed by your organization. Find in Settings

- General
- Home
- Search
- Privacy & Security

Security

Security Level

Disable certain web features that can be used to attack your security and anonymity. Learn more

- Standard

All browser and website features are enabled.
- Safer

Disables website features that are often dangerous, causing some sites to lose functionality.
- Safest

Only allows website features required for static sites and basic services. These changes affect images, media, and scripts.

Deceptive Content and Dangerous Software Protection

Block dangerous and deceptive content Learn more

HIDDEN SERVICES DISCOVERY

-Ahmia

-The Hidden Wiki

-DuckDuckgo

ahmia.fi - juhanurmihxlp77nkq76byazcldy2hlmovfu2epvl5ankdibsot4csyd.onion

Ahmia

 Search

Ahmia searches hidden services on the Tor network. To access these hidden services, you need the [Tor browser bundle](#). Abuse material is not allowed on Ahmia. See our [service blacklist](#) and report abuse material if you find it in the index. It will be removed as soon as possible.

For more about Ahmia, see [indexing information](#) , [contribute to the source code](#).

[The Tor Project](#)

Onion service: juhanurmihxlp77nkq76byazcldy2hlmovfu2epvl5ankdibsot4csyd.onion

[Log in](#)[Main page](#)[Discussion](#)[Read](#)[View source](#)

Main Page

Welcome to The Hidden Wiki! Our official Hidden Wiki url in 2024 is:

Contents [\[hide\]](#)

- [1 Editor's picks](#)
- [2 Volunteer](#)
- [3 Introduction Points](#)
- [4 Financial Services](#)
- [5 Commercial Services](#)
- [6 Domain Services](#)
- [7 Anonymity & Security](#)
- [8 Darknet versions of popular sites](#)
- [9 Blogs / Essays / News Sites](#)
- [10 General Knowledge](#)
- [11 Email / Messaging](#)
- [12 Social Networks](#)

[Main page](#)[Random page](#)[Help about MediaWiki](#)[Tools](#)[What links here](#)[Special pages](#)[Printable version](#)[Permanent link](#)

Darknet versions of popular sites

- [Tor Project](#) - The official site of the project you're currently using.
- [The New York Times Secure Drop](#) - The Official .onion Secure Drop of the New York Times
- [Deutsche Welle](#) - Official website of Deutsche Welle
- [BBC News](#) - Official website of BBC News
- [Protonmail](#) - Onion version of ProtonMail
- [The Tor Project](#) - Official Onion website of the Tor Project
- [LocalMonero.co](#) - You can buy and sell Monero here, via it's .onion domain
- [National Police of the Netherlands](#) - The official site.
- [The CIA](#) - The CIA's Official Onion Site
- [NCIDE Task Force](#) - Their official site.
- [Facebook](#) - Facebook's official Onion version.
- [Whonix](#) - Whonix's official onion site.
- [Qubes OS](#) - Qubes OS
- [Twitter](#) - Sign up now to get your own personalized timeline!
- [Reddit](#) - The popular American social news aggregation, content rating, and discussion website.
- [NJALLA](#) - Considered the worlds most notorious "Privacy as a Service" provider for domains, VPS' and VPNs.
- [based.cooking](#) - A onion mirror of the foss cooking website of luke smiths based.cooking site



DuckDuckGo



Privacy, simplified.

Introduction Points

- [Ahmia.fi](#) - Clearnet search engine for Tor Hidden Services.
- [DuckDuckGo](#) - A Hidden Service that searches the clearnet.
- [Torlinks](#) - TorLinks is a moderated replacement for The Hidden Wiki.
- [Torch](#) - Tor Search Engine. Claims to index around 1.1 Million pages.
- [OnionLinks](#) - A good link collection, calls itself the Hidden Wiki mirror.
- [The Hidden Wiki](#) - The old v2 mirror of the Hidden Wiki. Here for archive purposes. **[redirect]**
- [Self-defense Surveillance Guide](#) Tips, Tools and How-tos for Safer Online Communications (clearnet).

COMMUNICATION ON DARKWEB

- Sock Puppets
 - Temporary Email Provider
 - DarkNet Email Provider
-



Elf Qrin's Lab: The Secret Rooms
TOR Dark Web's pages of https://www.ElfQrin.com

URL v3: elfqv3zjfequs3bgg5d7pv62eqght4h6sl6yjjhe7kjpis56bzgk2yd.onion

JavaScript is ENABLED

[Home](#) | [Fake ID](#) | [Anonymity Check](#) | [Configure Tor and Tails](#) | [DONATE](#)

Forsaken - The Fake ID Identity Name Generator

Generate a random character with a fake name for games, novels, or alter ego avatars of yourself. Create a new virtual disposable identity instantly.

Gender	Male
First name	Alexander
Middle name	Julian
Last name	Henry
Initials	A. J. H.
Mother's Maiden name	Ramirez
Birthday	February, 06 1981 (Age: 43 years)
Birthplace	Washington, DC, USA
Zodiacal sign	Aquarius
User name	henryalexa
Password	1aedykmsl
Password hash (MD5)	1c91d4002144cf270e69c962d42a2c63
Password hash (SHA1)	c570822feaa29ca97e098cdb184fa3fcbcd5c012
E-Mail	henryalexa@suremail.info
Phone	907-989-9999



Alexander J. Henry

20 Sycamore St
Evansville, IN 47708, USA

Phone: 907-989-9999
E-Mail: henryalexa@suremail.info

```

BEGIN:VCARD
VERSION:2.1
PROFILE:VCARD
N:Henry;Alexander;;;
FN:Alexander Henry
SORT-STRING:Henry Alexander
EMAIL:henryalexa@suremail.info
TEL;TYPE=Cell:907-989-9999
ADR;TYPE=Home;;;20 Sycamore St;Evansville;IN;47708;USA
LABEL;TYPE=Home:20 Sycamore St\nEvansville, IN 47708\nUSA

```


Favorite Comfort Food Steak

Favorite Season Fall

US Federal Taxpayer Identification Number (TIN / Tax ID)

Preparer Tax Identification Number (PTIN) P11758489

Interim PTIN (temporary PTIN) P99993683

Employer Identification Number (EIN) 818943923

Individual Taxpayer Identification Number (ITIN) 948744434

Adoption Taxpayer Identification Number (ATIN) 257150360

Fantasy features

Alignment Neutral Good

Abilities Charisma: 10
Constitution: 16
Dexterity: 10
Intelligence: 14
Strength: 9
Wisdom: 3

This tool generates information from algorithms, it does not produce actual issued documents nor facsimiles, specimen or samples of real documents.

Has your life become dull or boring lately? Pretend to be someone else for a while! Choose a good game on your PC or Xbox or Sony PlayStation PSN or Apple ID or even an old fashioned card or table game and enjoy your new identity. You can go further and tell your friends to call you with the new name from the fake ID name generator for an evening or several days.

Generate a new character: [Male](#) - [Female](#) - [Random](#)

This is the TOR Network's section of the website www.elfqrin.com [clearnet].

You can access the main website in the clearnet to have more tools and extended features that can't be available on TOR for security reasons (they need JavaScript to be enabled).



Guerrilla Mail - Disposable Temporary E-Mail Address

Avoid spam and stay safe - use a disposable email address! Click the "WTF" button below for help. So far we've processed 16,674,015,059 emails (+292). Keeping your real inbox safe and clean (24300 emails going in / hour)

@

Scramble Address

Next update in: 6 sec.

no-reply@guerrillamail.c Welcome to Guerrilla Mail Dear Random User, Thank you for using Guerrilla Mail - your 20:37:31





Temp Mail Address That Shields Your Real Mailbox

jaden.amer@floodouts.com Copy 59:30 4

Delete Edit Refresh Randomly generated password: tbabq4Z& Copy +10 min | 1 day | 3 days | 5 days | 1 week | 2 weeks

From	Subject	Time	
✉ Fake Mail	Welcome to FakeMail)	24 sec. ago	📄 🗑

Home

About

Proton

Sign in

Create a free account



A better internet starts with privacy and freedom

Take control of your data with end-to-end encryption

 [Email](#)

 [VPN](#)

 [Cloud storage](#)

 [Password manager](#)

 [Calendar](#)

||| TORBOX |||

TORBOX36IJLCEVUJX7MJB4OIUSVWGMUE7JFN2CVUTWA6KL6TO3UYQAD.ONION

- WELCOME
- SERVICES
- RELAY
- ACCOUNT
- SUPPORT
- LANGUAGE

||| SIGN-UP |||

Mail2Tor anonymous email service provider

- Home
- Register
- Login
- Change Password
- Deactivate



Mail2Tor Onion Register Page

Username: @mail2tor.com

Password:

Confirm Password:

INSTANT MESSAGING ON DARKWEB

-Dismail.de

-Pidgin

-Peer to Peer - Encrypted Messages

Create your dismail.de XMPP account here and communicate using a open, standardized and federated messaging protocol.

If you would like to use your account also for email, please send a message with your XMPP client or the webchat to activation@dismail.de and ask for email activation (you need to use your dismail.de account). Please don't expect an immediate response.

Username: The username must be at least 3 characters. Allowed characters: a-z 0-9 -._

Password: If you forget your password you will lose your account.

Password Verification:

Please solve the captcha

SUM of

86 and 149725

dismail.de

- Register
- Service Info
- FAQ
- Webmail
- Webchat
- Donate

Your XMPP account was successfully registered.

Buddy List

Buddies Accounts Tools Help

Welcome to Pidgin!

You have no accounts enabled. Enable your IM accounts from the **Accounts** window at **Accounts** => **Manage Accounts**. Or you enable accounts, you'll be able to sign on, set your status, and talk your friends.

Add Account

Basic Advanced Proxy

Login Options

Protocol: Google Talk IRC **XMPP**

Username:

Server:

Password:

Remember password

User Options

Local alias:

Cancel Add

dismail.de Register

Your XMPP account

Donate

Add Account

Basic Advanced Proxy Voice and Video

Login Options

Protocol: XMPP

Username: kokojimmy2

Domain: dismail.de

Resource:

Password: [masked]


Remember password

User Options

Local alias:


New mail notifications

Use this buddy icon for this account:

 Remove

Create this new account on the server

Cancel Add



There was an error creating the account

Accounts

Enabled	Username	Protocol
<input checked="" type="checkbox"/>	kokojimmy1@dismail.de/	XMPP

Add... Modify... Delete Close

Buddy List

Buddies Accounts Tools Help

- New Instant Message... Ctrl+M
- Join a Chat... Ctrl+C
- Get User Info... Ctrl+I
- View User Log... Ctrl+L
- Show ▶
- Sort Buddies ▶
- Add Buddy... Ctrl+B**
- Add Chat...
- Add Group...
- Quit Ctrl+Q

Available

Buddy List

Buddies Accounts Tools Help

Accounts

Enabled	Username	Prot
<input checked="" type="checkbox"/>	kokojimmy1@dismail.de/	

Add... Modify...

Add Buddy

Add a buddy.

Account:

Buddy's username:

(Optional) Alias:

(Optional) Invite message:

Add buddy to group:

Cancel Add

Buddy List - [maximize] [close]

Buddies Accounts Tools Help

Authorize buddy?
 kokojimmy1@dismail.de wants to add you (kokojimmy2@dismail.de/1544949261319104594485268995) to his or her buddy list.

Send Instant Message Deny Authorize

Available [dropdown arrow]

Accounts [close]

Enabled	Username	Protocol
<input checked="" type="checkbox"/>	kokojimmy2@dismail.de/	XMPP

Add... Modify... Delete Close

Buddy List - [x] dismail.de

Buddies Accounts Tools Help

Accounts [x]

Name	Protocol
kokojimmy2@dismail.de/	XMPP

Add... Modify... Delete Close

Add Buddy [x]

Add a buddy.

Account: kokojimmy2@dismail.de/ (XMPP)

Buddy's username: kokojimmy1@dismail.de

(Optional) Alias:

(Optional) Invite message:

Add buddy to group:

Cancel Add

Accounts

Enabled	Username	Protocol
<input checked="" type="checkbox"/>	kokojimmy1@dismail.de/	XMPP

Add... Modify... Delete Close

Buddy List

Buddies Accounts Tools Help

▼ Buddies

- kokojimmy2@dismail.de

Available

Buddy List

Buddies Accounts Tools Help

▼ Buddies


- kokojimmy1@dismail.de

Available

Accounts

Enabled	Username	Protocol
<input checked="" type="checkbox"/>	kokojimmy2@dismail.de/	XMPP

Add... Modify... Delete Close



Webchat Donate Buddy List

kokojimmy2@dismail.de

Conversation Options Send To OTR

kokojimmy2@dismail.de

(09:04:23 PM) **kokojimmy2@dismail.de**: Hi koko2
 (09:04:31 PM) **kokojimmy1@dismail.de/1335841028837913976885269107**: hello koko1

Font + Insert 😊 Smile! ⚠️ Attention! 🔒 Not private



kokojimmy1@dismail.de

Conversation Options Send To OTR

kokojimmy1@dismail.de

(09:04:22 PM) **kokojimmy2@dismail.de/493738439958985125093367186**: Hi koko2
 (09:04:31 PM) **kokojimmy1@dismail.de**: hello koko1

Font + Insert 😊 Smile! ⚠️ Attention! 🔒 Not private

Available

XMPP

- **TLS score** c2s: A s2s: A
- **XMPP Server:** ejabberd
- **s2s encryption:** is required
- **Client-Port:** 5222 (STARTTLS only)
- **MUC:** rooms.dismail.de (multi user chat)
- **Proxy:** proxy65.dismail.de Port 5555 (dismail.de only)
- **BOSH URL:** https://dismail.de/http-bind
- **Websocket:** wss://dismail.de/ws
- **Tor Address v3:** 4colmnerbjz3xtsjmqogehpt5upjzef57huilibbq3yfgpsylub7yd.onion
- **SHA256:**
9B:0A:8C:29:D9:53:B9:61:C0:60:68:4E:79:E8:6C:44:6F:2D:27:D3:1D:FA:0B:7B:23:7A:E0:A8:83:43:A2:26
- **CertWatch:** [MITM Detection](#) and Monitoring for XMPP Servers
- **Some of the active XEPs** ([Ranked Compliance Test](#))
- **Upload file size limit:** 100 MB / uploaded files expire after 31 days
- **Message Archive (MAM):** archived messages expire after 7 days

Service Info | dismail.de

https://dismail.de/info.html#email

XMPP

TLS score c2s: A

Enabled	Username
<input checked="" type="checkbox"/>	kokojimmy1@dismail.de

Add...

- Some of the active XE
- Upload file size limit: 1
- Message Archive (MA

Modify Account

Basic Advanced Proxy Voice and Video

Connection security: Require encryption

Allow plaintext auth over unencrypted streams

Connect port: 5222

Connect server: **2** s7huilibbq3wfgpsyl

File transfer proxies:

BOSH URL:

Show Custom Smileys

Create this new account on the server

Cancel Save

1

- Edit Account
- Set Mood...
- Set User Info...
- Change Password...
- Search for Users...
- Set Nickname...
- Ping
- Disable

Buddy List

Buddies Accounts Tools Help

Manage Accounts Ctrl+A

kokojimmy1@dismail.de/ (XMPP)

Available

NOW RECONNECT!!!

XMPP


TLS score c2s: A s2s: A

Accounts

Enabled	Username
<input checked="" type="checkbox"/>	kokoji

Buttons: Add... Modify... Delete Close

SSL Certificate Verification

 **Accept certificate for 4colmnerbjz3xtsjmqogehpbt5upjzef57huilibbq3wfgpsylub7yd.onion?**

The certificate for 4colmnerbjz3xtsjmqogehpbt5upjzef57huilibbq3wfgpsylub7yd.onion could not be validated.
The certificate claims to be from "dismail.de" instead. This could mean that you are not connecting to the service you believe you are.

Buttons: View Certificate... Reject Accept

Buddy List

Buddies Accounts Tools Help

Available - Connec...

- Some of the active XEPs ([Ranked Compliance Test](#))
- **Upload file size limit:** 100 MB / uploaded files expire after 31 days
- **Message Archive (MAM):** archived messages expire after 7 days

en

Service Info | dismail.de

https://dismail.de/info.html

• XMPP Server: ejabberd

kokoJimmy2@dismail.de

Conversation Options Send To OTR

kokoJimmy2@dismail.de

(09:10:51 PM) kokoJimmy1@dismail.de/
713726437877359117885278803: hi

(09:10:58 PM) kokoJimmy2@dismail.de: hi

Font + Insert Smile! Attention! Not private

Accounts kokoJimmy2@dismail...

Applications Places Pidgin

Service Info | dismail.de

https://dismail.de/info.html

• XMPP Server: ejabberd

kokoJimmy1@dismail.de

Conversation Options Send To OTR

kokoJimmy1@dismail.de

(09:10:51 PM) kokoJimmy1@dismail.de: hi

(09:10:57 PM) kokoJimmy2@dismail.de/
1179539115555836935193374210: hi

Font + Insert Smile! Attention! Not private

Available

EMAIL

Tor Connection Tails — Tor Browser Service Info

CONFIGURING OTR (OFF THE RECORD)

XMPP

TLS score c2s: A s2s: A

Accounts

Enabled	Username	Protocol
<input checked="" type="checkbox"/>	kokojimmy1@dismail.de/	XMPP

Add... Modify... Delete Close

Buddy List

Conversation Options Buddies Accounts Tools Help

- ▼ Buddies
 - kokojimmy2@dismail.de
 - (09:10:51 PM) kokojimmy2@dismail.de: 7137264378773591
 - (09:10:58 PM) kokojimmy2@dismail.de: wfgpsylub
 - 3:1D:FA:0

Font + Insert

Available

Tools

- Buddy Pounces
- Certificates
- Custom Smileys Ctrl+Y
- Plugins Ctrl+U**
- Preferences Ctrl+P
- Privacy
- Set Mood Ctrl+D
- File Transfers Ctrl+T
- Room List
- System Log
- Mute Sounds

- Some of the active XEPs ([Ranked Compliance Test](#))
- **Upload file size limit:** 100 MB / uploaded files expire after 31 days
- **Message Archive (MAM):** archived messages expire after 7 days

XMPP

TLS score c2s: A s2s: A

Accounts

Enabled	Username	Protocol
<input checked="" type="checkbox"/>	kokojimmy1@dismail.de/	XMPP

Add... Modify... Delete Close

- Some of the active XEPs ([Ranked Compliance Test](#))
- **Upload file size limit:** 100 MB / uploaded files expire after 31 days
- **Message Archive (MAM):** archived messages expire after 7 days

Plugins

Enabled	Name
<input type="checkbox"/>	Mouse Gestures 2.14.12 Provides support for mouse gestures
<input type="checkbox"/>	Music Messaging 2.14.12 Music Messaging Plugin for collaborative co...
<input type="checkbox"/>	New Line 2.14.12 Prepends a newline to displayed message.
<input type="checkbox"/>	NSS Preferences 2.14.12 Configure Ciphers and other Settings for the ...
<input type="checkbox"/>	Offline Message Emulation 2.14.12 Save messages sent to an offline user as poun...
<input checked="" type="checkbox"/>	Off-the-Record Messaging 4.0.2 Provides private and secure conversations
<input type="checkbox"/>	Pidgin GTK+ Theme Control 2.14.12 Provides access to commonly used gtkrc setti...
<input type="checkbox"/>	Pidgin Theme Editor 2.14.12 Pidgin Theme Editor.
<input type="checkbox"/>	Psychic Mode 2.14.12 Psychic mode for incoming conversation
<input type="checkbox"/>	Send Button 2.14.12 Conversation Window Send Button

► Plugin Details

Configure Plugin Close

XMPP

TLS score c2s: A s2s: A

Accounts

Enabled	Username	Protocol
<input checked="" type="checkbox"/>	kokojimmy1@dismail.de/	XMPP

Add... Modify... Delete Close

- Some of the active XEPs ([Ranked Compliance Test](#))
- Upload file size limit: 100 MB / uploaded files expire after 31 days
- Message Archive (MAM): archived messages expire after 7 days

Plugins

Enabled Name

Off-the-Record Messaging

Config Known fingerprints

My private keys

Key for account: kokojimmy1@dismail.de/ (XMPP)

No key present

Generate

Default OTR Settings

- Enable private messaging
- Automatically initiate private messaging
- Require private messaging
- Don't log OTR conversations

OTR UI Options

- Show OTR button in toolbar

Close

XMPP

TLS score c2s: A s2s: A

Accounts

Enabled	Username	Protocol
<input checked="" type="checkbox"/>	kokojimmy1@dismail.de/	XMPP

Add... Modify... Delete Close

- Some of the active XEPs ([Ranked Compliance Test](#))
- Upload file size limit: 100 MB / uploaded files expire after 31 days
- Message Archive (MAM): archived messages expire after 7 days

Plugins

Enabled Name

Off-the-Record Messaging

Config Known fingerprints

My private keys

Key for account: kokojimmy1@dismail.de/ (XMPP)

No key present

Generate

Default OTR Settings

- Enable private messaging
- Automatically initiate private messaging
- Require private messaging
- Don't log OTR conversations

OTR UI Options

- Show OTR button in toolbar

Close

XMPP

Accounts

Enabled	Username	Protocol
<input checked="" type="checkbox"/>	kokojimmy1@dismail.de/	XMPP

Add... Modify... Delete Close

kokojimmy2@dismail.de

Conversation Options Send To OTR Help

kokojimmy2@dismail.de

(09:10:51 PM) kokojimmy1@dismail.de/
713726437877359117885278803: hi

(09:10:58 PM) kokojimmy2@dismail.de: hi

- Start private conversation
- End private conversation
- Authenticate buddy
- kokojimmy2@dismail.de/1179539115555836935193374210 (kokojimmy1@dismail.de/)
- Not Private
- What's this?

• XMPP Server: ejabberd

Buddy List

Buddies Accounts Tools Help

▼ Buddies

- kokojimmy1@dismail.de

Available

Generating private key

Please wait

Generating private key for kokojimmy2@dismail.de/ (XMPP)...
Done.

OK

vs. 4c0mme70jz3x5jmq0genp0t3upjze19/nam0bq5w1gpsy1u0/yd.0m0n

9:D9:53:B9:61:C0:60:68:4E:79:E8:6C:44:6F:2D:27:D3:1D:FA:0B:7B:23:7A:E0:A8:83:43:A2:26

[MITM Detection](#) and Monitoring for XMPP Servers

active XEPs ([Ranked Compliance Test](#))

size limit: 100 MB / uploaded files expire after 31 days

chive (MAM): archived messages expire after 7 days

EMAIL

Conversation Options Send To OTR

koko jimmy2@dismail.de

[09:21:41 PM] Attempting to start a private conversation with koko jimmy2@dismail.de...

[09:21:44 PM] Unverified conversation with koko jimmy2@dismail.de/136031631978634490885288051 started. Your client is not logging this conversation.

[09:22:03 PM] koko jimmy1@dismail.de/1388634205289900594585289459: hi

Font Insert Smile! Attention! Unverified

Available

Conversation Options Send To OTR

koko jimmy1@dismail.de

koko jimmy1@dismail.de

[09:21:44 PM] Unverified conversation with koko jimmy1@dismail.de started. Your client is not logging this conversation.

[09:22:04 PM] koko jimmy1@dismail.de: hi

Font Insert Smile! Attention!

Available

Buddy List - [minimize] [maximize] [close]


Buddies Accounts Tools Help

▼ Buddies

- kokojimmy2@dismail.de


● Available

Conversation kokojimmy2@dismail.de [minimize] [maximize] [close]

Conversation Options Send To OTR 

● kokojimmy2@dismail.de

(09:21:41 PM) Attempting to start a private conversation with [kokojimmy2@dismail.de...](#)

 (09:21:44 PM) **Unverified** conversation with kokojimmy2@dismail.de/136031631978634490885288051 started. Your client is not logging this conversation.

(09:22:03 PM) kokojimmy1@dismail.de/1388634205289900594585289459: hi

Refresh private conversation

End private conversation

Authenticate buddy


kokojimmy2@dismail.de/136031631978634490885288051 (kokojimmy1@dismail.de/)

Unverified

[What's this?](#)

Unverified

Authenticate Buddy

 **Authenticate kokojimmy2@dismail.de**

Authenticating a buddy helps ensure that the person you are talking to is who he or she claims to be.

How would you like to authenticate your buddy?

Question and answer

To authenticate using a question, pick a question whose answer is known only to you and your buddy. Enter this question and this answer, then wait for your buddy to enter the answer too. If the answers don't match, then you may be talking to an imposter.

Enter question here:


where did we meet?

Enter secret answer here (case sensitive):

constanta

Help Cancel Authenticate

kokojimmy2@dismail.de




Send To OTR 

il.de


g to start a private conversation with e...

ed conversation with kokojimmy2@dismail.de/85288051 started. Your client is not logging this

y1@dismail.de/1388634205289900594585289459: hi

 Smile!  Attention!  Unverified

Authenticate Buddy

 **Authenticate kokojimmy2@dismail.de**

Authenticating a buddy helps ensure that the person you are talking to is who he or she claims to be.

How would you like to authenticate your buddy?

Shared secret


To authenticate, pick a secret known only to you and your buddy. Enter this secret, then wait for your buddy to enter it too. If the secrets don't match, then you may be talking to an imposter.

Enter secret here:

hohoho

Help Cancel Authenticate

kokojimmy2@dismail.de




Send To OTR 

il.de

g to start a private conversation with
e...

ed conversation with kokojimmy2@dismail.de/
85288051 started. Your client is not logging this

y1@dismail.de/1388634205289900594585289459: hi

 Smile!  Attention!  Unverified

Authenticate Buddy

 **Authenticate kokojimmy2@dismail.de**

Authenticating a buddy helps ensure that the person you are talking to is who he or she claims to be.

How would you like to authenticate your buddy?

Manual fingerprint verification

*To verify the fingerprint, contact your buddy via some other authenticated channel, such as the telephone or GPG-signed email. Each of you should tell your fingerprint to the other. If everything matches up, you should choose **I have** in the menu below.*


Fingerprint for you, kokojimmy1@dismail.de/ (XMPP):
0544EA2A 1E656D72 0CD1A15E 67151ABE C4D30F45

Purported fingerprint for kokojimmy2@dismail.de:
1D76EA90 F1FA642A 4ACF22B6 682F045A 78244441

I have not verified that this is in fact the correct
I have kokojimmy2@dismail.de.

Help Cancel Authenticate

kokojimmy2@dismail.de




Send To OTR 

il.de

g to start a private conversation with
e...

ed conversation with kokojimmy2@dismail.de/
85288051 started. Your client is not logging this

y1@dismail.de/1388634205289900594585289459: hi

 Smile!  Attention!  Unverified

Authenticate Buddy



Authenticate kokojimmy2@dismail.de

Authenticating a buddy helps ensure that the person you are talking to is who he or she claims to be.

How would you like to authenticate your buddy?

Question and answer

To authenticate using a question, pick a question whose answer is known only to you and your buddy. Enter this question and this answer, then wait for your buddy to enter the answer too. If the answers don't match, then you may be talking to an imposter.

Enter question here:

where did we meet?

Enter secret answer here (case sensitive):

constanta

Help

Cancel

Authenticate

kokojimmy2@dismail.de

Send To OTR

dismail.de

g to start a private conversation with

...

ed conversation with kokojimmy2@dismail.de/
85288051 started. Your client is not logging this

y1@dismail.de/1388634205289900594585289459: hi

Smile!

Attention!

Unverified

kokojimmy1@dismail.de

Conversation Options Send To OTR

kokojimmy1@dismail.de

(09:21:44 PM) **Unverified** conversation with
kokojimmy1@dismail.de started. Your client is not
this conversation.

(09:22:04 PM) kokojimmy1@dismail.de: hi

Font

Insert

Smile!

Attention!

Buddy List

Buddies Accounts Tools Help

Buddies

kokojimmy1@dismail.de

Available

kokojimmy1@dismail.de

Conversation Options Send To OTR

kokojimmy1@dismail.de

(09:21:44 PM) **Unverified** conversation with [kokojimmy1@dismail.de](#) started. Your client is not logging this conversation.

(09:22:04 PM) **kokojimmy1@dismail.de**: hi

Font Insert Smile! Attention! Unverified

Authenticate Buddy



Authentication from kokojimmy1@dismail.de

Authenticating a buddy helps ensure that the person you are talking to is who he or she claims to be.

Your buddy is attempting to determine if he or she is really talking to you, or if it's someone pretending to be you. Your buddy has asked a question, indicated below. To authenticate to your buddy, enter the answer and click OK.

This is the question asked by your buddy:
where did we meet?

Enter secret answer here (case sensitive):

Help

Cancel

Authenticate

kokojimmy1@dismail.de

Conversation Options Send To OTR

kokojimmy1@dismail.de

(09:21:44 PM) **Unverified** conversation with [kokojimmy1@dismail.de](#) started. Your client is not logging this conversation.

(09:22:04 PM) **kokojimmy1@dismail.de**: hi

Font Insert Smile! Attention! Unverified

Authenticate Buddy

**Authentication from kokojimmy1@dismail.de**

Authenticating a buddy helps ensure that the person you are talking to is who he or she claims to be.

Your buddy is attempting to determine if he or she is really talking to you, or if it's someone pretending to be you. Your buddy has asked a question, indicated below. To authenticate to your buddy, enter the answer and click OK.

This is the question asked by your buddy:

where did we meet?

Enter secret answer here (case sensitive):

Help

Cancel

Authenticate

kokojimmy1@dismail.de

Conversation Options Send To OTR

kokojimmy1@dismail.de

(09:21:44 PM) **Unverified** conversation with [kokojimmy1@dismail.de](#) started. Your client is not logging this conversation.

(09:22:04 PM) **kokojimmy1@dismail.de**: hi

Font + Insert

Accounts

Enabled	Username	Protocol
<input checked="" type="checkbox"/>	kokojimmy2@dismail.de/	XMPP

Authenticating to Buddy

Authenticating to kokojimmy1@dismail.de

Your buddy has successfully authenticated you. You may want to authenticate your buddy as well by asking your own question.

Cancel OK Close

kokojimmy1@dismail.de

Conversation Options Send To OTR

kokojimmy1@dismail.de

(09:21:44 PM) **Unverified conversation with kokojimmy1@dismail.de started. Your client is not logging this conversation.**

(09:22:04 PM) **kokojimmy1@dismail.de:** hi

Font + Insert Smile! Attention! Unverified


- Refresh private conversation
- End private conversation
- Authenticate buddy
- kokojimmy1@dismail.de (kokojimmy2@dismail.de/)
- Unverified
- What's this?

Accounts

Enabled	Username	Protocol
<input checked="" type="checkbox"/>	kokojimmy2@dismail.de/	XMPP

Add... Modify... Delete Close

Authenticate Buddy

 **Authenticate kokojimmy1@dismail.de**

Authenticating a buddy helps ensure that the person you are talking to is who he or she claims to be.

How would you like to authenticate your buddy?

Question and answer

To authenticate using a question, pick a question whose answer is known only to you and your buddy. Enter this question and this answer, then wait for your buddy to enter the answer too. If the answers don't match, then you may be talking to an imposter.

Enter question here:

what s 5+5

Enter secret answer here (case sensitive):

I


Help Cancel Authenticate


Accounts

Protocol
dismail.de/  XMPP

Modify... Delete Close




kokojimmy1@dismail.de

Conversation Options Send To OTR 


 kokojimmy1@dismail.de

(09:21:44 PM) **Unverified conversation with kokojimmy1@dismail.de started. Your client is not logging this conversation.**

(09:22:04 PM) **kokojimmy1@dismail.de:** hi

Font + Insert  Smile!  Attention!  Un

Authenticate Buddy

 **Authentication from kokojimmy2@dismail.de**

Authenticating a buddy helps ensure that the person you are talking to is who he or she claims to be.


Your buddy is attempting to determine if he or she is really talking to you, or if it's someone pretending to be you. Your buddy has asked a question, indicated below. To authenticate to your buddy, enter the answer and click OK.

This is the question asked by your buddy:
what s 5+5

Enter secret answer here (case sensitive):

Help Cancel Authenticate

kokojimmy2@dismail.de

Send To OTR 




il.de



g to start a private conversation with
e...

ed conversation with kokojimmy2@dismail.de/
85288051 started. Your client is not logging this

y1@dismail.de/1388634205289900594585289459: hi

vacancy status of the current conversation is now: [Private](#)

 Smile!  Attention!  Private

 Available 

kokojimmy2@dismail.de

Conversation Options Send To OTR 🔒

🟢 kokojimmy2@dismail.de

(09:21:41 PM) Attempting to start a private conversation with [kokojimmy2@dismail.de...](#)

⚠️ (09:21:44 PM) **Unverified** conversation with kokojimmy2@dismail.de/136031631978634490885288051 started. Your client is not logging this conversation.

(09:22:03 PM) kokojimmy1@dismail.de/1388634205289900594585289459: hi

👤 (09:26:10 PM) The privacy status of the current conversation is now: [Private](#)

Font + Insert 😊 Smile! ⚠️ Attention! 🔒 Private

1

kokojimmy1@dismail.de

Conversation Options Send To OTR 🔒

🟢 kokojimmy1@dismail.de

(09:21:44 PM) **Unverified** conversation with [kokojimmy1@dismail.de](#) started. Your client is not logging this conversation.

(09:22:04 PM) kokojimmy1@dismail.de: hi

👤 (09:27:01 PM) The privacy status of the current conversation is now: [Private](#)

Font + Insert 😊 Smile! ⚠️ Attention! 🔒 Private

2


FILE MANAGEMENT & SHARING

File Edit View Search Terminal Help

< > Home / Tor Browser

- Recent
- Starred
- Home
- Documents
- Downloads
- Music
- Pictures
- Videos
- Trash
- Tor Browser
- Other Locations

bash: thunar: command not found
root@amnesia:/home/amnesia/Tor Browser#



Terminal

File Edit View Search Terminal Help

root@amnesia:/home/amnesia/Tor Browser# exiftool joseph-corl-azuDnfhvG8E-unsplash.jpg

```

ExifTool Version Number      : 12.57
File Name                    : joseph-corl-azuDnfhvG8E-unsplash.jpg
Directory                    : .
File Size                    : 4.0 MB
File Modification Date/Time  : 2024:06:19 08:49:21+00:00
File Access Date/Time       : 2024:06:19 08:49:17+00:00
File Inode Change Date/Time  : 2024:06:19 08:49:22+00:00
File Permissions             : -rw-r--r--
File Type                    : JPEG
File Type Extension         : jpg
MIME Type                    : image/jpeg
JFIF Version                 : 1.02
Resolution Unit              : inches
X Resolution                 : 72
Y Resolution                 : 72
Profile CMM Type             : Linotronic
Profile Version              : 2.1.0
Profile Class                 : Display Device Profile
Color Space Data             : RGB
Profile Connection Space     : XYZ
Profile Date Time            : 1998:02:09 06:49:00
Profile File Signature       : acsp
Primary Platform             : Microsoft Corporation
CMM Flags                    : Not Embedded, Independent
Device Manufacturer         : Hewlett-Packard
Device Model                 : sRGB
Device Attributes            : Reflective, Glossy, Positive, Color

```

Terminal

File Edit View Search Terminal Help

```

Profile Description      : sRGB IEC61966-2.1
Media White Point       : 0.95045 1 1.08905
Media Black Point       : 0 0 0
Red Matrix Column       : 0.43607 0.22249 0.01392
Green Matrix Column     : 0.38515 0.71687 0.09708
Blue Matrix Column      : 0.14307 0.06061 0.7141
Device Mfg Desc         : IEC http://www.iec.ch
Device Model Desc       : IEC 61966-2.1 Default RGB colour space - sRGB
Viewing Cond Desc       : Reference Viewing Condition in IEC61966-2.1
Viewing Cond Illuminant : 19.6445 20.3718 16.8089
Viewing Cond Surround   : 3.92889 4.07439 3.36179
Viewing Cond Illuminant Type : D50
Luminance               : 76.03647 80 87.12462
Measurement Observer     : CIE 1931
Measurement Backing      : 0 0 0
Measurement Geometry     : Unknown
Measurement Flare        : 0.999%
Measurement Illuminant   : D65
Technology               : Cathode Ray Tube Display
Red Tone Reproduction Curve : (Binary data 2060 bytes, use -b option to extract)
Green Tone Reproduction Curve : (Binary data 2060 bytes, use -b option to extract)
Blue Tone Reproduction Curve : (Binary data 2060 bytes, use -b option to extract)
Image Width              : 8256
Image Height             : 5504
Encoding Process         : Progressive DCT, Huffman coding
Bits Per Sample          : 8
Color Components         : 3
Y Cb Cr Sub Sampling    : YCbCr4:2:0 (2 2)

```

Terminal

File Edit View Search Terminal Help

```

Green Tone Reproduction Curve : (Binary data 2060 bytes, use -b option to extract)
Blue Tone Reproduction Curve : (Binary data 2060 bytes, use -b option to extract)
Image Width                   : 8256
Image Height                  : 5504
Encoding Process              : Progressive DCT, Huffman coding
Bits Per Sample               : 8
Color Components              : 3
Y Cb Cr Sub Sampling         : YCbCr4:2:0 (2 2)
Image Size                    : 8256x5504
Megapixels                    : 45.4

```

root@amnesia:/home/amnesia/Tor Browser# ^C

root@amnesia:/home/amnesia/Tor Browser# exiftool --all=

No file specified

root@amnesia:/home/amnesia/Tor Browser# exiftool --all= joseph-corl-auzDnfhvG8E-unsplash.jpg

Warning: Tag '-*' is not defined or has a bad language code

Nothing to do.

root@amnesia:/home/amnesia/Tor Browser# exiftool --all= joseph-corl-auzDnfhvG8E-unsplash.jpg

Warning: Tag '-*' is not defined or has a bad language code

Nothing to do.

root@amnesia:/home/amnesia/Tor Browser# exiftool --help

Syntax: exiftool [OPTIONS] FILE

Consult the exiftool documentation for a full list of options.

root@amnesia:/home/amnesia/Tor Browser# man exiftool

root@amnesia:/home/amnesia/Tor Browser# exiftool -all= joseph-corl-auzDnfhvG8E-unsplash.jpg

Warning: ICC_Profile deleted. Image colors may be affected - joseph-corl-auzDnfhvG8E-unsplash.jpg

1 image files updated

root@amnesia:/home/amnesia/Tor Browser#

Terminal

File Edit View Search Terminal Help

Syntax: exiftool [OPTIONS] FILE

Consult the exiftool documentation for a full list of options.

root@amnesia:/home/amnesia/Tor Browser# man exiftool

root@amnesia:/home/amnesia/Tor Browser# exiftool -all= joseph-corl-auzDnfhvG8E-unsplash.jpg

Warning: ICC_Profile deleted. Image colors may be affected - joseph-corl-auzDnfhvG8E-unsplash.jpg

1 image files updated

root@amnesia:/home/amnesia/Tor Browser# exiftool joseph-corl-auzDnfhvG8E-unsplash.jpg


```

ExifTool Version Number      : 12.57
File Name                    : joseph-corl-auzDnfhvG8E-unsplash.jpg
Directory                   : .
File Size                    : 4.0 MB
File Modification Date/Time  : 2024:06:19 08:54:56+00:00
File Access Date/Time       : 2024:06:19 08:54:56+00:00
File Inode Change Date/Time  : 2024:06:19 08:54:56+00:00
File Permissions             : -rw-r--r--
File Type                    : JPEG
File Type Extension          : jpg
MIME Type                    : image/jpeg
Image Width                  : 8256
Image Height                 : 5504
Encoding Process             : Progressive DCT, Huffman coding
Bits Per Sample              : 8
Color Components              : 3
Y Cb Cr Sub Sampling        : YCbCr4:2:0 (2 2)
Image Size                   : 8256x5504
Megapixels                   : 45.4

```

root@amnesia:/home/amnesia/Tor Browser#

SECURE DROP

Your Tor Browser's **Security Level** is too low. Use the  button in your browser's toolbar to change it.



English

First submission

First time submitting to our SecureDrop? Start here.

GET STARTED

Return visit

Already have a codename? Check for replies or submit something new.

LOG IN

Powered by **SecureDrop 2.8.0**.

Please note: Sharing sensitive information may put you at risk, even when using Tor and SecureDrop.



English

Get Your Codename

A *codename* in SecureDrop functions as both your username and your password.
You will need this codename to log into our SecureDrop later:

`jujitsu footsie luridness cherisher unscathed mutate failing`

- **Keep it secret.** Do not share it with anyone.
- **Keep it safe.** There is no account recovery option.

Show Codename

CONTINUE



English

LOG OUT

Remember, your codename is:

jujitsu footsie luridness cherisher unscathed mutate failing

Show Codename

Submit Files or Messages

You can submit any kind of file, a message, or both.


If you are already familiar with GPG, you can optionally encrypt your files and messages with our public key before submission. Files are encrypted as they are received by SecureDrop. Learn more.

Write a message. Browse... No file selected.

ONION SHARE

OnionShare

Share Files Receive Files Publish Website



Drag and drop files and folders to start sharing

Add



OnionShare

Choose

Look in: /home/amnesia/Tor Browser

Name	Size	Type	Date Modified
joseph-corl-azDn...vG8E-unsplash.jpg	3.78 MiB	jpg File	6/19/24 8:54 AM
joseph-corl-azDnf...plash.jpg_original	3.79 MiB	jpg...File	6/19/24 8:49 AM

File name: joseph-corl-azDnfhvG8E-unsplash.jpg_original

Files of type: All Files (*)

Open

Cancel

Add

OnionShare

Share Files Receive Files Publish Website

1 file, 3.8 MiB

joseph-cori-auzDnfhvG8E-unsplash.jpg_original 3.8 MiB


Add

Start sharing

OnionShare

Share Files

1 file, 3.8 MiB

 joseph-cori-audzDnfhvG8E-unsplash.jpg_original	3.8 MiB
---	---------

Stop sharing

Anyone with this OnionShare address can **download** your files using the **Tor Browser**: ⓘ

`http://onionshare:unissued-pretty@nh7hqqheyp1mmtvq7hhwi4n7yy1qfqauc25l46ggpf4mkhqtwwfvxbad.onion`

Copy Address

Confirm

You are about to log in to the site "nh7hqqhheyplmmtvq7hhwi4n7yylqfqauc25l46ggpf4mkhqtwwfvxbad.onion" with the username "onionshare".

Cancel OK

Welcome to Tails!

Subscribe to our newsletter to receive the same news by email:

[Archive of all news](#)

 Tor check

OnionShare

Total size: **3.8 MiB**

[Download Files](#)

FILENAME	SIZE
joseph-cori-audzDnfhvG8E-unsplash.jpg_original	3.8 MiB


Waiting for nh7hqqhheypmmvtq7hhwi4n7yylqfqauc25l46ggpf4mkhqtwwfvxbad.onion...

REMOVE FILES SAFELY

```

Terminal
File Edit View Search Terminal Help
root@amnesia:/home/amnesia/Tor Browser# file poza2.jpg
poza2.jpg: JPEG image data, JFIF standard 1.02, resolution (DPI), density 72x72,
segment length 16, progressive, precision 8, 8256x5504, components 3
root@amnesia:/home/amnesia/Tor Browser# xxd poza2.jpg | head
00000000: ffd8 ffe0 0010 4a46 4946 0001 0201 0048  ....JFIF.....H
00000010: 0048 0000 ffe2 0c58 4943 435f 5052 4f46  .H....XICC_PROF
00000020: 494c 4500 0101 0000 0c48 4c69 6e6f 0210  ILE.....HLino..
00000030: 0000 6d6e 7472 5247 4220 5859 5a20 07ce  ..mnrRGB XYZ ..
00000040: 0002 0009 0006 0031 0000 6163 7370 4d53  .....1..acspMS
00000050: 4654 0000 0000 4945 4320 7352 4742 0000  FT....IEC sRGB..
00000060: 0000 0000 0000 0000 0000 0000 f6d6 0001  .....
00000070: 0000 0000 d32d 4850 2020 0000 0000 0000  .....-HP .....
00000080: 0000 0000 0000 0000 0000 0000 0000 0000  .....
00000090: 0000 0000 0000 0000 0000 0000 0000 0000  .....
root@amnesia:/home/amnesia/Tor Browser#


```



```

Terminal
File Edit View Search Terminal Help
00000020: 494c 4500 0101 0000 0c48 4c69 6e6f 0210 ILE.....HLino..
00000030: 0000 6d6e 7472 5247 4220 5859 5a20 07ce ..mnrRGB XYZ ..
00000040: 0002 0009 0006 0031 0000 6163 7370 4d53 .....1..acspMS
00000050: 4654 0000 0000 4945 4320 7352 4742 0000 FT....IEC sRGB..
00000060: 0000 0000 0000 0000 0000 0000 0000 f6d6 0001 .....
00000070: 0000 0000 d32d 4850 2020 0000 0000 0000 .....-HP .....
00000080: 0000 0000 0000 0000 0000 0000 0000 0000 .....
00000090: 0000 0000 0000 0000 0000 0000 0000 0000 .....
root@amnesia:/home/amnesia/Tor Browser# cp poza2.jpg poza2copy.jpg
root@amnesia:/home/amnesia/Tor Browser# shred poza2.jpg
root@amnesia:/home/amnesia/Tor Browser# file poza2.jpg
poza2.jpg: data
root@amnesia:/home/amnesia/Tor Browser# xxd poza2.jpg | head
00000000: 9e0f 07d4 da83 8eee b53f 53ef 0cb9 97fb .....?S.....
00000010: d140 3a21 2e1f c638 7842 e782 665b 90eb .@:!....8xB..f[.
00000020: 7ac8 7568 8563 74c4 1559 20b3 5e63 51ee z.uh.ct..Y .^cQ.
00000030: 0f02 3228 296d 610a de1f 668f dab5 127f ..2()ma...f.....
00000040: c788 c0e9 6946 2d65 6245 3c04 8a7d 899c ....iF-ebE<...}..
00000050: a834 d9dd 02b9 386d 673b f687 1899 d6d6 .4....8mg;.....
00000060: 2051 3952 97e9 0bbb 38f5 d0ff 82a4 91da Q9R....8.....
00000070: 54a4 aa39 ea68 f081 2272 2fea e20a b2bf T..9.h.."r/.....
00000080: 2212 3a57 c649 5c5d 886e 1abf 17f9 e23b ".:W.I\].n.....;
00000090: 5e29 6717 14c6 2cbe ab62 4855 d293 5e26 ^)g...,...bHU..^&
root@amnesia:/home/amnesia/Tor Browser#

```



WIPE & ENCRYPT STORAGE DEVICES

```

OnionShare
shred files at DuckDuc...
File Edit View Search Terminal
00000020: 494c 4500 0101 0000 0
00000030: 0000 6d6e 7472 5247 4
00000040: 0002 0009 0006 0031 0
00000050: 4654 0000 0000 4945 4
00000060: 0000 0000 0000 0000 0
00000070: 0000 0000 d32d 4850 2
00000080: 0000 0000 0000 0000 0
00000090: 0000 0000 0000 0000 0
root@amnesia:/home/amnesia/Tor
root@amnesia:/home/amnesia/Tor
root@amnesia:/home/amnesia/Tor
poza2.jpg: data
root@amnesia:/home/amnesia/Tor
00000000: 9e0f 07d4 da83 8eee b
00000010: d140 3a21 2e1f c638 7
00000020: 7ac8 7568 8563 74c4 1
00000030: 0f02 3228 296d 610a d
00000040: c788 c0e9 6946 2d65 6
00000050: a834 d9dd 02b9 386d 6
00000060: 2051 3952 97e9 0bbb 3
00000070: 54a4 aa39 ea68 f081 2
00000080: 2212 3a57 c649 5c5d 8
00000090: 5e29 6717 14c6 2cbe a
root@amnesia:/home/amnesia/Tor

```

Disks

- 21 GB Hard Disk VBOX HARDDISK
- 10 MB Hard Disk VBOX HARDDISK
- CD/DVD Drive VBOX CD-ROM
- 1.4 GB Loop Device /usr/lib/live/m... em.squashfs

21 GB Hard Disk
/dev/sda

Model VBOX HARDDISK (1.0)
Serial Number VB357ee1a2-e4f43f00
Assessment SMART is not supported

Volumes

21 GB LUKS	locked
koko	21 GB Ext4

Size 21 GB
Contents LUKS
Device /dev/sda
UUID 7c5cd312

- Format Partition...
- Edit Partition...
- Edit Filesystem...
- Change Passphrase...
- Resize...
- Check Filesystem...
- Repair Filesystem...
- Take Ownership...
- Edit Mount Options...
- Edit Encryption Options...
- Create Partition Image...
- Restore Partition Image...
- Benchmark Partition...

```

OnionShare x shred files at DuckDuc...
File Edit View Search Terminal
00000020: 494c 4500 0101 0000 0
00000030: 0000 6d6e 7472 5247 4
00000040: 0002 0009 0006 0031 0
00000050: 4654 0000 0000 4945 4
00000060: 0000 0000 0000 0000 0
00000070: 0000 0000 d32d 4850 2
00000080: 0000 0000 0000 0000 0
00000090: 0000 0000 0000 0000 0
root@amnesia:/home/amnesia/Tor
root@amnesia:/home/amnesia/Tor
root@amnesia:/home/amnesia/Tor
poza2.jpg: data
root@amnesia:/home/amnesia/Tor
00000000: 9e0f 07d4 da83 8eee b
00000010: d140 3a21 2e1f c638 7
00000020: 7ac8 7568 8563 74c4 1
00000030: 0f02 3228 296d 610a d
00000040: c788 c0e9 6946 2d65 6
00000050: a834 d9dd 02b9 386d 6
00000060: 2051 3952 97e9 0bbb 3
00000070: 54a4 aa39 ea68 f081 2
00000080: 2212 3a57 c649 5c5d 8
00000090: 5e29 6717 14c6 2cbe a
root@amnesia:/home/amnesia/Tor

```

Disks 21 GB Hard Disk /dev/sda

Model: VBOX HARDDISK (1.0)

21 GB Hard Disk VBOX HARDDISK

10 MB Hard Disk VBOX HARDDISK

CD/DVD Drive VBOX CD-ROM

1.4 GB Loop Device /usr/lib/live/m... em.sc

Format Volume

Cancel Next

Volume Name

For example: "Angela's Files" or "Backup".

Erase

Overwrites existing data, but takes longer.

Type

- Internal disk for use with Linux systems only (Ext4)
 - Password protect volume (LUKS)
 - For use with Windows (NTFS)
 - For use with all systems and devices (FAT)
 - Other

```

OnionShare
shred files at DuckDuc...
File Edit View Search Terminal
00000020: 494c 4500 0101 0000 0
00000030: 0000 6d6e 7472 5247 4
00000040: 0002 0009 0006 0031 0
00000050: 4654 0000 0000 4945 4
00000060: 0000 0000 0000 0000 0
00000070: 0000 0000 d32d 4850 2
00000080: 0000 0000 0000 0000 0
00000090: 0000 0000 0000 0000 0
root@amnesia:/home/amnesia/Tor
root@amnesia:/home/amnesia/Tor
root@amnesia:/home/amnesia/Tor
poza2.jpg: data
root@amnesia:/home/amnesia/Tor
00000000: 9e0f 07d4 da83 8eee b
00000010: d140 3a21 2e1f c638 7
00000020: 7ac8 7568 8563 74c4 1
00000030: 0f02 3228 296d 610a d
00000040: c788 c0e9 6946 2d65 6
00000050: a834 d9dd 02b9 386d 6
00000060: 2051 3952 97e9 0bbb 3
00000070: 54a4 aa39 ea68 f081 2
00000080: 2212 3a57 c649 5c5d 8
00000090: 5e29 6717 14c6 2cbe a
root@amnesia:/home/amnesia/Tor

```

Disks

21 GB Hard Disk
VBOX HARDDISK

Model VBOX HARDDISK (1.0)

10 MB Hard Disk
VBOX HARDDISK

CD/DVD Drive
VBOX CD-ROM

1.4 GB Loop Device
/usr/lib/live/m... em.sc

Set Password

Previous Next

Data stored in the volume will only be accessible with the correct password. Be careful not to forget it.

Password

Weak

Mix uppercase and lowercase and try to use a number or two.

Confirm

Show Password


```

OnionShare
shred files at DuckDuc...
File Edit View Search Terminal
00000020: 494c 4500 0101 0000 0
00000030: 0000 6d6e 7472 5247 4
00000040: 0002 0009 0006 0031 0
00000050: 4654 0000 0000 4945 4
00000060: 0000 0000 0000 0000 0
00000070: 0000 0000 d32d 4850 2
00000080: 0000 0000 0000 0000 0
00000090: 0000 0000 0000 0000 0
root@amnesia:/home/amnesia/Tor
root@amnesia:/home/amnesia/Tor
root@amnesia:/home/amnesia/Tor
poza2.jpg: data
root@amnesia:/home/amnesia/Tor
00000000: 9e0f 07d4 da83 8eee b
00000010: d140 3a21 2e1f c638 7
00000020: 7ac8 7568 8563 74c4 1
00000030: 0f02 3228 296d 610a d
00000040: c788 c0e9 6946 2d65 6
00000050: a834 d9dd 02b9 386d 6
00000060: 2051 3952 97e9 0bbb 3
00000070: 54a4 aa39 ea68 f081 2
00000080: 2212 3a57 c649 5c5d 8
00000090: 5e29 6717 14c6 2cbe a
root@amnesia:/home/amnesia/Tor

```

Disks 21 GB Hard Disk /dev/sda

Model VBOX HARDDISK (1.0)

21 GB Hard Disk VBOX HARDDISK

10 MB Hard Disk VBOX HARDDISK

CD/DVD Drive VBOX CD-ROM

1.4 GB Loop Device /usr/lib/live/m... em.sc

Previous Confirm Details Format

Warning: all data on the volume will be lost

Confirm the details of the current volume before proceeding.

Device 21 GB Hard Disk — VBOX HARDDISK

Volume crypto_LUKS

Location /dev/sda

```

OnionShare
shred files at DuckDuc...
File Edit View Search Terminal
00000020: 494c 4500 0101 0000 0
00000030: 0000 6d6e 7472 5247 4
00000040: 0002 0009 0006 0031 0
00000050: 4654 0000 0000 4945 4
00000060: 0000 0000 0000 0000 0
00000070: 0000 0000 d32d 4850 2
00000080: 0000 0000 0000 0000 0
00000090: 0000 0000 0000 0000 0
root@amnesia:/home/amnesia/Tor
root@amnesia:/home/amnesia/Tor
root@amnesia:/home/amnesia/Tor
poza2.jpg: data
root@amnesia:/home/amnesia/Tor
00000000: 9e0f 07d4 da83 8eee b
00000010: d140 3a21 2e1f c638 7
00000020: 7ac8 7568 8563 74c4 1
00000030: 0f02 3228 296d 610a d
00000040: c788 c0e9 6946 2d65 6
00000050: a834 d9dd 02b9 386d 6
00000060: 2051 3952 97e9 0bbb 3
00000070: 54a4 aa39 ea68 f081 2
00000080: 2212 3a57 c649 5c5d 8
00000090: 5e29 6717 14c6 2cbe a
root@amnesia:/home/amnesia/Tor

```

Disks

- 21 GB Hard Disk VBOX HARDDISK
- 10 MB Hard Disk VBOX HARDDISK
- CD/DVD Drive VBOX CD-ROM
- 1.4 GB Loop Device /usr/lib/live/m... em.squashfs

21 GB Hard Disk /dev/sda

Model VBOX HARDDISK (1.0)
 Serial Number VB357ee1a2-e4f43f00
 Assessment SMART is not supported
 Job Creating Filesystem ✕
 Size 21 GB (21,474,836,480 bytes)

Volumes

21 GB Unknown





Size 21 GB (21,474,836,480 bytes)
 Contents Unknown
 Device /dev/sda

```

OnionShare x shred files at DuckDuc...
File Edit View Search Terminal
00000020: 494c 4500 0101 0000 0
00000030: 0000 6d6e 7472 5247 4
00000040: 0002 0009 0006 0031 0
00000050: 4654 0000 0000 4945 4
00000060: 0000 0000 0000 0000 0
00000070: 0000 0000 d32d 4850 2
00000080: 0000 0000 0000 0000 0
00000090: 0000 0000 0000 0000 0
root@amnesia:/home/amnesia/Tor
root@amnesia:/home/amnesia/Tor
root@amnesia:/home/amnesia/Tor
poza2.jpg: data
root@amnesia:/home/amnesia/Tor
00000000: 9e0f 07d4 da83 8eee b
00000010: d140 3a21 2e1f c638 7
00000020: 7ac8 7568 8563 74c4 1
00000030: 0f02 3228 296d 610a d
00000040: c788 c0e9 6946 2d65 6
00000050: a834 d9dd 02b9 386d 6
00000060: 2051 3952 97e9 0bbb 3
00000070: 54a4 aa39 ea68 f081 2
00000080: 2212 3a57 c649 5c5d 8
00000090: 5e29 6717 14c6 2cbe a
root@amnesia:/home/amnesia/Tor

```

Disks

-  21 GB Hard Disk
VBOX HARDDISK
-  10 MB Hard Disk
VBOX HARDDISK
-  CD/DVD Drive
VBOX CD-ROM
-  1.4 GB Loop Device
/usr/lib/live/m... em.squashfs

21 GB Hard Disk

/dev/sda

Model VBOX HARDDISK (1.0)
 Serial Number VB357ee1a2-e4f43f00
 Assessment SMART is not supported
 Size 21 GB (21,474,836,480 bytes)

Volumes

21 GB LUKS

koko
21 GB Ext4

Size 21 GB (21,474,836,480 bytes)
 Contents LUKS Encryption (version 2) — Unlocked
 Device /dev/sda
 UUID a3e22919-a6bf-4426-ae18-21c9a9d15f67

Terminal

File Edit View Search Terminal Help

```

-rw-r--r-- 1 root root    0 Jun 19 09:24 koko.txt
drwx----- 2 root root 12288 Jun 19 09:22 lost+found
-rw-r--r-- 1 root root    0 Jun 19 09:25 q
-rw-r--r-- 1 root root    0 Jun 19 09:25 qr
-rw-r--r-- 1 root root    0 Jun 19 09:22 qtqqtqtqetqetqe
-rw-r--r-- 1 root root    0 Jun 19 09:25 rq

```

```

root@amnesia:/mnt# fallocation -l 8M ooooooo
fallocation: fallocation failed: No space left on device

```

```

root@amnesia:/mnt# df -H

```

Filesystem	Size	Used	Avail	Use%	Mounted on
udev	2.1G	0	2.1G	0%	/dev
tmpfs	411M	1.4M	410M	1%	/run
/dev/sr0	1.5G	1.5G	0	100%	/usr/lib/live/mount/medium
/dev/loop0	1.4G	1.4G	0	100%	/usr/lib/live/mount/rootfs/filesystem.squashfs
tmpfs	2.1G	138M	2.0G	7%	/usr/lib/live/mount/overlay
overlay	2.1G	138M	2.0G	7%	/
tmpfs	2.1G	3.3M	2.1G	1%	/dev/shm
tmpfs	5.3M	8.2k	5.3M	1%	/run/lock
tmpfs	2.1G	121M	2.0G	6%	/run/initramfs
tmpfs	2.1G	0	2.1G	0%	/var/tmp
tmpfs	2.1G	4.0M	2.1G	1%	/tmp
tmpfs	411M	111k	411M	1%	/run/user/1000
/dev/sdb	8.2M	8.0M	0	100%	/mnt

```

root@amnesia:/mnt# ls -l ooooooo
-rw-r--r-- 1 root root 7972864 Jun 19 09:27 ooooooo

```

```

root@amnesia:/mnt# ls -lh ooooooo
-rw-r--r-- 1 root root 7.7M Jun 19 09:27 ooooooo

```

root@amnesia:/mnt#


Terminal

File Edit View Search Terminal Help

```

root@amnesia:/# xxd /dev/sdb | head
00000000: 348c 7a3a 2309 abc9 300c ed44 97ed 0730  4.z:#...0..D...0
00000010: bb71 e807 8fa6 c088 6656 3504 9541 a831  .q.....fV5..A.1
00000020: be5a ab73 bdba ebe1 d327 299a 25e7 e7da  .Z.s.....')%.
00000030: 3fa5 3038 2809 17c0 c8b2 993b db4a 609c  ?.08(.....;J`.
00000040: ead4 5552 6111 a3c1 bfa4 822e b244 d4ce  ..URa.....D..
00000050: adeb 2262 78d5 ed5f 3244 a085 4996 a5ae  .."bx..._2D..I..
00000060: ae26 48ef 0e2a e436 e6a7 590a 6d50 c6e8  .&H...*.6..Y.mP..
00000070: d58f 137b 0fc7 7b7b 7933 ddad c6e8 f14f  ...{..{{y3.....0
00000080: e0b9 33f5 61d7 2e73 e6b2 f4f5 db01 8117  ..3.a..s.....
00000090: 5f65 45cc 3a1b 62f4 860a 0ebf 2ab8 6114  _eE.:.b.....*.a.
root@amnesia:/# shred -v -n 1 -s 8M /dev/sdb
shred: /dev/sdb: pass 1/1 (random)...
root@amnesia:/# xxd /dev/sdb | head
00000000: 25f0 5cd3 6540 c5b8 6c2b b418 c7b4 e8ae  %.\.e@..l+.....
00000010: bde0 4b75 c8eb 7217 dd7d 2aab 14b7 0136  ..Ku..r..}*....6
00000020: 66e2 8c8e e8ab a35a aa5a a8db 8071 05ab  f.....Z.Z...q..
00000030: 869a f4cf a0da 9538 5187 f214 d92b 9aa3  .....8Q....+..
00000040: 2bcd ebc9 0caf 1a34 b3ac 830c a125 08a9  +.....4.....%..
00000050: 71aa d7bb 6027 b2ce bf75 6e0d f84c 4245  q...`'...un..LBE
00000060: 3933 4ccb df40 0592 fba8 f872 07b4 bfc9  93L..@.....r....
00000070: 8e32 bd1a 64cb 7fd0 8383 32b3 1d68 0e56  .2..d.....2..h.V
00000080: 3737 b505 0495 2174 41b5 4d89 746b a57b  77....!tA.M.tk.{
00000090: 6113 571b c5d0 6402 4979 68a8 01de 51d0  a.W...d.Iyh...Q.
root@amnesia:/#

```



Terminal

File Edit View Search Terminal Help

```

root@amnesia:/# xxd /dev/sdb | head
00000000: 25f0 5cd3 6540 c5b8 6c2b b418 c7b4 e8ae  %.\.e@..l+.....
00000010: bde0 4b75 c8eb 7217 dd7d 2aab 14b7 0136  ..Ku..r..}*....6
00000020: 66e2 8c8e e8ab a35a aa5a a8db 8071 05ab  f.....Z.Z...q..
00000030: 869a f4cf a0da 9538 5187 f214 d92b 9aa3  .....8Q....+..
00000040: 2bcd ebc9 0caf 1a34 b3ac 830c a125 08a9  +.....4.....%..
00000050: 71aa d7bb 6027 b2ce bf75 6e0d f84c 4245  q...`'...un..LBE
00000060: 3933 4ccb df40 0592 fba8 f872 07b4 bfc9  93L..@.....r....
00000070: 8e32 bd1a 64cb 7fd0 8383 32b3 1d68 0e56  .2..d.....2..h.V
00000080: 3737 b505 0495 2174 41b5 4d89 746b a57b  77....!tA.M.tk.{
00000090: 6113 571b c5d0 6402 4979 68a8 01de 51d0  a.W...d.Iyh...Q.

```

```

root@amnesia:/# dd if=/dev/zero of=/dev/sdb
dd: writing to '/dev/sdb': No space left on device
19585+0 records in
19584+0 records out
10027008 bytes (10 MB, 9.6 MiB) copied, 0.576148 s, 17.4 MB/s

```

```

root@amnesia:/# xxd /dev/sdb | head
00000000: 0000 0000 0000 0000 0000 0000 0000 0000  .....
00000010: 0000 0000 0000 0000 0000 0000 0000 0000  .....
00000020: 0000 0000 0000 0000 0000 0000 0000 0000  .....
00000030: 0000 0000 0000 0000 0000 0000 0000 0000  .....
00000040: 0000 0000 0000 0000 0000 0000 0000 0000  .....
00000050: 0000 0000 0000 0000 0000 0000 0000 0000  .....
00000060: 0000 0000 0000 0000 0000 0000 0000 0000  .....
00000070: 0000 0000 0000 0000 0000 0000 0000 0000  .....
00000080: 0000 0000 0000 0000 0000 0000 0000 0000  .....
00000090: 0000 0000 0000 0000 0000 0000 0000 0000  .....

```

root@amnesia:/#

ENCRYPTION

Q kleop



Tails Documentation



Name johnwick1

Email address johnwick1@yahoo.com

Protect the generated key with a passphrase.

Advanced Settings... Cancel OK

Tor Browser

Other Locations

- mirrors@tails.net
- press@tails.net
- sysadmins@tails.net
- Tails accounting team (schleuder list)
- Tails bug squad
- Tails developers (offline long-term ident...)
- Tails developers (Schleuder mailing-list)
- Tails fundraising team (schleuder list)
- Tails mirror pool managers (schleuder li

E-Mail	User-IDs	Valid From	Valid Until	Key-ID
accounting@tails.net	not certified	4/30/24		A38F 0F6E 9A0A 234E
board@tails.net	not certified	4/30/24		88E2 4FE2 064F 1511
bugs@tails.net	not certified	4/30/24		E76F 7931 BED0 E061
foundations@tails.net	not certified	4/30/24		5F6B 0263 0DDD E331
fundraising@tails.net	not certified	4/30/24		3A5B 5685 A641 297B
info@tails.net	not certified	4/30/24		8C14 87D9 2446 1904
mirrors@tails.net	not certified	4/30/24		4973 2C6B ADF5 A0C9
press@tails.net	not certified	4/30/24		3114 691B D78D F1ED
sysadmins@tails.net	not certified	4/26/24		C8F1 2D2B 1AE1 CB26
Tails accounting team (schleuder list)	not certified	7/11/14		C436 090F 48B4 7C6F
Tails bug squad	not certified	7/24/13	11/7/25	EC57 B56E F0C4 3132
Tails developers (offline long-term ident...)	not certified	1/18/15	1/25/25	DB88 02B2 58AC D84F
Tails developers (Schleuder mailing-list)	not certified	8/15/09	1/2/25	1D29 75ED F93E 735F
Tails fundraising team (schleuder list)	not certified	8/9/14		FEB0 D5A1 8EAC AF99
Tails mirror pool managers (schleuder li	not certified	4/29/16		D2ED A621 B572 DD73

Start sharing

Creating Key Pair...

The process of creating a key requires large amounts of random numbers. This may require several minutes...

Cancel

All Certificates

Name	Valid Until	Key-ID
accounting@tails.net		A38F 0F6E 9A0A 234E
board@tails.net		88E2 4FE2 064F 1511
bugs@tails.net		E76F 7931 BED0 E061
foundations@tails.net		5F6B 0263 0DDD E331
fundraising@tails.net		3A5B 5685 A641 297B
info@tails.net		8C14 87D9 2446 1904
mirrors@tails.net		4973 2C6B ADF5 A0C9
press@tails.net		3114 691B D78D F1ED
sysadmins@tails.net		C8F1 2D2B 1AE1 CB26
Tails accounting team (schleuder list)		C436 090F 48B4 7C6F
Tails bug squad	not certified	7/24/13 11/7/25 EC57 B56E F0C4 3132
Tails developers (offline long-term ident...)	not certified	1/18/15 1/25/25 DB88 02B2 58AC D84F
Tails developers (Schleuder mailing-list)	not certified	8/15/09 1/2/25 1D29 75ED F93E 735F
Tails fundraising team (schleuder list)	not certified	8/9/14 FEB0 D5A1 8EAC AF99
Tails mirror pool managers (schleuder li	not certified	4/29/16 D2ED A621 B572 DD73

[15852]@amnesia

Please enter the passphrase to protect your new key

Passphrase: abc

Repeat:

Cancel OK

Start sharing

Creating Key Pair...

The process of creating a key requires large amounts of random numbers. This may require several minutes...

Cancel

All Certificates

Name	E-Mail	User-IDs	Valid From	Valid Until	Key-ID
- accounting@tails.net	acco				A38F 0F6E 9A0A 234E
- board@tails.net	boa				88E2 4FE2 064F 1511
- bugs@tails.net	bug				E76F 7931 BED0 E061
- foundations@tails.net	fou				5F6B 0263 0DDD E331
- fundraising@tails.net	fun				3A5B 5685 A641 297B
- info@tails.net	info				8C14 87D9 2446 1904
- mirrors@tails.net	mir				4973 2C6B ADF5 A0C9
- press@tails.net	pres				3114 691B D78D F1ED
- sysadmins@tails.net	sysadmins@tails.net	not certified	4/26/24		C8F1 2D2B 1AE1 CB26
- Tails accounting team (schleuder list)	tails-accounting@boum.org	not certified	7/11/14		C436 090F 48B4 7C6F
- Tails bug squad	tails-bugs@boum.org	not certified	7/24/13	11/7/25	EC57 B56E F0C4 3132
- Tails developers (offline long-term ident...)	tails@boum.org	not certified	1/18/15	1/25/25	DB88 02B2 58AC D84F
- Tails developers (Schleuder mailing-list)	tails@boum.org	not certified	8/15/09	1/2/25	1D29 75ED F93E 735F
- Tails fundraising team (schleuder list)	tails-fundraising@boum.org	not certified	8/9/14		FEB0 D5A1 8EAC AF99
- Tails mirror pool managers (schleuder li	tails-mirrors@boum.org	not certified	4/29/16		D2ED A621 B572 DD73

[15852]@amnesia

Warning: You have entered an insecure passphrase.

A passphrase should contain at least 1 digit or special character.

Enter new passphrase Take this one anyway

3.1 KiB

Add

Start sharing

Export OpenPGP Certificates

Look in: /home/amnesia/Documents

Name	Size	Type	Date Modified
johnwick1_0x590E65A9_public.asc	3.07 KiB	asc File	6/19/24 4:32 PM

File name: johnwick1_0x590E65A9_public.asc

Files of type: OpenPGP Certificates (*.asc *.pgp *.pgp)

Save Cancel

Tails developers (offline long-term ident...	tails@boum.org	not certified	1/18/15	1/25/25	DBB8 02B2 58AC D84F
Tails developers (Schleuder mailing-list)	tails@boum.org	not certified	8/15/09	1/2/25	1D29 75ED F93E 735F
Tails fundraising team (schleuder list)	tails-fundraising@boum.org	not certified	8/9/14		EEF0 D541 8E4C AEF0

Notepad Smartcards

All Certificates

Imported Certificates

ser-IDs	Valid From	Valid Until	Key-ID
certified	4/30/24		A38F 0F6E 9A0A 234E
certified	4/30/24		88E2 4FE2 064F 1511
certified	4/30/24		E76F 7931 BED0 E061
certified	4/30/24		5F6B 0263 0DDD E331
certified	4/30/24		3A5B 5685 A641 297B
certified	4/30/24		8C14 87D9 2446 1904
ified	6/19/24	6/19/26	FD4F B24A FC37 ACA1
certified	4/30/24		4973 2C6B ADF5 A0C9
certified	4/30/24		3114 691B D78D F1ED
certified	4/26/24		C8F1 2D2B 1AE1 CB26
certified	7/11/14		C436 090F 48B4 7C6F
certified	7/24/13	11/7/25	EC57 B56E F0C4 3132
not certified	1/18/15	1/25/25	DBB8 02B2 58AC D84F
not certified	8/15/09	1/2/25	1D29 75ED F93E 735F
not certified	8/9/14		EEF0 D541 8E4C AEF0

3.1 KiB

Add

Start sharing

Home / Documents

- Recent
- Starred
- Home
- Documents
- Downloads
- Music
- Pictures
- Videos
- Trash
- Tor Browser
- Other Locations



OnionShare

Share Files Receive Files Publish Website

1 file, 2.4 KiB

johnwick1_0x590E65A9_public.asc	2.4 KiB	X
---------------------------------	---------	---

Add

Start sharing

Tails developers (Schleuder mailing-list) tails@bc
 Tails fundraising team (schleuder list) tails.fun

Home / Documents

- Recent
- Starred
- Home
- Documents
- Downloads
- Music
- Pictures
- Videos
- Trash
- Tor Browser
- Other Locations



OnionShare

Share Files

1 file, 2.4 KiB

kokojimmy1@dismail.de

Conversation Options Send To OTR

kokojimmy1@dismail.de

(04:45:37 PM) kokojimmy2@dismail.de/
1398494000854625812186481523: .

(04:45:37 PM) kokojimmy2@dismail.de/
1398494000854625812186481523: ..

(04:45:37 PM) kokojimmy2@dismail.de/
1398494000854625812186481523: .

(04:45:38 PM) kokojimmy2@dismail.de/
1398494000854625812186481523: <http://onionshare:cling-lavender@2hyt7cvh5vmqh2qlngnnnvlhizs66hx5c7lieg3evcpzr-nhc4yb3yid.onion>

Font + Insert Smile! Attention! Unverified

2.4 KiB

ng

ie Tor Browser: ⓘ

vv1hizs66hx5c7lieg3evcpzrnhc4yb3yid.onion

- Tails developers (Schleuder mailing-list) tails@bc
- Tails fundraising team (schleuder list) tails.fun

Copy Address

OnionShare

Total size: **2.4 KiB**

[Download Files](#)

FILENAME	SIZE
johnwick1_0x590E65A9_public.asc	2.4 KiB


Num Lock On

Cancel Name johnwick1_0x590E65A9_public.asc Save

- Home
- Documents
- Downloads
- Music
- Pictures
- Videos
- tor-browser
- Tor Browser
- Other Locations


amnesia Tor Browser

Name	Size	Type	Modified
johnwick1_0x590E65A9_public.asc	3.1 kB	Text	08:33

1
Num Lock On

PGP keys

- Recent
- Starred
- Home
- Documents
- Downloads
- Music
- Pictures
- Videos
- Trash



"johnwick1_0x590E65A9_public.asc" moved to trash Undo x

1
Num Lock On

Tails system administrators	tails-sysadmins@boum.org	not certified	8/23/12	10/11/24	70F4
tails-board@boum.org	tails-board@boum.org	not certified	2/14/22		083A

You have imported a new certificate (public key) [close]


In order to mark the certificate as valid (green) it needs to be certified. Certifying means that you check the Fingerprint. Some suggestions to do this are:

- A phone call to the person.
- Using a business card.
- Confirming it on a trusted website.

Do you wish to start this process now?

Do not ask again

Cancel Import



All Certificates [dropdown]

Close Tab

Tails press team (schleuder list)	tails-press@boum.org	not certified	7/11/14	4570	8085	A072	CBEB
Tails system administrators	tails-sysadmins@boum.org	not certified	8/23/12	10/11/24	70FA	EA21	1852 5F43

"johnwick1public.asc" selected (2...)



Num Lock On

Create OpenPGP Certificate

Search...<Alt- Enter a name and/or an email address to use for the certificate.

Name
johnwick2

Email address
johnwick2@yahoo.com

Protect the generated key with a passphrase.

Advanced Settings...

Cancel OK

All Certificates

Close Tab

Imported Certificates	Imported Certificates	Imported Certificates	Imported Certificates	
	User-IDs	Valid From	Valid Until	Key-ID
not certified	4/30/24		A38F 0F6E 9A0A 234E	
not certified	4/30/24		88E2 4FE2 064F 1511	
not certified	4/30/24		E76F 7931 BED0 E061	
not certified	4/30/24		5F6B 0263 0DDD E331	
not certified	4/30/24		3A5B 5685 A641 297B	
not certified	4/30/24		8C14 87D9 2446 1904	
not certified	6/19/24	6/19/26	FD4F B24A FC37 ACA1	
not certified	4/30/24		4973 2C6B ADF5 A0C9	
not certified	4/30/24		3114 6918 D78D F1ED	
not certified	4/26/24		C8F1 2D2B 1AE1 CB26	
not certified	7/11/14		C436 090F 48B4 7C6F	
not certified	7/24/13	11/7/25	EC57 B56E F0C4 3132	
not certified	1/18/15	1/25/25	DB88 02B2 58AC D84F	
not certified	8/15/09	1/2/25	1D29	
not certified	8/9/14		FEB0	
not certified	4/29/16		D2ED	
not certified	7/11/14		4570	
not certified	8/23/12	10/11/24	70FA	


Num Lock On

- Redisplay F5
- Stop Operation Esc
- Details
- Hierarchical Certificate List
- Expand All Ctrl+,
- Collapse All Ctrl+,
- Certificates
- Notepad
- Smartcards

Certify Certificates Notepad Smartcards

All Certificates

E-Mail	User-IDs	Valid From	Valid Until	Key-ID
ting@tails.net	not certified	4/30/24		A38F 0F6E 9A0A 234E
@tails.net	not certified	4/30/24		88E2 4FE2 064F 1511
tails.net	not certified	4/30/24		E76F 7931 BED0 E061
tions@tails.net	not certified	4/30/24		5F6B 0263 0DDD E331
info@tails.net	not certified	4/30/24		8C14 87D9 2446 1904
johnwick1	johnwick1@yahoo.com	not certified	6/19/24 6/19/26	FD4F B24A FC37 ACA1
mirrors@tails.net	mirrors@tails.net	not certified	4/30/24	4973 2C6B ADF5 A0C9
press@tails.net	press@tails.net	not certified	4/30/24	3114 691B D78D F1ED
sysadmins@tails.net	sysadmins@tails.net	not certified	4/26/24	C8F1 2D2B 1AE1 CB26
Tails accounting team (schleuder list)	tails-accounting@boum.org	not certified	7/11/14	C436 090F 4BB4 7C6F
Tails bug squad	tails-bugs@boum.org	not certified	7/24/13 11/7/25	EC57 B56E F0C4 3132
Tails developers (offline long-term ident...)	tails@boum.org	not certified	1/18/15 1/25/25	DBB8 02B2 58AC D84F
Tails developers (Schleuder mailing-list)	tails@boum.org	not certified	8/15/09 1/2/25	1D29
Tails fundraising team (schleuder list)	tails-fundraising@boum.org	not certified	8/9/14	FEB0
Tails mirror pool managers (schleuder li...)	tails-mirrors@boum.org	not certified	4/29/16	D2ED
Tails press team (schleuder list)	tails-press@boum.org	not certified	7/11/14	4570
Tails system administrators	tails-svsadmins@boum.org	not certified	8/23/12 10/11/24	70E4


Num Lock On

Search...<Alt+Q>

All Certificates

All Certificates Imported Certificates Imported Certificates Imported Certificates Imported Certificates Imported Certificates Close Tab

Name	E-Mail	User-IDs	Valid From	Valid Until	Key-ID
—accounting@tails.net	accounting@tails.net	not certified	4/30/24		A38F 0F6E 9A0A 234E
—board@tails.net	board@tails.net	not certified	4/30/24		88E2 4FE2 064F 1511
—bugs@tails.net	bugs@tails.net	not certified	4/30/24		E76F 7931 BED0 E061
—foundations@tails.net	foundations@tails.net	not certified	4/30/24		5F6B 0263 0DDD E331
—fundraising@tails.net	fundraising@tails.net	not certified	4/30/24		3A5B 5685 A641 297B
—info@tails.net	info@tails.net	not certified	4/30/24		8C14 87D9 2446 1904
johnwick1	johnwick1@yahoo.com	certified	6/19/24	6/19/26	FD4F B24A FC37 ACA1
johnwick2	johnwick2@yahoo.com	certified	6/19/24	6/19/26	9DD2 CB41 B359 5814
—mirrors@tails.net	mirrors@tails.net	not certified	4/30/24		4973 2C68 ADF5 A0C9
—press@tails.net	press@tails.net	not certified	4/30/24		3114 691B D78D F1ED
—sysadmins@tails.net	sysadmins@tails.net	not certified	4/26/24		C8F1 2D2B 1AE1 CB26
—Tails accounting team (schleuder list)	tails-accounting@boum.org	not certified	7/11/14		C436 090F 4BB4 7C6F
—Tails bug squad	tails-bugs@boum.org	not certified	7/24/13	11/7/25	EC57 B56E F0C4 3132
—Tails developers (offline long-term ident...)	tails@boum.org	not certified	1/18/15	1/25/25	DB88
—Tails developers (Schleuder mailing-list)	tails@boum.org	not certified	8/15/09	1/2/25	1D29
—Tails fundraising team (schleuder list)	tails-fundraising@boum.org	not certified	8/9/14		FEB0
—Tails mirror pool managers (schleuder li...	tails-mirrors@boum.org	not certified	4/29/16		D2ED
—Tails press team (schleuder list)	tails-press@boum.org	not certified	7/11/14		4570



Num Lock On

IMPORTANT:

JW2 HAS THE PUBLIC KEY OF JW1

SO.....

AT THIS MOMENT , JW2 CAN ENCRYPT A
MESSAGE AND SEND TO JW1 TO DECRYPT

JW2 >>>>>>>>>>>>>>> JW1

Sign / Encrypt Notepad Decrypt / Verify Notepad Import Notepad Revert

Notepad → Notepad: **Signing and encryption succeeded.** Close

Notepad Recipients

johnwick2 says HI to johnwick1

AA Caps Lock On

Sign / Encrypt Notepad Decrypt / Verify Notepad Import Notepad Revert

Notepad → Notepad: Signing and encryption succeeded.

Close

Notepad Recipients

Prove authenticity (sign)

Sign as: johnwick2 <johnwick2@yahoo.com> (certified, created: 6/19/24)

Encrypt

Encrypt for me: johnwick2 <johnwick2@yahoo.com> (certified, created: 6/19/24)

Encrypt for others: johnwick1 <johnwick1@yahoo.com> (certified, OpenPGP, created: 6/19/24)

Please enter a name or email address...

Encrypt with password. Anyone you share the password with can read the data.

AA

Caps Lock On

Sign / Encrypt Notepad Decrypt / Verify Notepad Import Notepad Revert

Notepad -> Notepad: Signing and encryption succeeded. [Close]

Notepad Recipients

-----BEGIN PGP MESSAGE-----
hQGMA3z1+1a6mwteAQwAsmCJ9/xkbxFATnae2UGzHz/k1i87x/OdDOS7kriUNFSR
BwWX8oNi2mAxOHRrjxnNc7JrbUuFXCHLJ9CpDpkqTVXp6rxkzogyhaiC7VXmXEj
hcK+H1yjn9ywlS7enyZuvqHvp1cHSiDdajiHqKbrJgbOKmJkyleowalI25Wg0rmj
XaA7hRt3USWigmjezSZIL9hmlvXky++nXmGfwWdKvQp2J53bQqtdWFCg9jYC8B9W
xUKLuFq60sSRLghR2BlCbIpfGHCfuVY48KroQDg8Ou4Pi6rBgxQj+IxglTXnj0fg
Sp3yIjCqwnJ6yxc85RHtpPl1bmeBgRSw1WIsOMw+5seK9ioCmcWK8jADLgGv7kjN
gITLsN2ZOneEfji55UubflAxpjZ+9uzfQyXnqG0/C8zDML5CivEcwQRXWEbV8CCQc
d0bvp7F/Ng61vbM7lgeFgqudy27PcRMpi6uDnsq/SM2NOUivp8zLfjRen4XU9Kt
R+0eQzC1QLIrPBHk8E8K0ukBWwKMEbgu2ZS9H+n9mcPRQXXeOu9BXM1nUsA18zF0
kAygGyOpiL9HJBm3CpSe0dCdQcU44K17rjFRTthZlir+Id9cHWagz4MbgVONzX+
pcSNZKQSQSPQUUu0q3LvMbWdtbl2XWg25kk3+clp+vDsXVXiVoXxQAMUtnBdqhh0t
qs32eGq9IvdmqW268umvjAyR4sW8xEURukWjdqJEN3pOSULDrj78qvkoYB7BsLx9
9m04Txj6oLx6vN1saedIAh0Zf0l8jaItPVPYe1HmMzbBjhE7Rq0Zwoc9nMuyGQJl
9t2LKinC/n1sb7e2T9dAmxi6MckG9XesG0QXS90qjghYwhdHqGFlis1Y34Gk0TH
Hf+DZ0RVZOJL/60TpEh7zjOu5YbsnGa+bZo737dPMYhAaejhF2gRilH72zIVETK
PeXq1ArNCZ1WFQWEckY2n3HycUhsIFZrziifR2o/ijfhGNRQ/wcjYWKjY7k3wbPS
oK7qwirq48eb4ExKF1BvG1F6h2xAsFsMJoG0d018qriiUNhf7By4Jh0tng2b+r60

AA Caps Lock On

Sign / Encrypt Notepad Decrypt / Verify Notepad Import

Notepad → Notepad: **Signing and encryption succeeded.**

Notepad Recipients

-----BEGIN PGP MESSAGE-----
hQGMA3z1+1a6mwteAQwAsmCj9/xkxvFATnae2UGzHz/k1i87x/O
BwWX8oNi2mAxOHRrjxnNc7JrbUuFXCHLj9CpDpkqTVXp6rxkzoc
hcK+H1yjn9ywlS7enyZuvqHvp1cHSiDdajiHqKbrJgbOKmJkyleowa
XaA7hRt3USWigmjezSZl9hmlvXky++nXmGfwWdKvqp2J53bQqt
xUKLuFq60sSRLghR2BlCbIpFgHCFuVY48KroQDg8Ou4Pi6rBgxQj
Sp3yJcQwNJ6yxc85RHtpP11 bmeBgRSw1WIsOMw+5seK9ioCmcW
gITLsN2ZOneEfi55UubflAxpjZ+9uzfQyXnqG0/C8zDML5CivEcwQ
d0bvp7F/Ng61vbM7lgeFgqudy27PcRMpi6uDnspq/SM2NOUIVp8
R+0eQzC1QLIrPBHk8E8K0ukBWwKMEbgu2Z59H+n9mcPRQXXeC
kAigGyOpiL9HjBm3CpSe0dCdQcU44K17rjFRTthZlir+rId9cHWagz
pcSNZKQSQSPQUUu0q3LvMbWdtbl2XWg25kk3+clp+vDsXVXiVoX
qs32eGq9lVdmqW268umvjAyR4sW8xEURukWjdqJEN3pOSULDrj
9m04Txj6oLx6vN1saedIAh0Zf0l8jaItPVPYe1HmMzbBjhE7Rq0Zw
9t2LKinC/n1sb7e2T9dAmxi6MckG9XesG0QXS90qjglhYwhdHqGF
Hf+DZ0RVZOJL/60TpEh7zjOu5YbsnGa+bZo737dPMYHAnaehF2g
PeXq1ArNCZ1WFQWEckY2n3HycUHSIFZrziifR2o/ijfhGNRQ/wcjY
oK7qwirq48eb4ExKF1BvG1F6h2xAsFsMJoG0d018qriiUNhf7By4Jh0tng2b+r60

kokojimmy2@dismail.de

Conversation Options Send To OTR

kokojimmy2@dismail.de
Zwoc9nMuyGQJl 9t2LKinC/
n1sb7e2T9dAmxi6MckG9XesG0QXS90qjglhYwhdHqGFliS1Y34
Gk0TH Hf+DZ0RVZOJL/
60TpEh7zjOu5YbsnGa+bZo737dPMYHAnaehF2gRilH72zIVETK
PeXq1ArNCZ1WFQWEckY2n3HycUHSIFZrziifR2o/ijfhGNRQ/
wcjYWKjY7k3wbPS
oK7qwirq48eb4ExKF1BvG1F6h2xAsFsMJoG0d018qriiUNhf7By4
Jh0tng2b+r60
NDyHIDcSuX0rw3WcEvOV2Pe2mVMo+LtADBvGRRoZIt/
g6YMzQ5uSDOf147ZPs3uf
waR4wmPmPHGTTLCwL1FB9WSsQNYdFiVmdjx14WRCfX9mc-
TpJqYXe3uB9+yVAztzD QyFfiqLBRHw8/qj05bN/
Bp3bFojNYI0qttVCU+UYc0LqHyU= =2XqA -----END PGP
MESSAGE-----

Font Insert Smile! Attention! Unverified

Close

AA
Caps Lock On

- Recent
- Starred
- Home
- Documents
- Downloads
- Music
- Pictures
- Videos
- Trash
- Tor Browser
- Other Locations

Search...<Alt+Q>

All Certificates Imported Certificates

Name	Key-ID
accounting@tails.net	A38F 0F6E 9A0A 234E
board@tails.net	88E2 4FE2 064F 1511
bugs@tails.net	E76F 7931 BED0 E061
foundations@tails.net	5F6B 0263 0DDD E331
fundraising@tails.net	3A5B 5685 A641 297B
info@tails.net	8C14 87D9 2446 1904
johnwick1	FD4F B24A FC37 ACA1
mirrors@tails.net	4973 2C6B ADF5 A0C9
press@tails.net	3114 691B D78D F1ED
sysadmins@tails.net	C8F1 2D2B 1AE1 CB26
Tails accounting team (schleuder list)	C436 090F 48B4 7C6F
Tails bug squad	EC57 B56E F0C4 3132
Tails developers (offline long-term ident...)	DBB8 02B2 58AC D84F
Tails developers (Schleuder mailing-list)	1D29 75ED F93E 735F
Tails fundraising team (schleuder list)	FEB0 D5A1 8EAC AF99
Tails mirror pool managers (schleuder li...)	D2ED A621 B572 DD73
Tails press team (schleuder list)	4570 80B5 A072 CBE3

Conversation Options Send To OTR

kokoJimmy1@dismail.de

(05:06:59 PM) kokoJimmy1@dismail.de: .
 (05:06:59 PM) kokoJimmy1@dismail.de: .
 (05:07:02 PM) kokoJimmy1@dismail.de: p, li { white-space:
 pre-wrap; } -----BEGIN PGP MESSAGE-----
 hQGMA3z1+1a6mwteAQwAsmCJ9/xkbxFATnae2UGzHz/k1i87x/
 OdDOS7kriUNFSR
 BwWX8oNi2mAxOHRrJxnNc7JrbUuFXCHLU9CpDpkqTVXp6rxk-
 zogyhaiC7VXmXEj
 hcK+H1yjn9ywlS7enyzuvqHvp1cHSiDdajiHqKbrJgbOKmJkyleow-
 all25Wg0rmJ XaA7hRt3USWigmjezSZIL9hmlvXky+

Font + Insert Smile! Attention! Unverified

2.4 KiB X

Close Tab

Add

- Recent
- Starred
- Home
- Documents
- Downloads
- Music
- Pictures
- Videos
- Trash
- Tor Browser
- Other Locati

File View Certificates Tools Settings Window Help

Sign/Encrypt Decrypt/Verify Import Export Certify Lookup on Server Certificates Notepad Smartcards

Encrypt Notepad Decrypt / Verify Notepad Import Notepad Revert

Notepad Recipients

```

-----BEGIN PGP MESSAGE-----
hQGMA3z1+1a6mwteAQwAsmCJ9/xkbxFATnae2UGzHz/k1i87x/OdDOS7kriUNFSR BwWX8oNi2mAxOHRrjxnNc7JrBUuFXCHLJ9CpDpkqTVXp6rxkzogyhaiC7VXmXEj
hcK+H1yjn9ywlS7enyZuvqHvp1cHSiDdajiHqKbrjgbOKmJkyleowalI25Wg0rmj XaA7hRt3USWigmjezSZIL9hmlvXky++nXmGfwWdKVqp2J53bQqtdWFcg9jYC8B9W
xUKLuFq60sSRLghR2BICblpFgHCFuVY48KroQDg8Ou4Pi6rBgxQj+IxglTXnj0fg Sp3ylJCqwnJ6yxc85RHtpPl1bmeBgRSw1WIsOMw+5seK9ioCmcWK8jADLGgV7kjN
gITLsN2ZOneEjji55UubfAxpjZ+9uzfQyXnqG0/C8zDML5CivEcwQRXWv8CQc d0bvp7F/Ng61vbM7lgeFgqudy27PcRMpi6uDnspq/SM2NOUiVp8zLfjRen4XU9Kt
R+0eQzC1QLIrPBhk8E8K0ukBWwKmEbguz2S9H+n9mcPRQXXeOu9BXM1nUsA18zF0 kAjqGyOpiL9HJBM3CpSe0dCdQcU44K17rjFRtthZlir+rId9cHWagz4MbgVOnZx+
pcSNZKQQSPQUUu0q3LvMbWdtbl2XWg25kk3+clp+vDsXVXiVoXxQAMUtnBdqhh0t qs32eGq9lVdmqW268umvjAyR4sW8xEURukWjdqjEN3pOSULDrj78qvkoYB7BsLx9
9m04Txj6oLx6vN1saedIAh0Zf0l8jaItPVPYe1HmMzbBjHE7Rq0Zwoc9nMuyGQJl 9t2LKinC/n1sb7e2T9dAmxi6MckG9XesG0QXS90qjglhYwhdHqGFlis1Y34Gk0TH Hf+DZ0RVZOJL/
60TpEh7zjOu5YbsnGa+bZo737dPMyHAnaehF2gRilH72zIVETK PeXq1ArNCZ1WFQWEckY2n3HycUhSIFZziifR2o/ijfhGNRQ/wcjYWKjY7k3wbPS
oK7qwirq48eb4ExKF1BvG1F6h2xAsFsMJoG0d018qrIiUNhf7By4Jh0tng2b+r60 NDyHIDcSuX0rw3WcEvOV2Pe2mVMo+LtADBVGRRoZIt/g6YMzQ5uSDOf147ZPs3uf
waR4wmPmPHGTTLcWl1FB9WSsQNYdFiVmdjx14WRcFX9mcTpjqYXe3uB9+yVAztzD QyFfiqLBRHw8/qj05bN/Bp3bFojNYI0qttVCU+UYc0LqHyU= =2XqA
-----END PGP MESSAGE-----

```

2.4 KiB

Add

- Recent
- Starred
- Home
- Documents
- Downloads
- Music
- Pictures
- Videos
- Trash
- Tor Browser
- Other Locations

Sign/Encrypt Decrypt/Verify Import Export Certify **Lookup on Server** Certificates Notepad Smartcards

Encrypt Notepad Decrypt / Verify Notepad Import Notepad **Revert**

Notepad → Notepad: **The data could not be verified.**

Recipient: [johnwick1 <johnwick1@yahoo.com>](mailto:johnwick1@yahoo.com) (FD4F B24A FC37 ACA1)
 Signature created on Wednesday, June 19, 2024 11:06:07 PM EEST
 With unavailable certificate:
 ID: 0x9EE5758D1E5F8C9FA51E337E9DD2CB41B3595814
 You can search the certificate on a keyserver or import it from a file.

Import Search Show Audit Log Close

Notepad Recipients

johnwick2 says HI to johnwick1

2.4 KiB X

Add

SIGNING THE MESSAGE

File View Certificates Tools Settings Window Help

Home / Documents

- Recent
- Starred
- Home
- Documents
- Downloads
- Music
- Pictures
- Videos
- Trash
- Tor Browser
- Other Locations

johnwick2_0
xB3595814_
public.asc

Tails mirror pool managers (schleuder li...	tails-mirrors@boum.org	not certified	4/29/16	D2ED A621 B572 DD73
Tails press team (schleuder list)	tails-press@houm.org	not certified	7/11/14	4570 8085 A072 CBE3

Sign in to your account

univovidiu

BoldeanuPrezentar

File Home Insert Draw

156

157

158

159

File View Certificates Tools Settings Window Help

Sign/E

Search

Home / Documents

- Recent
- Starred
- Home
- Documents
- Downloads
- Music
- Pictures
- Videos
- Trash
- Tor Browser
- Other Locations

Tails mirror pool managers (schleuder li... tails-mirrors@boum.o

Tails press team (schleuder list) tails-press@houm.orr



OnionShare

Share Files

1 file, 2.4 KiB

johnwick2_0xB3595814_public.asc	2.4 KiB
---------------------------------	---------

Stop sharing

Anyone with this OnionShare address can **download** your files using the **Tor Browser**: ⓘ

`http://onionshare:juiciness-uncouple@zxnuv5mr6h2jqxagmgf7yhg5pxqyhif1x24glmmgu4b4a4u3cvzuxlqd.onion`

Copy Address

File View Certificates Tools Settings Window Help

Home / Documents

- Recent
- Starred
- Home
- Documents
- Downloads
- Music
- Pictures
- Videos
- Trash
- Tor Browser
- Other Locations

johnwick
xB35958
public.a

Tails mirror pool managers (schleuder li... tails-mirrors@boum...
Tails press team (schleuder list) tails-press@houm.org

OnionShare

Share Files

2.4 KIB

Tab

kokoJimmy2@dismail.de

Conversation Options Send To OTR


kokoJimmy2@dismail.de

1076208680181095303794547906: .
(11:16:36 PM) kokoJimmy1@dismail.de/
1076208680181095303794547906: .
(11:16:36 PM) kokoJimmy1@dismail.de/
1076208680181095303794547906: .
(11:16:37 PM) kokoJimmy1@dismail.de/
1076208680181095303794547906: .
(11:16:37 PM) kokoJimmy1@dismail.de/
1076208680181095303794547906: .
(11:16:37 PM) kokoJimmy1@dismail.de/
1076208680181095303794547906: <http://onionshare:juiciness-uncouple@zxnuv5mr6h2jqxagmgf7yhg5pxqyhiflx24glmmgu4b4a4u3cvzuxlqd.onion>

Font Insert Smile! Attention! Unverified

Tor Browser: ⓘ

f7yhg5pxqyhiflx24glmmgu4b4a4u3cvzuxlqd.onion



Total size: 2.4 KiB

Download Files

FILENAME

SIZE

johnwick2_0xB3595814_public.asc

2.4 KiB

Home / Tor Browser

- Recent
- Starred
- Home
- Documents
- Downloads
- Music
- Pictures
- Videos
- Trash
- Tor Browser**
- Other Locations

johnwick2_0
xB3595814_
public.asc

Total size: **2.4 KiB** [Download Files](#)

Terminal

File Edit View Search Terminal Help

root@amnesia:~# cd /home/amnesia/Tor\ Browser/

root@amnesia:/home/amnesia/Tor Browser# ls

johnwick2_0xB3595814_public.asc

root@amnesia:/home/amnesia/Tor Browser# gpg --import johnwick2_0xB3595814_public.asc

gpg: key 9DD2CB41B3595814 was created 19725 seconds in the future (time warp or clock problem)

gpg: key 9DD2CB41B3595814 was created 19725 seconds in the future (time warp or clock problem)

gpg: key 9DD2CB41B3595814 was created 19725 seconds in the future (time warp or clock problem)

gpg: key 9DD2CB41B3595814 was created 19725 seconds in the future (time warp or clock problem)

gpg: key 9DD2CB41B3595814: new key but contains no user ID - skipped

gpg: Total number processed: 1

gpg: w/o user IDs: 1

root@amnesia:/home/amnesia/Tor Browser#

Smartcards

All Certificates

Certificates

Imported Certificates

Close Tab

om

Valid Until

Key-ID

IF YOU HAVE THIS ERROR , THE PROBLEM
IS PROBABLY THE TIMING

- Settings
- Network
- Bluetooth
- Appearance
- Notifications
- Search
- Multitasking
- Applications >
- Privacy >
- Sharing
- Sound
- Power
- Displays
- Mouse & Touchpad

Date & Time

20 June 2024, 23:18 >

EEST (Bucharest, Romania) >

24-hour ▾

Date & Time

23:18

Month June ▾

Day 20 - +

Year 2024 - +

File View Certificates Tools Settings Window Help

Sign/Encrypt Decrypt/Verify Import Export Certify Certificates Notepad Smartcards

Certify Certificate: johnwick2

Verify the fingerprint, mark the user IDs you want to certify, and select the key you want to certify the user IDs with.
Note: Only the fingerprint clearly identifies the key and its owner.

Fingerprint: **9EE5 758D 1E5F 8C9F A51E 337E 9DD2 CB41 B359 5814**

Certify with: johnwick1 <johnwick1@yahoo.com> (certified, created: 6/19/24)

- johnwick2 <johnwick2@yahoo.com>

▶ Advanced

Cancel Certify

All Certificates

Imported Certificates Imported Certificates Close Tab

Valid From	Valid Until	Key-ID

File View Certificates Tools Settings Window Help

Sign/Encrypt Decrypt/Verify Import Export Certify Lookup on Server Certificates Notepad Smartcards

Certification Successful

OK

Imported Certificates Imported Certificates All Certificates Imported Certificates Imported Certificates Close Tab

Name	E-Mail	User-IDs	Valid From	Valid Until	Key-ID

Name	E-Mail	User-IDs	Valid From	Valid Until	Key-ID
accounting@tails.net	accounting@tails.net	not certified	4/30/24		A38F 0F0E 9A8A 234E
board@tails.net	board@tails.net	not certified	4/30/24		88E2 4FE2 064F 1511
bugs@tails.net	bugs@tails.net	not certified	4/30/24		E70F 7931 BED0 E061
foundations@tails.net	foundations@tails.net	not certified	4/30/24		5F6B 0263 0000 E331
fundraising@tails.net	fundraising@tails.net	not certified	4/30/24		3A5B 5685 A641 297B
info@tails.net	info@tails.net	not certified	4/30/24		8C14 8709 2446 1904
johnwick1	johnwick1@yahoo.com	certified	6/19/24	6/19/26	FD4F B24A FC37 ACA1
johnwick2	johnwick2@yahoo.com	certified	6/19/24	6/19/26	9002 CB41 B359 5814
mirrors@tails.net	mirrors@tails.net	not certified	4/30/24		4973 2C08 ADF5 A8C9
press@tails.net	press@tails.net	not certified	4/30/24		3114 691B D78D F1ED
sysadmins@tails.net	sysadmins@tails.net	not certified	4/26/24		C8F1 2D2B 1AE1 CB26
Tails accounting team (schleuder list)	tails-accounting@boun.org	not certified	7/11/14		C436 090F 4884 7C6F
Tails bug squad	tails-bugs@boun.org	not certified	7/24/13	11/7/25	EC57 B50E F8C4 3132
Tails developers (offline long-term ident...	tails@boun.org	not certified	1/18/15	1/25/25	D888 0282 58AC D84F
Tails developers (Schleuder mailing-list)	tails@boun.org	not certified	8/15/09	1/2/25	1D29 75ED F93E 735F
Tails fundraising team (schleuder list)	tails-fundraising@boun.org	not certified	8/9/14		FE80 D5A1 8EAC AF99
Tails mirror pool managers (schleuder li...	tails-mirrors@boun.org	not certified	4/29/16		D2ED A621 B572 D073
Tails nress team (schleuder list)	tails.nress@boun.org	not certified	7/11/14		4578 8885 A872 CBE3

Name	E-Mail	User-IDs	Valid From	Valid Until	Key-ID
accounting@tails.net	accounting@tails.net	not certified	4/30/24		A38F 0F0E 9A8A 234E
board@tails.net	board@tails.net	not certified	4/30/24		88E2 4FE2 064F 1511
bugs@tails.net	bugs@tails.net	not certified	4/30/24		E70F 7931 BED0 E061
foundations@tails.net	foundations@tails.net	not certified	4/30/24		5F6B 0263 0000 E331
fundraising@tails.net	fundraising@tails.net	not certified	4/30/24		3A5B 5685 A641 297B
info@tails.net	info@tails.net	not certified	4/30/24		8C14 8709 2446 1904
johnwick1	johnwick1@yahoo.com	certified	6/19/24	6/19/26	FD4F B24A FC37 ACA1
johnwick2	johnwick2@yahoo.com	certified	6/19/24	6/19/26	9002 CB41 B359 5814
mirrors@tails.net	mirrors@tails.net	not certified	4/30/24		4973 2C08 ADF5 A8C9
press@tails.net	press@tails.net	not certified	4/30/24		3114 691B D78D F1ED
sysadmins@tails.net	sysadmins@tails.net	not certified	4/26/24		C8F1 2D2B 1AE1 CB26
Tails accounting team (schleuder list)	tails-accounting@boun.org	not certified	7/11/14		C436 090F 4884 7C6F
Tails bug squad	tails-bugs@boun.org	not certified	7/24/13	11/7/25	EC57 B50E F8C4 3132
Tails developers (offline long-term ident...	tails@boun.org	not certified	1/18/15	1/25/25	D888 0282 58AC D84F
Tails developers (Schleuder mailing-list)	tails@boun.org	not certified	8/15/09	1/2/25	1D29 75ED F93E 735F
Tails fundraising team (schleuder list)	tails-fundraising@boun.org	not certified	8/9/14		FE80 D5A1 8EAC AF99
Tails mirror pool managers (schleuder li...	tails-mirrors@boun.org	not certified	4/29/16		D2ED A621 B572 D073
Tails nress team (schleuder list)	tails.nress@boun.org	not certified	7/11/14		4578 8885 A872 CBE3

File View Certificates Tools Settings Window Help

Sign/Encrypt Decrypt/Verify Import Export Certify Lookup on Server Certificates Notepad Smartcards

Sign / Encrypt Notepad Decrypt / Verify Notepad Import Notepad Revert

Notepad Recipients

JW1 says hi to JW2

Sign/Encrypt Decrypt/Verify Import Export Certify Lookup on Server Certificates Notepad Smartcards

Sign / Encrypt Notepad Decrypt / Verify Notepad Import Notepad Revert

Notepad Recipients

Prove authenticity (sign)

Sign as: johnwick1 <johnwick1@yahoo.com> (certified, created: 6/19/24)

Encrypt

Encrypt for me: johnwick1 <johnwick1@yahoo.com> (certified, created: 6/19/24)

Encrypt for others: johnwick2 <johnwick2@yahoo.com> (certified, OpenPGP, created: 6/19/24)

Please enter a name or email address...

Encrypt with password. Anyone you share the password with can read the data.

- Recent
- Starred
- Home
- Documents
- Downloads
- Music
- Pictures
- Videos
- Trash
- Tor Browser
- Other Locations

File View Certificates Tools Settings Window Help

Sign/Encrypt Decrypt/Verify Import Export Certify Lookup on Server Certificates Notepad Smartcards

Sign / Encrypt Notepad Decrypt / Verify Notepad Import Notepad Revert

Notepad → Notepad: Signing and encryption succeeded. Close

Notepad Recipients

```

-----BEGIN PGP MESSAGE-----
hQGMA33OQCUIyyYdAQwAqVXuWDM9aK4gtEXAVu4xJqmVw2Y1XpGm5L0kgkzts479
V35vjX358CyrRGQV0aY3AdprFLO3Oy/wnZGII8DrpX8YzuQWHAOyxWFX4ECyq83x
29cjCHPxtl9wZHTHUJktNta/4WO+5/QYKYKcWxn+yjHLtaseM8g+hTLbW2RxxKlj
E5LeMSK5ztDtO4qk0Tk7Bm+pfrQ1UtRh+PRM6gwpv7ot9/FZwEkLIHUqVVwmFIsb
OEAoW0Fp4VwEU2g/oibeT8Wujc0t+dkabYvyAgIqp7u7Z9UTwplYVnkjNzRahkqn
ns1Cg2ijq1ml/WHfImxjl0RnBFNGdBv3CvuKYSiUhiz9pbEAtwxvGXIkylEr6OFi
+pFL3wQR5k5KXLe+7cbPdsOVhy+PW2my2jEoSMgoSnAIsQWeY/Fn1Ik5ff5ll7nj
PEkpGQmcX/gfr04AF6S5P7aZyp1+2I3VCjP8345pIPsfZn2v0+lsZr9AAZL9eEub
3u20mZMfbNa3goAcIvgI0ukB+dwgy+2Yifbl8OMMgA9d5RI998Lf21GW3AGpMvzk
rQusm7MTNrhWgQITUIG7YCbsfUyVb0UJGI3naFjuTmjZg8/+CAFLH9yzyCOgh5gF
i9KFHFcCIB9SJ0xsCahKjpSnZYXVnJKWfometWvimhTFjBf1pFCNo7Fdc7ylthgW
ejd6xNhykwTVsRaQKZ4Puc69RFtJE+aZ46zg3d3V6DubPRo8eefqZ3UidvAtj1j8
SN1A6mMc1c7LFF/KRuowFfZJIEcnGmshSGrKXOQJFTvmf8vKbn+FKsQgaULLaOga
Y+9B9o5qCJLMRMM50tkxkfr3+TIEzeVz+tGwgH1SIGmOeektY0IQM9Hq1PdG8HD
jGTiktF3ZCybfsWBfn88HZg8d3AlcCdKmlt7T6/Uz2aBewLBKGAJ0Q82AM1xoSDZ
2mjCu/sy3qDhIzNOMVHe9SdecPSErINQ7i2/oIguQDHEbYBypWfxDIPVogpC9Xe
9E2TMsZFMkRV76SwOgblbsEJD3Qa8cSDCe5DothcBiGXHuWg9RfNnS5g+pF6iyGj

```

Sign / Encrypt Notepad Decrypt / Verify Notepad Import

Notepad → Notepad: Signing and encryption succeeded. [Close]

Notepad Recipients

Enter a message to encrypt or decrypt...

kokojimmy2@dismail.de

Conversation Options Send To OTR [Warning]

kokojimmy2@dismail.de

[onionshare:juiciness-uncouple@zxnuv5mr6h2jqxagmgf7yhg5pxqyhiflx24glmmgu4b4a4u3cvzuxlqd.onion](#)

(11:21:24 PM) **kokojimmy2@dismail.de:** p, li { white-space: pre-wrap; } -----BEGIN PGP MESSAGE-----

```

hQGMA33OQCUIyyYdAQwAqVXuWDM9aK4gtEXAVu4xJqmw2
Y1XpGm5L0kgkzts479 V3SvJX358CyrRGQV0aY3AdprFLO3Oy/
wnZGII8DrpX8YzuQWHAOyxWFX4ECyq83x
29cJcHPxtl9wZHTHUJktNta/4WO+5/
QYKYKcWxn+yjHLtaseM8g+hTLbW2RxxKlj
E5LeMSK5ztDtO4qk0Tk7Bm+pfrQ1UtRh+PRM6gwpv7ot9/
FZwEkLIHUqVvwmFlsb OEAoW0Fp4VwEU2g/
oibeT8WuJc0t+dkabYvyAglqp7u7Z9UTwplYVnkjNzRahkqn
ns1Cg2iJq1ml/

```

Font + Insert Smile! Attention! Unverified

Sign / Encrypt Notepad Decrypt / Verify Notepad Import Notepad Revert

Notepad -> Notepad: Signing and encryption succeeded. Close

Notepad Recipients

-----BEGIN PGP MESSAGE-----
hQGMA33OQCUIyyYdAQwAqVXuWDM9aK4gtEXAVu4xJqmVw2Y1XpGm5L0kgkzts479 V3SvJX358CyrRGQV0aY3AdprFLO3Oy/wnZGII8DrpX8YzuQWHAOyxWFX4ECyq83x 29cjCHPxtl9wZHTHUJktNta/4WO+5/
QYKYKcWxn+yjHLtaseM8g+hTLbW2RxxKlj E5LeMSK5ztDtO4qk0Tk7Bm+pfrQ1UtRh+PRM6gwpv7ot9/FZwEkLIHUqVVwmFIsb OEAoW0Fp4VwEU2g/oibeT8Wujc0t+dkabYvyAgIqp7u7Z9UTwplYVnkjNzRahkqn ns1Cg2ijq1ml/
WHfImxjl0RnBFNGdBv3CvuKYSiUhiZ9pbEAtwvxGXIkylEr6OFi +pFL3wQR5k5KXLe+7cbPdsovhY+PW2my2jEOSMgoSnAIsQWeY/Fn1Ik5ff5ll7nj PEkpGQmcX/gfr04AF6S5P7aZYp1+2I3VCJp8345pIPsfZN2v0+lsZr9AAZL9eEub
3u20mZMfbNa3goAcIvgI0ukB+dwgy+2Yifbl8OMMgA9d5RI998Lf21GW3AGpMvzk rQusm7MTNrhWgQITUIG7YcbsfUyVb0UJGI3naFjuTmjZg8/+CAFLH9yzyCOgh5gF
i9KFHFcIB9Sj0xsCahKjPsnZYXVnJKWfometWvimhTFjBf1pFCNo7Fdc7ylthgW ejd6xNhykwTVsRaQKZ4Puc69RfTJE+aZ46zg3d3V6DubPRo8eefqZ3UidvAtj1j8 SN1A6mMc1c7LFF/
KRuowFfZJIEcnGmshSGrKXOQJFTvmf8vKbn+FKsQgaULLaOga Y+9B9o5qCJLMRMM50tkxkfr3+TIEzeVz+tGwgH1SIGmOeektY0lQM9Hq1PdG8HD jGTiktF3ZCybfsWBfn88HZg8d3AlcCdKmLt7T6/
Uz2aBewLBKGAj0Q82AM1xoSDZ 2mjCu/sy3qDhizNOMVHe9SdecPSErINQ7i2/oIguQDHEbYBYplWfxDIPVogpC9Xe 9E2TMsZFMkRV76SwOgblbsEJD3Qa8cSDCe5DothcBiGXHuWg9RfNnS5g+pf6iyGj
fnqbzgrJF4NNWzIDGT7OVpgDxwLGSxAnqUrZm9u4BKYFzvP7yOSyd1OCWXHzel6g px1dajeIBMUWPXbY9to4heXRC7ujrApMVl6nBqYh+1YEI9uyoXrc9PBFT63iSOFr YBV1AqX6EbsWPu0zVHXPzt7cB/U6tcU= =ezni
-----END PGP MESSAGE-----

File View Certificates Tools Settings Window Help

Sign/Encrypt

Decrypt/Verify

Import

Export

Certify

Lookup on Server

Certificates

Notepad

Smartcards

Sign / Encrypt Notepad

Decrypt / Verify Notepad

Import Notepad

Revert

Notepad → Notepad:

Valid signature by johnwick1@yahoo.com[Show Audit Log](#)Recipient: [johnwick2 <johnwick2@yahoo.com>](mailto:johnwick2@yahoo.com) (9DD2 CB41 B359 5814)

Signature created on Thursday, June 20, 2024 11:21:29 PM EEST

With certificate:

[johnwick1 <johnwick1@yahoo.com>](mailto:johnwick1@yahoo.com) (FD4F B24A FC37 ACA1)

The signature is valid and the certificate's validity is fully trusted.

Close

Notepad



Recipients

JW1 says hi to JW2

ENCRYPTING
DECRYPTING
SYGNING
VERIFYING

FILES

File


Tor Browser

johnwick1public.asc

poza2copy.jpg

Tails mirror pool managers (schleuder li... tails-

Tails press team (schleuder list) tails-pressw...



poza2copy.jpg

10%

Navigation icons: back, forward, zoom in, zoom out

Properties

Size 8256 × 5500

Type JPEG image

File Size 4.0 MB

Folder [Tor Browser](#)

Aperture

Exposure

Focal Length

ISO

Metering

Camera

Date

Time



Search...<Alt+Q>

All Certificates



All Certificates Imported Certificates Imported Certificates Imported Certificates Imported Certificates Imported Certificates

Close Tab

Name	E-Mail	User-IDs	Valid From	Valid Until	Key-ID
—accounting@tails.net	accounting@tails.net	not certified	4/30/24		A38F 0F6E 9A0A 234E
—board@tails.net	board@tails.net	not certified	4/30/24		88E2 4FE2 064F 1511
—bugs@tails.net	bugs@tails.net	not certified	4/30/24		E76F 7931 BED0 E061
—foundations@tails.net	foundations@tails.net	not certified	4/30/24		5F6B 0263 0DDD E331
—fundraising@tails.net	fundraising@tails.net	not certified	4/30/24		3A5B 5685 A641 297B
—info@tails.net	info@tails.net	not certified	4/30/24		8C14 87D9 2446 1904
—johnwick1	johnwick1@yahoo.com	certified	6/19/24	6/19/26	FD4F B24A FC37 ACA1
—johnwick2	johnwick2@yahoo.com	certified	6/19/24	6/19/26	9DD2 CB41 B359 5814
—mirrors@tails.net	mirrors@tails.net	not certified	4/30/24		4973 2C68 ADF5 A0C9
—press@tails.net	press@tails.net	not certified	4/30/24		3114 691B D78D F1ED
—sysadmins@tails.net	sysadmins@tails.net	not certified	4/26/24		C8F1 2D2B 1AE1 CB26
—Tails accounting team (schleuder list)	tails-accounting@boum.org	not certified	7/11/14		C436 090F 4BB4 7C6F
—Tails bug squad	tails-bugs@boum.org	not certified	7/24/13	11/7/25	EC57 B56E F0C4 3132
—Tails developers (offline long-term ident...	tails@boum.org	not certified	1/18/15	1/25/25	DBB8 02B2 58AC D84F
—Tails developers (Schleuder mailing-list)	tails@boum.org	not certified	8/15/09	1/2/25	1D29 75ED F93E 735F
—Tails fundraising team (schleuder list)	tails-fundraising@boum.org	not certified	8/9/14		FEB0 D5A1 8EAC AF99
—Tails mirror pool managers (schleuder li...	tails-mirrors@boum.org	not certified	4/29/16		D2ED A621 B572 DD73
		not certified	7/11/14		4570 8085 A072 CBE3

Imported Certificates from /home/amnesia/Documents/johnwickpk.asc

Select One or More Files to Sign and/or Encrypt

Look in: /home/amnesia/Tor Browser

Name	Size	Type	Date Modified
johnwick1public.asc	2.39 KiB	asc File	6/19/2...:46 PM
poza2copy.jpg	3.79 MiB	jpg File	6/19/2...:11 PM

File name: poza2copy.jpg Open


Files of type: All Files (*) Cancel

Tails developers (offline long-term ident...	tails@boum.org	not certified	1/18/15
Tails developers (Schleuder mailing-list)	tails@boum.org	not certified	8/15/09
Tails fundraising team (schleuder list)	tails-fundraising@boum.org	not certified	8/9/14
Tails mirror pool managers (schleuder li...	tails-mirrors@boum.org	not certified	4/29/16
Tails press team (schleuder list)	tails-press@houm.org	not certified	7/11/14

Imported Certificates

Valid Until	Key-ID
6/19/26	9DD2 CB41 B359 5814
11/7/25	EC57 B56E F0C4 3132
1/25/25	DB88 02B2 58AC D84F
1/2/25	1D29 75ED F93E 735F
	FEB0 D5A1 8EAC AF99
	D2ED A621 B572 DD73
	4570 8085 A072 CBE3

Sign/Encrypt Files



Sign/E

Sign / Encrypt Files

Prove authenticity (sign)

Sign as: johnwick2 <johnwick2@yahoo.com> (certified, created: 6/19/24)

Encrypt

Encrypt for others: wick1@yahoo.com> (certified, OpenPGP, created: 6/19/24)

Please enter a name or email address...

Encrypt with password. Anyone you share the password with can read the data.

Output

Output files/folder:

/home/amnesia/Tor Browser/poza2copy.jpg.gpg

Encrypt / Sign each file separately.

Sign / Encrypt Cancel

artcards:

All Certificates

Imported Certificates

Close Tab

Valid Until	Key-ID
	A38F 0F6E 9A0A 234E
	88E2 4FE2 064F 1511
	E76F 7931 BED0 E061
	5F6B 0263 0DDD E331
	3A5B 5685 A641 297B
	8C14 87D9 2446 1904
6/19/26	FD4F B24A FC37 ACA1
6/19/26	9DD2 CB41 B359 5814
	4973 2C6B ADF5 A0C9
	3114 691B D78D F1ED
	C8F1 2D2B 1AE1 CB26
	C436 090F 4BB4 7C6F
11/7/25	EC57 B56E F0C4 3132
1/25/25	DBB8 02B2 58AC D84F
1/2/25	1D29 75ED F93E 735F
	FEB0 D5A1 8EAC AF99
	D2ED A621 B572 DD73
	4570 8085 A072 CBE3

File View Certificates Tools Settings Window Help

Sign/Encrypt Files

Sign/E

Sign

Provi

Seal

Encry

Do not ask again

Encrypt with password. Anyone you share the password with can read the data.

Output

Output files/folder:

Encrypt / Sign each file separately.

Sign / Encrypt Cancel

None of the recipients you are encrypting to seems to be your own.
This means that you will not be able to decrypt the data anymore, once encrypted.
Do you want to continue, or cancel to change the recipient selection?

Cancel Continue

Please enter a name or email address...

Tails developers (schleuder mailing-list)	tails@boun.org	not certified	6/13/09
Tails fundraising team (schleuder list)	tails-fundraising@boun.org	not certified	8/9/14
Tails mirror pool managers (schleuder li...	tails-mirrors@boun.org	not certified	4/29/16
Tails press team (schleuder list)	tails-press@boun.org	not certified	7/11/14

artcards

All Certificates

Exported Certificates Imported Certificates Close Tab

Valid Until	Key-ID
	A38F 0F6E 9A0A 234E
	88E2 4FE2 064F 1511
	E76F 7931 BED0 E061
	5F6B 0263 0DDD E331
	3A5B 5685 A641 297B
	8C14 87D9 2446 1904
6/19/26	FD4F B24A FC37 ACA1
6/19/26	9DD2 CB41 B359 5814
	4973 2C6B ADF5 A0C9
	3114 691B D78D F1ED
	C8F1 2D2B 1AE1 CB26
	C436 090F 4BB4 7C6F
11/7/25	EC57 B56E F0C4 3132
1/25/25	DB88 02B2 58AC D84F
1/2/25	1D29 75ED F93E 735F
	FEB0 D5A1 8EAC AF99
	D2ED A621 B572 DD73
	4570 8085 A072 CBE3

Sign/Encrypt Files

Sign/E

Results

Status and progress of the crypto operations is shown here.

Seal

OpenPGP: All operations completed.



poza2copy.jpg → poza2copy.jpg.gpg: **Signing and encryption succeeded.**

Finish **Cancel**

Tails developers (schleuder mailing-list)	tails@boum.org	not certified	8/13/09
Tails fundraising team (schleuder list)	tails-fundraising@boum.org	not certified	8/9/14
Tails mirror pool managers (schleuder li...	tails-mirrors@boum.org	not certified	4/29/16
Tails press team (schleuder list)	tails-press@houm.org	not certified	7/11/14

artcards

All Certificates

Imported Certificates

Close Tab

Valid Until	Key-ID
	A38F 0F6E 9A0A 234E
	88E2 4FE2 064F 1511
	E76F 7931 BED0 E061
	5F6B 0263 0DDD E331
	3A5B 5685 A641 297B
	8C14 87D9 2446 1904
6/19/26	FD4F B24A FC37 ACA1
6/19/26	9DD2 CB41 B359 5814
	4973 2C68 ADF5 A0C9
	3114 6918 D78D F1ED
	C8F1 2D2B 1AE1 CB26
	C436 090F 4BB4 7C6F
11/7/25	EC57 B56E F0C4 3132
1/25/25	DBB8 02B2 58AC D84F
1/2/25	1D29 75ED F93E 735F
	FEB0 D5A1 8EAC AF99
	D2ED A621 B572 DD73
	4570 8085 A072 CBE3

File View Certificates Tools Settings Window Help

Sign/Encrypt

Search... <Alt+C>

All Certi

- accounting
- board@tails
- bugs@tails
- foundation
- fundraising
- info@tails.r
- johnwick1
- johnwick2**
- mirrors@ta
- press@tails
- sysadmins@
- Tails accou
- Tails bug se
- Tails develo
- Tails develo
- Tails fundra
- Tails mirror
- Tails press team (schleuder list)
- tails-press@houm.org

Home / Tor Browser

- Recent
- Starred
- Home
- Documents
- Downloads
- Music
- Pictures
- Videos
- Trash
- Tor Browser
- Other Locations

OnionShare

Share Files Receive Files Publish Website

1 file, 3.7 MiB

poza2copy.jpg.gpg 3.7 MiB

Add

Start sharing


```

File Edit View Search Terminal Help
root@amnesia:/home/amnesia# cd Tor\ Bro
root@amnesia:/home/amnesia/Tor Browser#
johnwick1_0x590E65A9_public.asc poza
root@amnesia:/home/amnesia/Tor Browse
.asc
gpg: key A3C8B672590E65A9 was created
clock problem)
gpg: key A3C8B672590E65A9 was created
clock problem)
gpg: key A3C8B672590E65A9 was created
clock problem)
gpg: key A3C8B672590E65A9 was created
clock problem)
gpg: key A3C8B672590E65A9: new key bu
gpg: Total number processed: 1
gpg: w/o user IDs: 1
root@amnesia:/home/amnesia/Tor Browse
johnwick1public.asc poza2copy.jpg
root@amnesia:/home/amnesia/Tor Browse
total 3884
-rw-r--r-- 1 amnesia amnesia 2452
-rw-r--r-- 1 root root 3969690
root@amnesia:/home/amnesia/Tor Browse
root@amnesia:/home/amnesia/Tor Browse
Tails fundraising team (schleuder list) tails-fundraising@
Tails mirror pool managers (schleuder li... tails-mirrors@boum
Tails press team (schleuder list) tails-press@houm.rrr

```

OnionShare

Share Files

kokoJimmy2@dismail.de

Conversation Options Send To OTR

kokoJimmy2@dismail.de

1076208680181095303794547906: .
 (11:28:59 PM) kokoJimmy1@dismail.de/
 1076208680181095303794547906: .
 (11:28:59 PM) kokoJimmy1@dismail.de/
 1076208680181095303794547906: ..
 (11:28:59 PM) kokoJimmy1@dismail.de/
 1076208680181095303794547906: .
 (11:28:59 PM) kokoJimmy1@dismail.de/
 1076208680181095303794547906: .
 (11:29:02 PM) kokoJimmy1@dismail.de/
 1076208680181095303794547906: <http://onionshare:repacking-sardine@n3oklf4624hyd7af15dlbp73kh4hqa3fllrkuzcdnwfkzay2ewvoad.onion>

Font + Insert Smile! Attention! Unverified

3.7 MiB

Tab

Tor Browser: ⓘ

d1bp73kh4hqa3fllrkuzcdnwfkzay2ewvoad.onion

- Recent
- Starred
- Home
- Documents
- Downloads
- Music
- Pictures
- Videos
- Trash
- Tor Browser
- Other Locations

Sign/Encrypt Decrypt/Verify Import Export Certify Certificates Notepad Smartcards

Sign / Encrypt Notepad Decrypt / Verify Notepad

Notepad → Notepad: Signing and encryption

Notepad Recipients

-----BEGIN PGP MESSAGE-----

hQGMA33OQCUlYyYdAQwAqVXuWDM9aK4gtEXA
V35vjX358CyrRGQV0aY3AdprFLO3Oy/wnZGII8Dr
29cjCHPxtl9wZHTHUJktNta/4WO+5/QYKYKcWxn+
E5LeMSK5ztDtO4qk0Tk7Bm+pfRQ1UtRh+PRM6gv
OEAoW0Fp4VwEU2g/oibeT8WUjc0t+dkabYvyAgIq
ns1Cg2ijq1ml/WHfImxjl0RnBFNGdBv3CvuKYSiUh
+pFL3wQR5k5KXLe+7cbPdsovhY+PW2my2jEOSM
PEkpGQmcX/gfr04AF6S5P7aZyp1+2I3VCjp8345pI
3u20mZMfbNa3goAcIvgI0ukB+dwgy+2Yifbl8OMM
rQusm7MTNrhWgQITUIG7YCbsfUyVb0UJGI3naFj
i9KFHFcClB9Sj0xsCahKjpSnZYXVnJKWfometWvim
ejd6xNhykwTVsRaQKZ4Puc69RFtJE+aZ46zg3d3V6
SN1A6mMc1c7LFF/KRuowFfZJIEcnGmshSGrKXOQ
Y+9B9o5qCJLMRMM50tkxkfr3+TIEzeVz+tGwgH1SIGmOeektY0IQM9Hq1PdG8HD
jGTiktF3ZCybfsWbfn88HZg8d3AlcCdKmlt7T6/Uz2aBewLBKGAJ0Q82AM1xoSDZ
2mjCu/sy3qdHzNOMVHe9SdecpsEriNQ7i2/oIguDHEbYBYpWfxDIPVogpC9Xe
9E2TMsZFMkRV76SwOgblbsEJD3Qa8cSDCe5DothcBiGXHuwg9RfNnS5g+pF6iyGj

kokojimmy1@dismail.de

Conversation Options Send To OTR

kokojimmy1@dismail.de

(11:29:23 PM) kokojimmy1@dismail.de: .

(11:29:23 PM) kokojimmy1@dismail.de: .


(11:29:23 PM) kokojimmy1@dismail.de: ..

(11:29:23 PM) kokojimmy1@dismail.de: .

(11:29:23 PM) kokojimmy1@dismail.de: .

(11:29:26 PM) kokojimmy1@dismail.de: <http://onionshare:repacking-sardine@n3oklf4624hydm7afl5dlbp73kh4hqa3flrkuzcdnwfkzxa2ewwoad.onion>

Font Insert Smile! Attention! Unverified



Total size: 3.7 MiB

Download Files

FILENAME

SIZE



poza2copy.jpg.gpg

3.7 MiB

FILEN

Total size: 3.7 MiB [Download Files](#)

Opening poza2copy.jpg.gpg x


You have chosen to open:

- poza2copy.jpg.gpg
which is: HTML document (3.7 MB)
from: ...hyd7af15dlbp73kh4hqa3fllrkuzcdnwfkzay2ewvoad.onion


Would you like to save this file?

Home / Tor Browser


- Recent
- Starred
- Home
- Documents
- Downloads
- Music
- Pictures
- Videos
- Trash
- Tor Browser**
- Other Locations



johnwick2_0
xB3595814_
public.asc



poza2copy.B
xLBEla7.jpg.
gpg.part



poza2copy.j
pg.gpg

Total size: **3.7 MiB** [Download Files](#)

Search...<Alt+Q> All Certificates

Imported Certificates Imported Certificates All Certificates Imported Certificates Imported Certificates Close Tab

Name	E-Mail	User-IDs	Valid From	Valid Until	Key-ID
accounting@tails.net	accounting@tails.net	not certified	4/30/24		A38F 0F6E 9A0A 234E
board@tails.net	board@tails.net	not certified	4/30/24		88E2 4FE2 064F 1511
bugs@tails.net	bugs@tails.net	not certified	4/30/24		E76F 7931 BED0 E061
foundations@tails.net	foundations@tails.net	not certified	4/30/24		5F6B 0263 0DDD E331
fundraising@tails.net	fundraising@tails.net	not certified	4/30/24		3A5B 5685 A641 297B
info@tails.net	info@tails.net	not certified	4/30/24		8C14 87D9 2446 1904
johnwick1	johnwick1@yahoo.com	certified	6/19/24	6/19/26	FD4F B24A FC37 ACA1
johnwick2	johnwick2@yahoo.com	certified	6/19/24	6/19/26	9DD2 CB41 B359 5814
mirrors@tails.net	mirrors@tails.net	not certified	4/30/24		4973 2C6B ADF5 A0C9
press@tails.net	press@tails.net	not certified	4/30/24		3114 691B D78D F1ED
sysadmins@tails.net	sysadmins@tails.net	not certified	4/26/24		C8F1 2D2B 1AE1 CB26
Tails accounting team (schleuder list)	tails-accounting@boum.org	not certified	7/11/14		C436 090F 48B4 7C6F
Tails bug squad	tails-bugs@boum.org	not certified	7/24/13	11/7/25	EC57 B56E F0C4 3132
Tails developers (offline long-term ident...)	tails@boum.org	not certified	1/18/15	1/25/25	DBB8 02B2 58AC D84F
Tails developers (Schleuder mailing-list)	tails@boum.org	not certified	8/15/09	1/2/25	1D29 75ED F93E 735F
Tails fundraising team (schleuder list)	tails-fundraising@boum.org	not certified	8/9/14		FEB0 D5A1 8EAC AF99
Tails mirror pool managers (schleuder li...	tails-mirrors@boum.org	not certified	4/29/16		D2ED A621 B572 DD73
Tails press team (schleuder list)	tails-press@boum.org	not certified	7/11/14		4570 8085 A072 CBE3

Sign/Encrypt Decrypt/Verify Import Export Certify Certificates Notepad Smartcards

Select One or More Files to Decrypt and/or Verify

Look in: /home/amnesia/Tor Browser

Name	Size	Type	Date Modified
johnwick2_0xB3595814_public.asc	2.39 KiB	asc File	6/19/24 5:17 PM
poza2copy.jpg.gpg	3.69 MiB	gpg File	6/20/2...:30 PM

File name: poza2copy.jpg.gpg Open

Files of type: All Files (*) Cancel

All Certificates

Imported Certificates Imported Certificates Close Tab

Valid From	Valid Until	Key-ID
4/30/24		A38F 0F6E 9A0A 234E
4/30/24		88E2 4FE2 064F 1511
4/30/24		E76F 7931 BED0 E061
4/30/24		5F6B 0263 0DDD E331
4/30/24		3A5B 5685 A641 297B
4/30/24		8C14 87D9 2446 1904
6/19/24	6/19/26	FD4F B24A FC37 ACA1
6/19/24	6/19/26	9DD2 CB41 B359 5814
4/30/24		4973 2C6B ADF5 A0C9
4/30/24		3114 691B D78D F1ED
4/26/24		C8F1 2D2B 1AE1 CB26
7/11/14		C436 090F 48B4 7C6F
7/24/13	11/7/25	EC57 B56E F0C4 3132
1/18/15	1/25/25	DBB8 02B2 58AC D84F
8/15/09	1/2/25	1D29 75ED F93E 735F
8/9/14		FEB0 D5A1 8EAC AF99
4/29/16		D2ED A621 B572 DD73
7/11/14		4570 8085 A072 CBE3

Tails fundraising team (schleuder list)	tails-fundraising@boum.org	not certified
Tails mirror pool managers (schleuder li...	tails-mirrors@boum.org	not certified
Tails press team (schleuder list)	tails-press@boum.org	not certified

- Recent
- Starred
- Home
- Documents
- Downloads
- Music
- Pictures
- Videos
- Trash
- Tor Browser
- Other Locations

Sign/Encrypt Decrypt/Verify Import Export Certify

Decrypt/Verify Files

Output folder: /home/amnesia/Tor Browser

All operations completed.

100%

poza2copy.jpg.gpg → poza2copy.jpg: [Show Audit Log](#)
Valid signature by johnwick2@yahoo.com

Recipient: johnwick1 <johnwick1@yahoo.com> (FD4F B24A FC37 ACA1)
 Signature created on Wednesday, June 19, 2024 11:28:25 PM EEST
 With certificate:
 johnwick2 <johnwick2@yahoo.com> (9DD2 CB41 B359 5814)
 The signature is valid and the certificate's validity is fully trusted.

Close without Saving Save All

Certificates Notepad Smartcards

All Certificates

Imported Certificates Imported Certificates Close Tab

Valid From	Valid Until	Key-ID
4/30/24		A38F 0F6E 9A0A 234E
4/30/24		88E2 4FE2 064F 1511
4/30/24		E76F 7931 BED0 E061
4/30/24		5F6B 0263 0DDD E331
4/30/24		3A5B 5685 A641 297B
4/30/24		8C14 87D9 2446 1904
6/19/24	6/19/26	FD4F B24A FC37 ACA1
6/19/24	6/19/26	9DD2 CB41 B359 5814
4/30/24		4973 2C6B ADF5 A0C9
4/30/24		3114 691B D78D F1ED
4/26/24		C8F1 2D2B 1AE1 CB26
7/11/14		C436 090F 48B4 7C6F
7/24/13	11/7/25	EC57 B56E F0C4 3132
1/18/15	1/25/25	DBB8 02B2 58AC D84F
8/15/09	1/2/25	1D29 75ED F93E 735F
8/9/14		FEB0 D5A1 8EAC AF99
4/29/16		D2ED A621 B572 DD73
7/11/14		4570 8085 A072 CBE3

Home / Tor Browser

- Recent
- Starred
- Home
- Documents
- Downloads
- Music
- Pictures
- Videos
- Trash
- Tor Browser**
- Other Locations

johnwick2_0xB3595814_public.asc poza2copy.jpg poza2copy.jpg.gpg


Certificates

Imported Certificates

Key-ID
A38F 0F6E 9A0A 234E
88E2 4FE2 064F 1511
E76F 7931 BED0 E061
5F6B 0263 0DDD E331
3A5B 5685 A641 297B
8C14 87D9 2446 1904
FD4F B24A FC37 ACA1
9DD2 CB41 B359 5814
4973 2C6B ADF5 A0C9
3114 691B D78D F1ED
C8F1 2D2B 1AE1 CB26
C436 090F 48B4 7C6F
EC57 B56E F0C4 3132
DB88 02B2 58AC D84F
1D29 75ED F93E 735F
FEB0 D5A1 8EAC AF99
D2ED A621 B572 DD73
4570 8085 A072 CBE3

Load Files

Tails developers (Schleuder mailing-list)	tails@boum.org	not certified	8/15/09	1/2/25	1D29 75ED F93E 735F
Tails fundraising team (schleuder list)	tails-fundraising@boum.org	not certified	8/9/14		FEB0 D5A1 8EAC AF99
Tails mirror pool managers (schleuder li...	tails-mirrors@boum.org	not certified	4/29/16		D2ED A621 B572 DD73
Tails press team (schleuder list)	tails-press@boum.org	not certified	7/11/14		4570 8085 A072 CBE3



Properties

- Size 8256 × 5504 pixels
- Type JPEG image
- File Size 4.0 MB
- Folder [Tor Browser](#)
- Aperture
- Exposure
- Focal Length
- ISO
- Metering
- Camera
- Date
- Time

Download Files

Close Tab

Tails nress team (schleuder list) tails-nress@houm.onion not certified 7/11/14 4570_8085_A072_CBE3

KEY SERVERS

Configure



File

Directory Services

Directory Services

OpenPGP keyserver:

X.509 Directory Services

Add

Edit

Delete

LDAP timeout (minutes:seconds):

Maximum number of items returned by query:

 Retrieve missing certification keys when importing new keys

Help

Reset

Defaults

Apply

Cancel

OK

OnionShare

File View Certificates Tools Settings Window

Sign/Encrypt Decrypt/Verify Import Export

Search...<Alt+Q>

Exported Certificates Imported Certificates

Name	Valid From	Valid Until	Key-ID	
accounting@tails.net	30/24		A38F 0F6E 9A0A 234E	
board@tails.net	30/24		88E2 4FE2 064F 1511	
bugs@tails.net	30/24		E76F 7931 BED0 E061	
foundations@tails.net	30/24		5F6B 0263 0DDD E331	
fundraising@tails.net	30/24		3A5B 5685 A641 297B	
info@tails.net	30/24		8C14 87D9 2446 1904	
johnwick1	19/24	6/19/26	FD4F B24A FC37 ACA1	
johnwick2	19/24	6/19/26	9DD2 CB41 B359 5814	
mirrors@tails.net	30/24		4973 2C6B ADF5 A0C9	
press@tails.net	30/24		3114 691B D78D F1ED	
sysadmins@tails.net	26/24		C8F1 2D2B 1AE1 CB26	
Tails accounting team (schleuder list)	11/14		C436 090F 4BB4 7C6F	
Tails bug squad	7/24/13	11/7/25	EC57 B56E F0C4 3132	
Tails developers (offline long-term ident...	not certified	1/18/15	1/25/25	DBB8 02B2 58AC D84F
Tails developers (Schleuder mailing-list)	not certified	8/15/09	1/2/25	1D29 75ED F93E 735F
Tails fundraising team (schleuder list)	not certified	8/9/14		FEB0 D5A1 8EAC AF99
Tails mirror pool managers (schleuder li...	not certified	4/29/16		D2ED A621 B572 DD73
Tails press team (schleuder list)	not certified	7/11/14		4570 8085 A072 CBE3

Close Tab

Load Files

- Certify...
- Revoke Certification...
- Trust Root Certificate
- Distrust Root Certificate
- Change Certification Trust...
- Change End of Validity Period...
- Change Passphrase...
- Add User ID...
- Revoke Certificate...
- Delete Del
- Export... Ctrl+E
- Backup Secret Keys...
- Print Secret Key...
- Publish on Server... Ctrl+Shift+E
- Publish at Mail Provider...
- Details

Sign/Encrypt Decrypt/Verify Import Export Certify Certificates Notepad Smartcards

OpenPGP Certificate Export

When OpenPGP certificates have been exported to a public directory server, it is nearly impossible to remove them again.

Before exporting your certificate to a public directory server, make sure that you have created a revocation certificate so you can revoke the certificate if needed later.

Are you sure you want to continue?

Do not ask again

Cancel Continue

Search bar and dropdown menu showing "All Certificates"

Imported Certificates All Certificates Imported Certificates Imported Certificates Close Tab

E-Mail	User-IDs	Valid From	Valid Until	Key-ID
ing@tails.net	not certified	4/30/24		A38F 0F6E 9A0A 234E
tails.net	not certified	4/30/24		88E2 4FE2 064F 1511
ails.net	not certified	4/30/24		E76F 7931 BED0 E061
ions@tails.net	not certified	4/30/24		5F6B 0263 0DDD E331
sing@tails.net	not certified	4/30/24		3A5B 5685 A641 297B
ils.net	not certified	4/30/24		8C14 87D9 2446 1904
johnwick1	johnwick1@yahoo.com	certified	6/19/24 6/19/26	FD4F B24A FC37 ACA1
johnwick2	johnwick2@yahoo.com	certified	6/19/24 6/19/26	9DD2 CB41 B359 5814
mirrors@tails.net	mirrors@tails.net	not certified	4/30/24	4973 2C6B ADF5 A0C9
press@tails.net	press@tails.net	not certified	4/30/24	3114 691B D78D F1ED
sysadmins@tails.net	sysadmins@tails.net	not certified	4/26/24	C8F1 2D2B 1AE1 CB26
Tails accounting team (schleuder list)	tails-accounting@boum.org	not certified	7/11/14	C436 090F 48B4 7C6F
Tails bug squad	tails-bugs@boum.org	not certified	7/24/13 11/7/25	EC57 B56E F0C4 3132
Tails developers (offline long-term ident...	tails@boum.org	not certified	1/18/15 1/25/25	DBB8 02B2 58AC D84F
Tails developers (Schleuder mailing-list)	tails@boum.org	not certified	8/15/09 1/2/25	1D29 75ED F93E 735F
Tails fundraising team (schleuder list)	tails-fundraising@boum.org	not certified	8/9/14	FEB0 D5A1 8EAC AF99
Tails mirror pool managers (schleuder li...	tails-mirrors@boum.org	not certified	4/29/16	D2ED A621 B572 DD73
Tails press team (schleuder list)	tails-press@boum.org	not certified	7/11/14	4570 8085 A072 CBE3



Search...<Alt+Q>

All Certificates

All Certificates

Imported Certificates

Imported Certificates

Imported Certificates

Imported Certificates

Imported Certificates

Close Tab

Name	E-Mail	User-IDs	Valid From	Valid Until	Key-ID
—accounting@tails.net	accounting@tails.net	not certified	4/30/24		A38F 0F6E 9A0A 234E
—board@tails.net	board@tails.net	not certified	4/30/24		88E2 4FE2 064F 1511
—bugs@tails.net	bugs@tails.net	not certified	4/30/24		E76F 7931 BED0 E061
—foundations@tails.net	foundations@tails.net	not certified	4/30/24		5F6B 0263 0DDD E331
—fundraising@tails.net	fundraising@tails.net	not certified	4/30/24		3A5B 5685 A641 297B
—info@tails.net	info@tails.net	not certified	4/30/24		8C14 87D9 2446 1904
—johnwick1	johnwick1@yahoo.com	certified	6/19/24	6/19/26	FD4F B24A FC37 ACA1
—johnwick2	johnwick2@yahoo.com	certified	6/19/24	6/19/26	9DD2 CB41 B359 5814
—mirrors@tails.net	mirrors@tails.net	not certified	4/30/24		4973 2C68 ADF5 A0C9
—press@tails.net	press@tails.net	not certified	4/30/24		3114 691B D78D F1ED
—sysadmins@tails.net	sysadmins@tails.net	not certified	4/26/24		C8F1 2D2B 1AE1 CB26
—Tails accounting team (schleuder list)	tails-accounting@boum.org	not certified	7/11/14		C436 090F 4BB4 7C6F
—Tails bug squad	tails-bugs@boum.org	not certified	7/24/13	11/7/25	EC57 B56E F0C4 3132
—Tails developers (offline long-term ident...)	tails@boum.org	not certified	1/18/15	1/25/25	DBB8 02B2 58AC D84F
—Tails developers (Schleuder mailing-list)	tails@boum.org	not certified	8/15/09	1/2/25	1D29 75ED F93E 735F
—Tails fundraising team (schleuder list)	tails-fundraising@boum.org	not certified	8/9/14		FEB0 D5A1 8EAC AF99
—Tails mirror pool managers (schleuder li...)	tails-mirrors@boum.org	not certified	4/29/16		D2ED A621 B572 DD73
—Tails press team (schleuder list)	tails-press@boum.org	not certified	7/11/14		4570 8085 A072 CBE3

Lookup on Server

Find: FD4FB24AFC37ACA1

Search

Name	E-Mail	User-IDs	Valid From	Valid Until	Key-ID
johnwick1	johnwick1@yahoo.com	not chec...	6/19/24	unknown	FD4F B24A FC37 ACA1

Select All

Deselect All

Details...

Close

Import

Search...<Alt+Q>

All Certific

- accounting@t
- board@tails.n
- bugs@tails.ne
- foundations@
- fundraising@t
- info@tails.net
- johnwick1
- johnwick2**
- mirrors@tails
- press@tails.n
- sysadmins@t
- Tails accounti
- Tails bug squad tails-bugs@boum.org
- Tails developers (offline long-term ident... tails@boum.org
- Tails developers (Schleuder mailing-list) tails@boum.org
- Tails fundraisina team (schleuder list) tails-fundraisina@boum.org



Num Lock On

Unverified

File View Certificates Tools Settings Window Help

OpenPGP Certificate

Sign/E

User IDs:


Email	Name	Trust Level
johnwick1@yahoo.com	johnwick1	full

Valid from: 6/19/24
 Valid until: 6/19/26
 Fingerprint: 672E 576B 034E 4DD4 1373 0237 FD4F B24A FC37 ACA1

sysadmins@t...
 Tails accounti...
 Tails bug squad tails-bugs@boum.org
 Tails developers (offline long-term ident... tails@boum.org
 Tails developers (Schleuder mailing-list) tails@boum.org
 Tails fundraising team (schleuder list) tails-fundraising@boum.org

Search

Valid Until	Key-ID
unknown	FD4F B24A FC37 ACA1


Unverified

not certified	7/24/13	11
not certified	1/18/15	1/
not certified	8/15/09	1/
not certified	8/9/14	

Num Lock On

OpenPGP Certificate

Search...<Alt>

User IDs:

Email	Name	Trust Level
johnwick1@yahoo.com	johnwick1	ultimate

Valid from: 6/19/24

Valid until: 6/19/26

Fingerprint: 672E 576B 034E 4DD4 1373 0237 FD4F B24A FC37 ACA1

- accounts
- board@ta
- bugs@tai
- foundati
- fundraisi
- info@tail
- johnwick
- johnwick
- mirrors@
- press@ta
- sysadmir
- Tails acco
- Tails bug squad
- Tails developers (offline long-term ident...
- Tails developers (Schleuder mailing-list)
- Tails fundraising team (schleuder list)
- Tails mirror pool managers (schleuder li...
- Tails press team (schleuder list)

Key-ID	
9A0A 234E	
064F 1511	
BED0 E061	
0DDD E331	
A641 297B	
2446 1904	
FC37 ACA1	
B359 5814	
ADF5 A0C9	
D78D F1ED	
1AE1 CB26	
4BB4 7C6F	
EC57 B56E F0C4 3132	
DB88 02B2 58AC D84F	
1D29 75ED F93E 735F	
FEB0 D5A1 8EAC AF99	
D2ED A621 B572 DD73	
4570 8085 A072 CBE3	

QUBES OS

<https://forum.qubes-os.org/t/how-to-install-and-use-qubes-os-inside-virtualbox/23453/2>

[sys-whonix] Anon Connection Wizard

Before you connect to the Tor network, you need to provide information about this computer's Internet connection.

Which of the following best describes your situation?

I would like to connect directly to the Tor network. This will work in most situations.

Connect

This computer's Internet connection is censored or proxied. I need to configure bridges or local proxy settings.

Configure

I do not want to connect automatically to the Tor network. Next time I boot, this wizard will be started.

Disable Tor

< Back Next > Cancel

[sys-whonix] systemcheck | Whonix-Gateway | whonix-gateway-17 TemplateBased ProxyVM

INFO: Whonix APT Repository: Enabled. When the Whonix team releases B00KW0RM updates, they will be AUTOMATICALLY installed (when you run apt-get dist-upgrade) along with updated packages from the Debian team. Please read <https://www.whonix.org/wiki/Trust> to understand the risk. If you want to change this, use:

dom0 -> Start Menu -> Template: whonix-gateway-17 -> Derivative Repository

WARNING: [Debian Package Update](#) Check Result: **apt-get reports that packages can be updated. Please update your 'whonix-gateway-17' TemplateVM.**

1. Open a TemplateVM terminal. (dom0 -> Start Menu -> Template: whonix-gateway-17 -> Terminal)
2. Update.

upgrade-nonroot
3. Shutdown your TemplateVM. (dom0 -> Qubes VM Manager -> right click 'whonix-gateway-17' -> Shutdown VM)
4. Shutdown and restart this TemplateBased ProxyVM. (dom0 -> Qubes VM Manager -> right click 'sys-whonix' -> Shutdown VM)

OK



APPS TEMPLATES SERVICE



-  anon-whonix
-  default-dvm
-  personal
-  untrusted
-  vault
-  whonix-workstation-17-dvm
-  work

 Settings

*No applications found.
You can add them using Settings.*



APPS **TEMPLATES** SERVICE

-  **debian-12-xfce**
-  *default-dvm*
-  *fedora-38-xfce*
-  *whonix-gateway-17*
-  *whonix-workstation-17*
-  *whonix-workstation-17-dvm*

 Settings

*No applications found.
You can add them using Settings.*



APPS TEMPLATES **SERVICE**

sys-firewall

sys-net

sys-usb

sys-whonix





APPS TEMPLATES SERVICE

- anon-whonix
- default-dvm
- personal**
- untrusted
- vault
- whonix-workstation-17-dvm
- work



Settings



Firefox



Settings Manager



Thunar File Manager



Xfce Terminal



[Dom0] Settings: personal

Basic | Advanced | Firewall rules | Devices | Applications | Services

Refresh in progress (refreshing applications from fedora-38-xfce)

1

All available applications

- About Xfce
- Accessibility
- Appearance
- Application Finder
- Asunder CD Ripper
- Atril Document Viewer
- Bluetooth Adapters
- Bluetooth Manager
- Bulk Rename
- Claws Mail
- Clipboard Manager
- Clipboard Manager Settings
- Color Profiles
- Default Applications
- Desktop
- Dictionary
- Display
- File Manager
- File Manager Settings
- Firefox
- Galculator
- Geany
- Gnumeric
- GParted
- KeePassXC
- Keyboard
- Log Out

Applications shown in App Menu

- Settings Manager
- Thunar File Manager
- Xfce Terminal

>> > < <<

Apply Cancel OK

[Dom0] Settings: personal

Basic | Advanced | Firewall rules | Devices | Applications | Services

Refresh applications

All available applications

- About Xfce
- Accessibility
- Appearance
- Application Finder
- Asunder CD Ripper
- Atril Document Viewer
- Bluetooth Adapters
- Bluetooth Manager
- Bulk Rename
- Claws Mail
- Clipboard Manager
- Clipboard Manager Settings
- Color Profiles
- Default Applications
- Desktop
- Dictionary
- Display
- File Manager
- File Manager Settings
- Firefox**
- Galculator
- Geany
- Gnumeric
- GParted
- KeePassXC
- Keyboard
- Log Out

Applications shown in App Menu

- Settings Manager
- Thunar File Manager
- Xfce Terminal

>> > < <<

1 2

Apply Cancel OK

[Dom0] Settings: personal

Basic | **Advanced** | Firewall rules | Devices | Applications | Services

Refresh applications

All available applications

- About Xfce
- Accessibility
- Appearance
- Application Finder
- Asunder CD Ripper
- Atril Document Viewer
- Bluetooth Adapters
- Bluetooth Manager
- Bulk Rename
- Claws Mail
- Clipboard Manager
- Clipboard Manager Settings
- Color Profiles
- Default Applications
- Desktop
- Dictionary
- Display
- File Manager
- File Manager Settings
- Galculator
- Geany
- Gnumeric
- GParted
- KeePassXC
- Keyboard
- Log Out
- Mail Reader

Applications shown in App Menu

- Firefox
- Settings Manager
- Thunar File Manager
- Xfce Terminal

>> > < <<

Apply Cancel OK



FACULTATEA DE MATEMATICĂ ȘI INFORMATICĂ

UNIVERSITATEA „OVIDIUS” DIN CONSTANȚA

- [Acasă](#)
- [Secretariat](#)
- [Informații](#)
- [Personal](#)
- [Academic](#)
- [Cercetare](#)
- [Studenți](#)
- [Admitere](#)
- [Calitate](#)



Facultatea de Matematică și Informatică



Română



APPS TEMPLATES SERVICE

- anon-whonix
- default-dvm
- personal**
- untrusted
- vault
- whonix-workstation-17-dvm
- work**



- Settings
- Firefox**
- Settings Manager
- Thunar File Manager
- Xfce Terminal

[personal] Facultatea de Matematic_ i Informatic_ Mozilla Firefox

Facultatea de x Firefox Privac x

https://fmi.univ-ovidius.ro

Most Visited Fedora Docs Fedora Magazine Fedora Project



FACULTATEA DE MATEMATICĂ ȘI INFORMATICĂ

UNIVERSITATEA „OVIDIUS” DIN CONSTANȚA

Folosim cookie-uri pentru a ne asigura că vă oferim cea mai bună experiență pe site-ul nostru. Dacă continuați să utilizați acest site, vom presupune că sunteți mulțumit de acesta.


Ok

[work] Facultatea de Matematic_ i Informatic_ Mozilla Firefox

Facultatea de Mat x Firefox Privacy No x

https://fmi.univ-ovidius.ro

Most Visited Fedora Docs Fedora Magazine Fedora Project



FACULTATEA DE MATEMATICĂ ȘI INFORMATICĂ

UNIVERSITATEA „OVIDIUS” DIN CONSTANȚA

Folosim cookie-uri pentru a ne asigura că vă oferim cea mai bună experiență pe site-ul nostru. Dacă continuați să utilizați acest site, vom presupune că sunteți mulțumit de acesta.

Ok

[personal] Facultatea de Matematic... i Informati... Mozilla Firefox

Facultatea de Mat... Firefox Privacy No... + - x

https://fmi.univ-ovidius.ro

Most Visited Fedora Docs Fedora Magazine Fedora Project

[personal] Save As

Name: Facultatea de Matematică și Informatică.html

Home Desktop Documents Downloads Music Pictures Videos Other Locations

user Downloads

Name	Size	Type	Modified


Folosin... site-ul

[work] Facultatea de Matematic... i Informati... Mozilla Firefox

Facultatea de Mat... Firefox Privacy No... + - x

https://fmi.univ-ovidius.ro

Most Visited Fedora Docs Fedora Magazine Fedora Project



FACULTATEA DE MATEMATICĂ ȘI INFORMATICĂ

UNIVERSITATEA „OVIDIUS” DIN CONSTANȚA

Folosim cookie-uri pentru a ne asigura că vă oferim cea mai bună experiență pe site-ul nostru. Dacă continuați să utilizați acest site, vom presupune că sunteți mulțumit de acesta.

Ok

- APPS
- TEMPLATES
- SERVICE
- anon-whonix
- default-dvm
- personal**
- untrusted
- vault
- whonix-workstation-17-dvm
- work


- Settings
- Firefox
- Settings Manager
- Thunar File Manager**
- Xfce Terminal

[work] Facultatea de Matematic... i Informatic... Mozilla Firefox

Facultatea de Mat x Firefox Privacy No x + v - □ x

https://fmi.univ-ovidius.ro

Fedora Docs Fedora Magazine Fedora Project



LTATEA DE MATEMATICĂ ȘI INFORMATICĂ

UNIVERSITATEA „OVIDIUS” DIN CONSTANȚA

m cookie-uri pentru a ne asigura că vă oferim cea mai bună experiență pe site-ul
u. Dacă continuați să utilizați acest site, vom presupune că sunteți mulțumit de
acesta.

Ok

[work] Downloads - Thunar

File Edit View Go Bookmarks Help

/home/user/Downloads/

Places

- Computer
- user
- Desktop
- Recent
- Trash
- Documents
- Music
- Pictures
- Videos
- Downloads

Devices

- File System
- Network
- Browse Network

0 items | Free space: 1.8 GiB

Folosim cookie-uri pentru a ne asigura că vă oferim cea mai bună experiență pe site-ul nostru. Dacă continuați să utilizați acest site, vom presupune că sunteți mulțumit de acesta.

Ok

[personal] Facultatea de Matematică și Informatică Mozilla Firefox

Facultatea de Firefox Privac

https://fmi.univ-ovidius.ro

[personal] Downloads - Thunar

File Edit View Go Bookmarks Help

/home/user/Downloads/

Places

- Computer
- user
- Desktop
- Recent
- Trash
- Documents
- Music
- Pictures
- Videos
- Downloads

Devices

- File System
- Network
- Browse Network

1 folder | 1 file: 177.0 KiB (181295 bytes) | Free space: 1.7 GiB

[work] Downloads - Thunar

File Edit View Go Bookmarks Help

/home/user/Downloads/

Places

- Computer
- user
- Desktop
- Recent
- Trash
- Documents
- Music
- Pictures
- Videos
- Downloads

Devices

- File System

Network

- Browse Network

0 items | Free space: 1.8 GiB

[personal] Facultatea de Matematică și Informatică Mozilla Firefox

Facultatea de... Firefox Privac...

https://fmi.univ-ovidius.ro

[personal] Downloads - Thunar

File Edit View Go Bookmarks Help

/home/user/Downloads/

Places

- Computer
- user
- Desktop
- Recent
- Trash
- Documents
- Music
- Pictures
- Videos
- Downloads

Devices

- File System

Network

- Browse Network

Facultatea de Matematică și Informatică_files

- Open With "Firefox"
- Open With
- Send To
- Cut
- Copy
- Paste
- Move to Trash
- Rename...
- Create Archive...
- Copy to other qube
- Move to other qube
- Open in other qube
- Edit in disposable qube
- View in disposable qube
- Properties...

Prepare the selected file t... and

Folosim cookie-uri pentru a ne asigura că vă oferim cea mai bună experiență pe site-ul nostru. Dacă continuați să utilizați acest site, vom presupune că sunteți mulțumit de acesta.

Ok

[personal] Facultatea de Matematică și Informatică Mozilla Firefox

Facultatea de... Firefox Privac...

https://fmi.univ-ovidius.ro

[personal] Downloads - Thunar

File Edit View Go Bookmarks Help

/home/user/Downloads/

Places

- Computer
- user
- Desktop
- Recent
- Trash
- Documents
- Music
- Pictures
- Videos
- Downloads

Devices

- File System

Network

- Browse Network

Facultatea de Matematică și Informatică_files

Facultatea de Matematică și Informatică.html

0 items | Fr

"Facultatea de Matematică și Informatică.html" | 177.0 KiB (181295 b...

[work] Downloads - Thunar

File Edit View Go Bookmarks Help

/home/user/Downloads/

Places

- Computer
- user
- Desktop
- Recent
- Trash
- Documents
- Music
- Pictures
- Videos
- Downloads

Devices

- File System

Network

- Browse Network

0 items | Fr

- Create Folder...
- Create Document
- Paste
- Open Terminal Here
- Copy to other qube
- Move to other qube
- Arrange Items
- Zoom In
- Zoom Out
- Normal Size
- Properties...

Folosim cookie-uri pentru a ne asigura că vă oferim cea mai bună experiență pe site-ul nostru. Dacă continuați să utilizați acest site, sunteți mulțumit de asta.

Ok

[work] Downloads - Thunar

File Edit View Go Bookmarks Help

/home/user/Downloads/

Places

- Computer
- user
- Desktop
- Recent
- Trash
- Documents
- Music
- Pictures
- Videos
- Downloads

Devices

- File System

Network

- Browse Network

0 items | Free space: 1.8 GiB

[personal] Facultatea de Matematică și Informatică Mozilla Firefox

Facultatea de Firefox Privac

https://fmi.univ-ovidius.ro

[personal] Downloads - Thunar

File Edit View Go Bookmarks Help

/home/user/Downloads/

Places

- Computer
- user
- Desktop
- Recent
- Trash
- Documents
- Music
- Pictures
- Videos
- Downloads

Devices

- File System

Network

- Browse Network

Facultatea de Matematică și Informatică_files

- Open With "Firefox"
- Open With
- Send To
- Cut
- Copy
- Paste
- Move to Trash
- Rename...
- Create Archive...
- Copy to other qube
- Move to other qube
- Open in other qube
- Edit in disposable qube
- View in disposable qube
- Properties...

"Facultatea de Matemat... KiB (181295 b...

Folosim cookie-uri pentru a ne asigura că vă oferim cea mai bună experiență pe site-ul nostru. Dacă continuați să utilizați acest site, vom presupune că sunteți mulțumit de acesta.

Ok

[personal] Facultatea de Matematică și Informatică Mozilla Firefox

Facultatea de ... Firefox Privac ...

https://fmi.univ-ovidius.ro

[work] Downloads - Thunar

File Edit View Go Bookmarks Help

/home/user/Downloads/

Places

- Computer
- user
- Desktop
- Recent

Browse Network 0 items | Free space: 1.8 GiB

[personal] Downloads - Thunar

File Edit View Go Bookmarks Help

/home/user/Downloads/

Places

- Computer
- user
- Desktop
- Recent
- Trash
- Documents
- Music
- Pictures
- Videos
- Downloads

Devices

- File System

Network

- Browse Network

"Facultatea de Matematică și Informatică.html" | 177.0 KiB (181295 b...

[Dom0] Operation execution

Do you want to allow the following operation?
Select the target domain and confirm with 'OK'

Source: personal

Operation: qubes.Filecopy

Target: work

Cancel OK

Folosim cookie-uri pentru a ne asigura că vă oferim cea mai bună experiență pe site-ul nostru. Dacă continuați să utilizați acest site, vom presupune că sunteți mulțumit de acesta.

Ok

[personal] Facultatea de Matematică și Informatică Mozilla Firefox

Facultatea de... Firefox Privac...

https://fmi.univ-ovidius.ro

[personal] Downloads - Thunar

File Edit View Go Bookmarks Help

/home/user/Downloads/

Places

- Computer
- user
- Desktop
- Recent
- Trash
- Documents
- Music
- Pictures
- Videos
- Downloads

Devices

- File System

Network

- Browse Network

Facultatea de Matematică și Informatică_files

Facultatea de Matematică și Informatică.html

"Facultatea de Matematică și Informatică.html" | 177.0 KiB (181295 b...

[work] user - Thunar

File Edit View Go Bookmarks Help

/home/user/

Places

- Computer
- user
- Desktop
- Recent
- Trash
- Documents
- Music
- Pictures
- Videos
- Downloads

Devices

- File System

Network

- Browse Network

Desktop Documents Downloads

Music Pictures Public

QubesIncoming Templates Videos

"QubesIncoming" | folder

Folosim cookie-uri pentru a ne asigura că vă oferim cea mai bună experiență pe site-ul nostru. Dacă continuați să utilizați acest site, vom presupune că sunteți mulțumit de acesta.

Ok

[personal] Facultatea de Matematică și Informatică Mozilla Firefox

Facultatea de x Firefox Privac x

https://fmi.univ-ovidius.ro

[personal] Downloads - Thunar

File Edit View Go Bookmarks Help

/home/user/Downloads/

Places

- Computer
- user
- Desktop
- Recent
- Trash
- Documents
- Music
- Pictures
- Videos
- Downloads

Devices

- File System

Network

- Browse Network

Facultatea de Matematică și Informatică_files

Facultatea de Matematică și Informatică.html

"Facultatea de Matematică și Informatică.html" | 177.0 KiB (181295 b...

[work] personal - Thunar

File Edit View Go Bookmarks Help

/home/user/QubesIncoming/personal/

Places

- Computer
- user
- Desktop
- Recent
- Trash
- Documents
- Music
- Pictures
- Videos
- Downloads

Devices

- File System

Network

- Browse Network

Facultatea de Matematică și Informatică.html

1 file: 177.0 KiB (181295 bytes) | Free space: 1.8 GiB

Folosim cookie-uri pentru a ne asigura că vă oferim cea mai bună experiență pe site-ul nostru. Dacă continuați să utilizați acest site, vom presupune că sunteți mulțumit de acesta.

Ok

[work] personal - Thunar

File Edit View Go Bookmarks Help

</home/user/QubesIncoming/personal/>

Places

- Computer
- user
- Desktop
- Recent
- Trash
- Documents
- Music
- Pictures
- Videos
- Downloads

Devices

- File System

Network

- Browse Network

Facultatea de Matematică și Informatică.html

CTRL + C - will copy only in 'work' vm
CTRL + SHIFT + C
CTRL + SHIFT + V
- will copy and paste into glob

1 file: 177.0 KiB (181295 bytes) | Free space: 1.8 GiB

[personal] Facultatea de Matematică și Informatică

Facultatea de Matematică și Informatică

Firefox Private

https://fmi.univ-c

[personal] Downloads - Thunar

File Edit View Go Bookmarks Help

</home/user/Downloads/>

Places

- Computer
- user
- Desktop
- Recent
- Trash
- Documents
- Music
- Pictures
- Videos
- Downloads

Devices

- File System

Network

- Browse Network

Facultatea de Matematică și Informatică_files

Facultate Matematică și Informatică

"Facultatea de Matematică și Informatică.html" | 177.0 KiB (181295 b...

Mozilla Firefox

Fedora Project

ȘI INFORMATICĂ

CONSTANȚA

mai bună experiență pe site-ul nostru. Dacă continuați să utilizați acest site, vom presupune că sunteți mulțumit de acesta.

Ok

[personal] Facultatea de Matematic... i Inf

Facultatea de X Firefox Priva

https://fmi.univ-c

[work] personal - Thunar

File Edit View Go Bookmarks Help

/home/user/QubesIncoming/personal/

Places

Computer

Global Clipboard

Global clipboard contents copied to qube and wiped.
Paste normally in qube (e.g. Ctrl+V).

Fedora Project

Ă ȘI INFORMATICĂ

CONSTANȚA

mai bună experiență pe site-ul nostru. Dacă continuați sa utilizați acest site, vom presupune că sunteți mulțumit de acesta.

Ok

[personal] Downloads - Thunar

File Edit View Go Bookmarks Help

/home/user/QubesIncoming/personal/

Places

- Computer
- user
- Desktop
- Recent
- Trash
- Documents
- Music
- Pictures
- Videos
- Downloads**

Devices

- File System

Network

- Browse Network

Facultatea de Matematică și Informatică_files

Facultatea de Matematică și Informatică.html

1 folder | 1 file: 177.0 KiB (181295 bytes) | Free space: 1.7 GiB

B (181295 bytes) | Free space: 1.8 GiB

[personal] Facultatea de Matematică și Informatică

Firefox Private

https://fmi.univ-c

[work] personal - Thunar

File Edit View Go Bookmarks Help

/home/user/QubesIncoming/pe

Places

Computer

- + fedora-38-xfce
- + personal
- + sys-firewall
- + sys-net
- + sys-usb
- + sys-whonix
- + work

Audio Input

dom0:mic - Microphone

Mozilla Firefox

Fedora Project

ȘI INFORMATICĂ

CONSTANȚA

mai bună experiență pe site-ul nostru. Dacă continuați să utilizați acest site, vom presupune că sunteți mulțumit de acesta.

Ok

[personal] Downloads - Thunar

File Edit View Go Bookmarks Help

/home/user/QubesIncoming/personal/

Places

- Computer
- user
- Desktop
- Recent
- Trash
- Documents
- Music
- Pictures
- Videos
- Downloads

Devices

- File System

Network

- Browse Network

Facultatea de Matematică și Informatică_files

Facultatea de Matematică și Informatică.html

1 folder | 1 file: 177.0 KiB (181295 bytes) | Free space: 1.7 GiB

B (181295 bytes) | Free space: 1.8 GiB

[personal] Facultatea de Matematică și Informatică

Facultatea de X Firefox Priv

https://fmi.univ-c

[work] personal - Thunar

File Edit View Go Bookmarks Help

/home/user/QubesIncoming/personal/

Places

- Computer

1 folder | 1 file: 177.0 KiB (181295 bytes) | Free space: 1.7 GiB

[personal] Downloads - Thunar

File Edit View Go Bookmarks Help

/home/user/QubesIncoming/personal/

Places

- Computer
- user
- Desktop
- Recent
- Trash
- Documents
- Music
- Pictures
- Videos
- Downloads

Devices

- File System

Network

- Browse Network

1 folder | 1 file: 177.0 KiB (181295 bytes) | Free space: 1.7 GiB

Attaching device
Attaching Microphone to personal

Mozilla Firefox

Fedora Project

ȘI INFORMATICĂ

CONSTANȚA

mai bună experiență pe site-ul nostru. Dacă continuați să utilizați acest site, vom presupune că sunteți mulțumit de acesta.

Ok

[personal] Facultatea de Matematică și Informatică

Firefox Private

https://fmi.univ-c

[work] perso

File Edit View Go Bookmarks Help

/home/user/Qube

Places

Computer

- + fedora-38-xfce
- personal
- + sys-firewall
- + sys-net
- + sys-usb
- + sys-whonix
- + work

Audio Input

dom0:mic - Microphone (personal)

[personal] Downloads - Thunar

File Edit View Go Bookmarks Help

/home/user/QubesIncoming/personal/

Places

- Computer
- user
- Desktop
- Recent
- Trash
- Documents
- Music
- Pictures
- Videos
- Downloads

Devices

- File System

Network

- Browse Network

Facultatea de Matematică și Informatică_files

Facultatea de Matematică și Informatică.html

1 folder | 1 file: 177.0 KiB (181295 bytes) | Free space: 1.7 GiB

Search

Free space: 1.8 GiB

Mozilla Firefox

Fedora Project

ȘI INFORMATICĂ

CONSTANȚA

mai bună experiență pe site-ul nostru. Dacă continuați să utilizați acest site, vom presupune că sunteți mulțumit de acesta.

Ok

INSTALLING APPLICATIONS

[Dom0] Qube Manager

System Qube View About

New qube Delete qube Start/Resume Emergency pause Shutdown Restart Settings Edit firewall App shortcuts Update Keyboard layout

Search: Show: Running Halted Network Templates Standalone All

Name	State	Template	NetVM	Disk Usage	Internal	IP	Backup	Last backup
dom0		AdminVM	n/a	n/a		n/a	<input checked="" type="checkbox"/>	
anon-whonix		whonix-workstation-17	sys-whonix	0.0 MiB		10.137.0.11	<input checked="" type="checkbox"/>	
debian-12-xfce		TemplateVM	default (n/a)	5218.3 MiB			<input checked="" type="checkbox"/>	
default-dvm		fedora-38-xfce	default (sys-firewall)	0.0 MiB		10.137.0.5	<input checked="" type="checkbox"/>	
fedora-38-xfce		TemplateVM	sys-net	4708.35 MiB		10.137.0.2	<input checked="" type="checkbox"/>	
personal		fedora-38-xfce	sys-firewall	33.79 MiB		10.137.0.15	<input checked="" type="checkbox"/>	
sys-firewall		default-dvm	sys-net	24.58 MiB		10.138.36.223	<input checked="" type="checkbox"/>	
sys-net		default-dvm	n/a	1022.36 MiB		10.138.10.158	<input checked="" type="checkbox"/>	
sys-usb		default-dvm	n/a	151.14 MiB		10.138.20.11	<input checked="" type="checkbox"/>	
sys-whonix		whonix-gateway-17	sys-firewall	16.38 MiB		10.137.0.8	<input checked="" type="checkbox"/>	
untrusted		fedora-38-xfce	sys-firewall	0.0 MiB		10.137.0.13	<input checked="" type="checkbox"/>	
vault		fedora-38-xfce	n/a	0.0 MiB			<input checked="" type="checkbox"/>	
whonix-gateway-17		TemplateVM	default (n/a)	2009.09 MiB			<input checked="" type="checkbox"/>	
whonix-workstation-17		TemplateVM	default (n/a)	3045.38 MiB			<input checked="" type="checkbox"/>	

File Edit View Go

Places

- Computer
- user
- Desktop
- Recent
- Trash
- Documents
- Music
- Pictures
- Videos
- Downloads

Devices

- File System

Network

- Browse Network

APPS **TEMPLATES** SERVICE

- debian-12-xfce
- default-dvm
- fedora-38-xfce**
- whonix-gateway-17
- whonix-workstation-17
- whonix-workstation-17-dvm

Settings

- Settings Manager
- Xfce Terminal

Thunar

ng/personal/

bytes) | Free space: 1.8 GiB

Mozilla Firefox

Fedora Project

Ă ȘI INFORMATICĂ

CONSTANȚA

mai bună experiență pe site-ul

u. Dacă continuați sa utilizați acest site, vom presupune că sunteți mulțumit de acesta.

Ok

[Dom0] Settings: fedora-38-xfce

Basic | **Advanced** | Firewall rules | Devices | Applications | Services

Settings

- Name & label*: sys-usb
- Template*: sys-whonix (none)
- Net qube: default (none) (current)

Shut down when idle (unavailable: package qubes-app-shutdown-idle missing in the qube)

Include in backups by default

Start qube automatically on boot

General

Type: TemplateVM
Installed by RPM: No

Net qube

IP: ---
Netmask: ---
Gateway: ---
Virtual DNS: ---

Disk storage

Private storage max size: 2.0 GB

System storage max size: 20.0 GB

* Cannot be changed while the qube is running

Clone qube

Apply | Cancel | OK

- sys-firewall
- sys-net**

black (current)

⚠

⚠

[personal] Facu

Facultate

File Edit View Go Bookm

< > ^ Home /ho

Places

- Computer
- user
- Desktop
- Recent
- Trash
- Documents
- Music
- Pictures
- Videos
- Downloads**

Devices

- File System

Network

- Browse Network

zilla Firefox

flora Project

ȘI INFORMATICĂ

NSTANȚA

bună experiență pe site-ul
e că sunteți mulțumit de

[Dom0] Qube Manager

System Qube View About

New qube Delete qube Start/Resume Emergency pause Shutdown Restart Settings Edit firewall App shortcuts Update Keyboard layout

Search: Show: Running Halted Network Templates Standalone All

Name	State	Template	NetVM	Disk Usage	Internal	IP	Backup	Last backup
dom0								
anon-whonix								
debian-12-xfce								
default-dvm								
fedora-38-xfce								
personal								
sys-firewall								
sys-net								
sys-usb								
sys-whonix								
untrusted								
vault								
whonix-gateway-17								
whonix-workstation-17								

1 folder | 1 file: 177.0 KiB (181295 bytes)

[fedora-38-xfce] Terminal - user@fedora-38-xfce:-

```
File Edit View Terminal Tabs Help
[user@fedora-38-xfce ~]$ whoami
user
[user@fedora-38-xfce ~]$ ping
ping: usage error: Destination address required
[user@fedora-38-xfce ~]$ ping 1.1.1.1
PING 1.1.1.1 (1.1.1.1) 56(84) bytes of data.
64 bytes from 1.1.1.1: icmp_seq=1 ttl=56 time=8.54 ms
64 bytes from 1.1.1.1: icmp_seq=2 ttl=56 time=9.15 ms
64 bytes from 1.1.1.1: icmp_seq=3 ttl=56 time=8.38 ms
```

[personal]

File Edit View Go

Places

- Computer
- user
- Desktop
- Recent
- Trash
- Documents
- Music
- Pictures
- Videos
- Downloads

Devices

- File System

Network

- Browse Network

[Dom0] Qube Manager

System Qube View About

New qube Delete qube Start/Resume Emergency pause Shutdown Restart Settings Edit firewall App shortcuts Update Keyboard layout

Search: Show: Running Halted Network Templates Standalone All

Name	State	Template	NetVM	Disk Usage	Internal	IP	Backup	Last backup
dom0								
anon-whonix								
debian-12-xfce								
default-dvm								
fedora-38-xfce								
personal								
sys-firewall								
sys-net								
sys-usb								
sys-whonix								
untrusted								
vault								
whonix-gateway-17								
whonix-workstation-17								

1 folder | 1 file: 177.0 KiB (181295 bytes)

[fedora-38-xfce] Terminal - user@fedora-38-xfce:-

File Edit View Terminal Tabs Help

```
[user@fedora-38-xfce ~]$ htop
bash: htop: command not found
[user@fedora-38-xfce ~]$
```

[personal]

File Edit View Go

Places

- Computer
- user
- Desktop
- Recent
- Trash
- Documents
- Music
- Pictures
- Videos
- Downloads

Devices

- File System

Network

- Browse Network

[Dom0] Qube Manager

System Qube View About

New qube Delete qube Start/Resume Emergency pause Shutdown Restart Settings Edit firewall App shortcuts Update Keyboard layout

Search: Show: Running Halted Network Templates Standalone All

	Name	State	Template	NetVM	Disk Usage	Internal	IP	Backup	Last backup
	dom0								
	anon-whonix								
	debian-12-xfce								
	default-dvm								
	fedora-38-xfce								
	personal								
	sys-firewall								
	sys-net								
	sys-usb								
	sys-whonix								
	untrusted								
	vault								
	whonix-gateway-17								
	whonix-workstation-17								

1 folder | 1 file: 177.0 KiB (181295 bytes)

[fedora-38-xfce] Terminal - user@fedora-38-xfce:-

```
File Edit View Terminal Tabs Help
[user@fedora-38-xfce ~]$ htop
bash: htop: command not found
[user@fedora-38-xfce ~]$ dnf install htop
Error: This command has to be run with superuser privileges (under the root user
on most systems).
[user@fedora-38-xfce ~]$ sudo dnf install htop
```


[Dom0] Qube Manager

System Qube View About

New qube Delete qube Start/Resume Emergency pause Shutdown Restart Settings Edit firewall App shortcuts Update Keyboard layout

Search: Show: Running Halted Network Templates Standalone All

Name	State	Template	NetVM	Disk Usage	Internal	IP	Backup	Last backup
dom0								
anon-whonix								
debian-12-xfce								
default-dvm								
fedora-38-xfce								
personal								
sys-firewall								
sys-net								
sys-usb								
sys-whonix								
untrusted								
vault								
whonix-gateway-17								
whonix-workstation-17								

1 folder | 1 file: 177.0 KiB (181295 bytes)

[fedora-38-xfce] Terminal - user@fedora-38-xfce:-

```
File Edit View Terminal Tabs Help
[user@fedora-38-xfce ~]$ htop
bash: htop: command not found
[user@fedora-38-xfce ~]$ dnf install htop
Error: This command has to be run with superuser privileges (under the root user
on most systems).
[user@fedora-38-xfce ~]$ sudo dnf install htop
Last metadata expiration check: 0:42:00 ago on Thu Jun 20 14:18:24 2024.
Dependencies resolved.
=====
Package                Architecture  Version                Repository  Size
=====
Installing:
htop                    x86_64        3.3.0-1.fc38           updates    200 k
Installing dependencies:
hwloc-libs              x86_64        2.10.0-1.fc38           updates    2.1 M
=====
Transaction Summary
=====
Install 2 Packages

Total download size: 2.3 M
Installed size: 3.3 M
Is this ok [y/N]: y
```

[Dom0] Qube Manager

System Qube View About

New qube Delete qube Start/Resume Emergency pause Shutdown Restart Settings Edit firewall App shortcuts Update Keyboard layout

Search: Show: Running Halted Network Templates Standalone All

Name	State	Template	NetVM	Disk Usage	Internal	IP	Backup	Last backup
dom0								
anon-whonix								
debian-12-xfce								
default-dvm								
fedora-38-xfce								
personal								
sys-firewall								
sys-net								
sys-usb								
sys-whonix								
untrusted								
vault								
whonix-gateway-17								
whonix-workstation-17								

[fedora-38-xfce] Terminal - user@fedora-38-xfce:-

File Edit View Terminal Tabs Help

```

0[|||||100.0%] Tasks: 69, 52 thr, 70 kthr; 0 running
1[          0.0%] Load average: 0.39 0.18 0.06
Mem[|||||218M/618M] Uptime: 00:49:49
Swp[|||||88.0M/1024M]

Main 173
PID USER      PRI  NI  VIRT   RES   SHR  S  CPU% MEM%   TIME+  Command
13417 user        20   0   6084   4612  3852  R  50.0  0.7   0:00.07 htop
1 root        20   0   211M  11748  7172  S   0.0  1.9   0:02.58 /sbin/init
278 root        20   0   70712  2104   2032  S   0.0  0.3   0:00.07 /usr/sbin/qub
294 root        20   0   14908   3576   3564  S   0.0  0.6   0:00.05 /usr/lib/syst
332 root        20   0    8268   1716   1396  S   0.0  0.3   0:01.13 /usr/sbin/hav
335 root        20   0   48100 10484 10108  S   0.0  1.7   0:00.37 /usr/lib/syst
361 root        20   0   37752   4116   3980  S   0.0  0.7   0:00.31 /usr/lib/syst
418 systemd-oo  20   0   15212   2556   2448  S   0.0  0.4   0:00.46 /usr/lib/syst
419 systemd-re  20   0   25908   3852   3648  S   0.0  0.6   0:00.14 /usr/lib/syst
453 polkitd     20   0   373M   4000   3968  S   0.0  0.6   0:00.12 /usr/lib/polk
456 root        20   0    2664    124     0  S   0.0  0.0   0:04.02 /usr/sbin/mem
461 root        20   0   15400   4176   3772  S   0.0  0.7   0:00.03 /usr/lib/syst
463 root        20   0   35080   7004   5408  S   0.0  1.1   0:00.16 /usr/lib/syst
465 root        20   0   315M   5308   5308  S   0.0  0.8   0:00.02 /usr/sbin/abr
468 root        20   0   72036   1412   1008  S   0.0  0.2   0:00.00 /usr/sbin/xl

```

F1 Help F2 Setup F3 Search F4 Filter F5 Tree F6 SortBy F7 Nice - F8 Nice + F9 Kill F10 Quit

[personal]

File Edit View Go

Places

- Computer
- user
- Desktop
- Recent
- Trash
- Documents
- Music
- Pictures
- Videos
- Downloads

Devices

- File System

Network

- Browse Network

1 folder | 1 file: 177.0 KiB (181295 bytes)

- APPS TEMPLATES SERVICE
- anon-whonix
 - default-dvm
 - personal**
 - untrusted
 - vault
 - whonix-workstation-17-dvm
 - work

- Settings
-
- Firefox
 - Settings Manager
 - Thunar File Manager
 - Xfce Terminal**

Manager

Settings Edit firewall App shortcuts Update Keyboard layout

Network Templates Standalone All

VM Disk Usage Internal IP Backup Last backup

ora-38-xfce] Terminal - user@fedora-38-xfce:-

```

2.0%] Tasks: 69, 52 thr, 70 kthr; 0 running
0.0%] Load average: 0.30 0.17 0.06
|||219M/618M] Uptime: 00:50:03
87.9M/1024M]

  VIRT  RES  SHR S  CPU% MEM%  TIME+  Command
 6084  4612 3852 R   1.3  0.7   0:00.27 htop
 2664   124    0 S   0.7  0.0   0:04.04 /usr/sbin/mem
211M 11748 7172 S   0.0  1.9   0:02.58 /sbin/init
70712  2104 2032 S   0.0  0.3   0:00.07 /usr/sbin/qub
14908  3576 3564 S   0.0  0.6   0:00.05 /usr/lib/syst
 8268  1716 1396 S   0.0  0.3   0:01.13 /usr/sbin/hav
48100 10484 10108 S  0.0  1.7   0:00.37 /usr/lib/syst
37752  4116 3980 S   0.0  0.7   0:00.31 /usr/lib/syst
15212  2556 2448 S   0.0  0.4   0:00.46 /usr/lib/syst
25908  3852 3648 S   0.0  0.6   0:00.14 /usr/lib/syst
 373M  4000 3968 S   0.0  0.6   0:00.12 /usr/lib/polk
15400  4176 3772 S   0.0  0.7   0:00.03 /usr/lib/syst
35080  7004 5408 S   0.0  1.1   0:00.16 /usr/lib/syst
 315M  5308 5308 S   0.0  0.8   0:00.02 /usr/sbin/abr
72036  1412 1008 S   0.0  0.2   0:00.00 /usr/sbin/xl
Filter F5Tree F6SortBy F7Nice -F8Nice +F9Kill F10Quit

```

```
[personal] Terminal - user@personal:~
File Edit View Terminal Tabs Help
[user@personal ~]$ htop
bash: htop: command not found
[user@personal ~]$
```

firewall App shortcuts Update Keyboard layout

plates Standalone All

Usage Internal IP Backup Last backup

inal - user@fedora-38-xfce:-

```
Tasks: 69, 52 thr, 70 kthr; 0 running
Load average: 0.21 0.16 0.06
Uptime: 00:50:21
```

PID	SHR	S	CPU%	MEM%	TIME+	Command					
12	3852	R	1.3	0.7	0:00.51	htop					
48	7172	S	0.0	1.9	0:02.58	/sbin/init					
04	2032	S	0.0	0.3	0:00.07	/usr/sbin/qub					
76	3564	S	0.0	0.6	0:00.05	/usr/lib/syst					
16	1396	S	0.0	0.3	0:01.13	/usr/sbin/hav					
84	10108	S	0.0	1.7	0:00.37	/usr/lib/syst					
16	3980	S	0.0	0.7	0:00.31	/usr/lib/syst					
418	systemd-oo	20	0	15212	2556	2448	S	0.0	0.4	0:00.46	/usr/lib/syst
419	systemd-re	20	0	25908	3852	3648	S	0.0	0.6	0:00.14	/usr/lib/syst
453	polkitd	20	0	373M	4000	3968	S	0.0	0.6	0:00.12	/usr/lib/polk
456	root	20	0	2664	124	0	S	0.0	0.0	0:04.06	/usr/sbin/mem
461	root	20	0	15400	4176	3772	S	0.0	0.7	0:00.03	/usr/lib/syst
463	root	20	0	35080	7004	5408	S	0.0	1.1	0:00.16	/usr/lib/syst
465	root	20	0	315M	5308	5308	S	0.0	0.8	0:00.02	/usr/sbin/abr
468	root	20	0	72036	1412	1008	S	0.0	0.2	0:00.00	/usr/sbin/xl

Videos

Downloads

Devices

File System

Network

Browse Network

vault

whonix-gateway-17

whonix-workstation-17

1 folder | 1 file: 177.0 KiB (181295 bytes)

[Dom0] Qube Manager

System Qube View About

New qube Delete qube Start/Resume Emergency pause Shutdown Restart Settings Edit firewall App shortcuts Update Keyboard layout

Search: Show: Running Halted Network Templates Standalone All

Name	State	Template	NetVM	Disk Usage	Internal	IP	Backup	Last backup
dom0	Running	AdminVM	n/a	n/a	n/a	n/a	<input checked="" type="checkbox"/>	de
anon-whonix	Running			0.0 MiB		10.137.0.11	<input checked="" type="checkbox"/>	w
debian-12-xfce	Running			5218.3 MiB			<input checked="" type="checkbox"/>	de
default-dvm	Running			0.0 MiB		10.137.0.5	<input checked="" type="checkbox"/>	de
fedora-38-xfce	Running			4762.62 MiB		10.137.0.2	<input checked="" type="checkbox"/>	de
personal	Running			37.89 MiB		10.137.0.15	<input checked="" type="checkbox"/>	de
sys-firewall	Running			24.58 MiB		10.138.36.223	<input checked="" type="checkbox"/>	de
sys-net	Running			1022.36 MiB		10.138.10.158	<input checked="" type="checkbox"/>	de
sys-usb	Running			151.14 MiB		10.138.20.11	<input checked="" type="checkbox"/>	de
sys-whonix	Running			16.38 MiB		10.137.0.8	<input checked="" type="checkbox"/>	de
untrusted	Running			0.0 MiB		10.137.0.13	<input checked="" type="checkbox"/>	de
vault	Running			0.0 MiB			<input checked="" type="checkbox"/>	de
whonix-gateway-17	Running			2009.09 MiB			<input checked="" type="checkbox"/>	de
whonix-workstation	Running			3045.38 MiB			<input checked="" type="checkbox"/>	de

- Settings
- Template
- Network
- Edit firewall
- App shortcuts
- Keyboard layout
- Update
- Run command in qube
- Open console in qube
- Start/Resume
- Start qube for Qubes Windows Tools installation
- Emergency pause
- Shutdown
- Restart
- Kill
- Clone qube
- Delete qube
- Logs

```

5308 5308 S 0.0 0.8 0:00.02 /usr/sbin/abr
1412 1008 S 0.0 0.2 0:00.00 /usr/sbin/xl
F5Tree F6SortByF7Nice F8Nice F9kill F10Quit
    
```

[personal]

File Edit View Go

Places

- Computer
- user
- Desktop
- Recent
- Trash
- Documents
- Music
- Pictures
- Videos
- Downloads

Devices

- File System

Network

- Browse Network

1 folder | 1 file: 177.0 KIB (18125)

```

[disp4200] sh
Starting qubes-gui-agent.service - Qubes GUI Agent...
Starting qubes-qrexec-agent.service - Qubes remote exec agent...
[ OK ] Started serial-getty@hvc0.service - Serial Getty on hvc0.
[ OK ] Reached target getty.target - Login Prompts.
[ OK ] Finished qubes-misc-post-boot.service - Qubes misc post-boot actions.
[ OK ] Started qubes-gui-agent.service - Qubes GUI Agent.
[ OK ] Started qubes-qrexec-agent.service - Qubes remote exec agent.
[ OK ] Reached target multi-user.target - Multi-User System.
Starting systemd-update-utmp - Record Runlevel Change in UTMP...
[ OK ] Finished systemd-update-utmp - Record Runlevel Change in UTMP.
[ 8.075875] Fallback order for Node 0: 0
[ 8.075997] Built 1 zonelists, mobility grouping on. Total pages: 84780
[ 8.076003] Policy zone: Normal

Fedora Linux 38 (Thirty Eight)
Kernel 6.1.62-1.qubes.fc37.x86_64 on an x86_64 (hvc0)

personal login: [ 10.911279] kauditd_printk_skb: 80 callbacks suppressed
[ 10.911283] audit: type=1130 audit(1718910201.562:90): pid=1 uid=0 auid=42949
67295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=qubes-sync-time
comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=s
uccess'
[ 10.911424] audit: type=1131 audit(1718910201.562:91): pid=1 uid=0 auid=42949
67295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=qubes-sync-time

```

Firefox Privacy No... Mozilla Firefox

https://fmi.univ-ovidius.ro

user@fedora-38-xfce:-

```

Tasks: 69.52 thr. 70 kthr: 0 running

```

System Qube View About

New qube Delete qube Start

Search:

Name	Icon	Label	Profile	Memory	IP	Backup	Last backup
dom0		AdminVM	n/a	n/a	n/a	<input checked="" type="checkbox"/>	
anon-whonix		whonix-workstation-17	sys-whonix	0.0 MiB	10.137.0.11	<input checked="" type="checkbox"/>	
debian-12-xfce		TemplateVM	default (n/a)	5218.3 MiB		<input checked="" type="checkbox"/>	
default-dvm		fedora-38-xfce	default (sys-firewall)	0.0 MiB	10.137.0.5	<input checked="" type="checkbox"/>	
fedora-38-xfce		TemplateVM	sys-net	4762.62 MiB	10.137.0.2	<input checked="" type="checkbox"/>	
personal		fedora-38-xfce	sys-firewall	280.58 MiB	10.137.0.15	<input checked="" type="checkbox"/>	
sys-firewall		default-dvm	sys-net	24.58 MiB	10.138.36.223	<input checked="" type="checkbox"/>	
sys-net		default-dvm	n/a	1022.36 MiB	10.138.10.158	<input checked="" type="checkbox"/>	
sys-usb		default-dvm	n/a	151.14 MiB	10.138.20.11	<input checked="" type="checkbox"/>	

pp shortcuts Update Keyboard layout

standalone All

Internal	IP	Backup	Last backup
	n/a	<input checked="" type="checkbox"/>	
	10.137.0.11	<input checked="" type="checkbox"/>	
	10.137.0.5	<input checked="" type="checkbox"/>	
	10.137.0.2	<input checked="" type="checkbox"/>	
	10.137.0.15	<input checked="" type="checkbox"/>	
	10.138.36.223	<input checked="" type="checkbox"/>	
	10.138.10.158	<input checked="" type="checkbox"/>	
	10.138.20.11	<input checked="" type="checkbox"/>	

Quit

[Dom0] Qube Manager

System Qube View About

New qube Delete qube Start/Resume Emergency pause Shutdown Restart Settings Edit firewall App shortcuts Update Keyboard layout

Search: Show: Running Halted Network Templates Standalone All

Name	State	Template	NetVM	Disk Usage	IP	Check
dom0	●	AdminVM	n/a	n/a		
anon-whonix	●	whonix-workstation-17	sys-whonix	0.0 MiB	10.137.0.11	✓
debian-12-xfce	●	TemplateVM	default (n/a)	5218.3 MiB		✓
default-dvm	●	fedora-38-xfce	default (sys-firewall)	0.0 MiB	10.137.0.5	✓
fedora-38-xfce	●	TemplateVM	sys-net	4762.62 MiB	10.137.0.2	✓
personal	●	fedora-38-xfce	sys-firewall	280.58 MiB	10.137.0.15	✓
sys-firewall	●					
sys-net	●	default-dvm	n/a	1022.36 MiB	10.138.10.158	✓
sys-usb	●	default-dvm	n/a	151.14 MiB	10.138.20.11	✓
sys-whonix	●	whonix-gateway-17	sys-firewall	16.38 MiB	10.137.0.8	✓
untrusted	●	fedora-38-xfce	sys-firewall	0.0 MiB	10.137.0.13	✓
vault	●	fedora-38-xfce	n/a	0.0 MiB		✓
whonix-gateway-17	●	TemplateVM	default (n/a)	2009.09 MiB		✓
whonix-workstation-17	●	TemplateVM	default (n/a)	3045.38 MiB		✓

Blocking social media trackers, cross-site tracking cookies, and fingerprinters.

The Template must be stopped before changes from its current session can be picked up by this qube.

```
...ning
de
de
de
nd
bin/mem
/init
bin/qub
lib/syst
bin/hav
lib/syst
lib/syst
lib/syst
lib/syst
lib/polk
lib/syst
bin/abr
bin/xl
=10Quit
```

[Dom0] Qube Manager

System Qube View About

New qube Delete qube Start/Resume Emergency pause Shutdown Restart Settings Edit firewall App shortcuts Update Keyboard layout

Search: Show: Running Halted Network Templates Standalone All

Name	State	Template	NetVM	Disk Usage	Internal	IP	Backup	Last backup
dom0	Running	AdminVM	n/a	n/a		n/a	<input checked="" type="checkbox"/>	
anon-whonix	Running	whonix-gatew		0.0 MiB		10.137.0.11	<input checked="" type="checkbox"/>	
debian-12-xfce	Running	whonix-workst		5218.3 MiB			<input checked="" type="checkbox"/>	
default-dvm	Running	whonix-gatew		0.0 MiB		10.137.0.5	<input checked="" type="checkbox"/>	
fedora-38-xfce	Running	whonix-workst		5060.61 MiB		10.137.0.2	<input checked="" type="checkbox"/>	
personal	Running	whonix-gatew		290.82 MiB		10.137.0.15	<input checked="" type="checkbox"/>	
sys-firewall	Running	whonix-gatew		24.58 MiB		10.138.36.223	<input checked="" type="checkbox"/>	
sys-net	Running	whonix-gatew		1022.36 MiB		10.138.10.158	<input checked="" type="checkbox"/>	
sys-usb	Running	whonix-gatew		151.14 MiB		10.138.20.11	<input checked="" type="checkbox"/>	
sys-whonix	Running	whonix-gatew		16.38 MiB		10.137.0.8	<input checked="" type="checkbox"/>	
untrusted	Running	whonix-gatew		0.0 MiB		10.137.0.13	<input checked="" type="checkbox"/>	
vault	Running	whonix-gatew		0.0 MiB			<input checked="" type="checkbox"/>	
whonix-gatew	Running	whonix-gatew		2009.09 MiB			<input checked="" type="checkbox"/>	
whonix-workst	Running	whonix-workst		3045.38 MiB			<input checked="" type="checkbox"/>	

- Settings
- Template
- Network
- Edit firewall
- App shortcuts
- Keyboard layout
- Update
- Run command in qube
- Open console in qube
- Start/Resume
- Start qube for Qubes Windows Tools installation
- Emergency pause
- Shutdown
- Restart
- Kill
- Clone qube
- Delete qube
- Logs

Open application menu

[Dom0] Qube Manager

System Qube View About

New qube Delete qube Start/Resume Emergency pause Shutdown Restart Settings Edit firewall App shortcuts Update Keyboard layout

Search: Show: Running Halted Network Templates Standalone All

Name	State	Template	NetVM	Disk Usage	Internal	IP	Backup	Last backup
dom0		AdminVM	n/a	n/a	n/a	n/a	<input checked="" type="checkbox"/>	
anon-whonix		whonix-workstation-17	sys-whonix	0.0 MiB		10.137.0.11	<input checked="" type="checkbox"/>	
debian-12-xfce		TemplateVM	default (n/a)	5218.3 MiB			<input checked="" type="checkbox"/>	
default-dvm		fedora-38-xfce	default (sys-firewall)	0.0 MiB		10.137.0.5	<input checked="" type="checkbox"/>	
fedora-38-xfce		TemplateVM	sys-net	5070.85 MiB		10.137.0.2	<input checked="" type="checkbox"/>	
personal		fedora-38-xfce	sys-firewall	302.08 MiB		10.137.0.15	<input checked="" type="checkbox"/>	
sys-firewall								
sys-net		default-dvm	n/a	1022.36 MiB		10.138.10.158	<input checked="" type="checkbox"/>	
sys-usb		default-dvm	n/a	151.14 MiB		10.138.20.11	<input checked="" type="checkbox"/>	
sys-whonix		whonix-gateway-17	sys-firewall	16.38 MiB		10.137.0.8	<input checked="" type="checkbox"/>	
untrusted		fedora-38-xfce	sys-firewall	0.0 MiB		10.137.0.13	<input checked="" type="checkbox"/>	
vault		fedora-38-xfce	n/a	0.0 MiB			<input checked="" type="checkbox"/>	
whonix-gateway-17		TemplateVM	default (n/a)	2009.09 MiB			<input checked="" type="checkbox"/>	
whonix-workstation-17		TemplateVM	default (n/a)	3045.38 MiB			<input checked="" type="checkbox"/>	

Open application menu

The qube must be restarted for its filesystem to reflect the template's recent committed changes.

[Dom0] Qube Manager

System Qube View About

New qube Delete qube Start/Resume Emergency pause Shutdown Restart Settings Edit firewall App shortcuts Update Keyboard layout

Search: Show: Running Halted Network Templates Standalone All

Name	State	Template	NetVM	Disk Usage	Internal	IP	Backup	Last backup
dom0		AdminVM	n/a	n/a		n/a	<input checked="" type="checkbox"/>	
anon-whonix						10.137.0.11	<input checked="" type="checkbox"/>	
debian-12-xfce							<input checked="" type="checkbox"/>	
default-dvm						10.137.0.5	<input checked="" type="checkbox"/>	
fedora-38-xfce				5 MiB		10.137.0.2	<input checked="" type="checkbox"/>	
personal				5 MiB		10.137.0.15	<input checked="" type="checkbox"/>	
sys-firewall				5 MiB		10.138.36.223	<input checked="" type="checkbox"/>	
sys-net				5 MiB		10.138.10.158	<input checked="" type="checkbox"/>	
sys-usb				5 MiB		10.138.20.11	<input checked="" type="checkbox"/>	
sys-whonix				5 MiB		10.137.0.8	<input checked="" type="checkbox"/>	
untrusted						10.137.0.13	<input checked="" type="checkbox"/>	
vault							<input checked="" type="checkbox"/>	
whonix-gateway-17				9 MiB			<input checked="" type="checkbox"/>	
whonix-workstation-17				8 MiB			<input checked="" type="checkbox"/>	

- Settings
- Template
- Network
- Edit firewall
- App shortcuts
- Keyboard layout
- Update
- Run command in qube
- Open console in qube
- Start/Resume
- Start qube for Qubes Windows Tools installation
- Emergency pause
- Shutdown
- Restart
- Kill
- Clone qube
- Delete qube
- Logs

Open application menu

[Dom0] Qube Manager

System Qube View About

New qube Delete qube Start/Resume Emergency pause Shutdown Restart Settings Edit firewall App shortcuts Update Keyboard layout

Search: Show: Running Halted Network Templates Standalone All

Internal	IP	Backup	Last backup
	n/a	<input checked="" type="checkbox"/>	de
	10.137.0.11	<input checked="" type="checkbox"/>	w
		<input checked="" type="checkbox"/>	de
	10.137.0.5	<input checked="" type="checkbox"/>	de
	10.137.0.2	<input checked="" type="checkbox"/>	de
	10.137.0.15	<input checked="" type="checkbox"/>	de
	10.138.36.223	<input checked="" type="checkbox"/>	de
	10.138.10.158	<input checked="" type="checkbox"/>	de
	10.138.20.11	<input checked="" type="checkbox"/>	de
	10.137.0.8	<input checked="" type="checkbox"/>	de
	10.137.0.13	<input checked="" type="checkbox"/>	de
		<input checked="" type="checkbox"/>	de
		<input checked="" type="checkbox"/>	de
		<input checked="" type="checkbox"/>	de

```
[personal] Terminal - user@personal:~  
File Edit View Terminal Tabs Help  
[user@personal ~]$ htop  
bash: htop]: command not found  
[user@personal ~]$ htop  
[user@personal ~]$ htop
```

[Dom0] Qube Manager

System Qube View About

New qube Delete qube Start/Resume Emergency pause Shutdown Restart Settings Edit firewall App shortcuts Update Keyboard layout

Search: Show: Running Halted Network Templates Standalone All

[personal] Terminal - user@personal:~

File Edit View Terminal Tabs Help

```

0[          0.0%] Tasks: 64, 52 thr, 69 kthr; 0 running
1[|||||100.0%] Load average: 0.22 0.07 0.02
Mem[|||||261M/589M] Uptime: 00:00:41
Swp[||      244K/1024M]
  
```

PID	USER	PRI	NI	VIRT	RES	SHR	S	CPU%	MEM%	TIME+	Command
941	user	20	0	6096	4684	3916	R	80.0	0.8	0:00.06	htop
1	root	20	0	69624	26344	10620	S	0.0	4.4	0:01.16	/sbin/init
278	root	20	0	70712	3032	2712	S	0.0	0.5	0:00.02	/usr/sbin/qub
287	root	20	0	8268	4832	1692	S	0.0	0.8	0:01.01	/usr/sbin/hav
288	root	20	0	48092	17000	15932	S	0.0	2.8	0:00.19	/usr/lib/syst
289	root	20	0	37756	13060	8340	S	0.0	2.2	0:00.23	/usr/lib/syst
348	root	20	0	14908	6216	5432	S	0.0	1.0	0:00.03	/usr/lib/syst
354	root	20	0	15588	7092	6264	S	0.0	1.2	0:00.01	systemd-userw
355	root	20	0	15588	6992	6156	S	0.0	1.2	0:00.01	systemd-userw
356	root	20	0	15588	6996	6168	S	0.0	1.2	0:00.00	systemd-userw
390	systemd-oo	20	0	15212	6252	5464	S	0.0	1.0	0:00.06	/usr/lib/syst
391	systemd-re	20	0	25904	15372	11124	S	0.0	2.5	0:00.12	/usr/lib/syst
428	polkitd	20	0	373M	9388	7176	S	0.0	1.6	0:00.06	/usr/lib/polk
431	root	20	0	2664	128	0	S	0.0	0.0	0:00.04	/usr/sbin/mem
436	root	20	0	15400	7908	7004	S	0.0	1.3	0:00.03	/usr/lib/syst

F1 Help F2 Setup F3 Search F4 Filter F5 Tree F6 SortBy F7 Nice - F8 Nice + F9 Kill F10 Quit

Internal	IP	Backup	Last backup
	n/a	<input checked="" type="checkbox"/>	de
	10.137.0.11	<input checked="" type="checkbox"/>	w
		<input checked="" type="checkbox"/>	de
	10.137.0.5	<input checked="" type="checkbox"/>	de
	10.137.0.2	<input checked="" type="checkbox"/>	de
	10.137.0.15	<input checked="" type="checkbox"/>	de
	10.138.36.223	<input checked="" type="checkbox"/>	de
	10.138.10.158	<input checked="" type="checkbox"/>	de
	10.138.20.11	<input checked="" type="checkbox"/>	de
	10.137.0.8	<input checked="" type="checkbox"/>	de
	10.137.0.13	<input checked="" type="checkbox"/>	de
		<input checked="" type="checkbox"/>	de
		<input checked="" type="checkbox"/>	de

- Places**
- Computer
 - user
 - Desktop
 - Recent
 - Trash
 - Documents
 - Music
 - Pictures
 - Videos
 - Downloads**

- Devices**
- File System

- Network**
- Browse Network

Facultatea de Matematică și Informatică_files

Facultatea de Matematică și Informatică.html

file-sample_100kB.doc

myemptyfile

"file-sample_100kB.doc" | 98.0 KiB (100352 bytes) | M

- Open With "LibreOffice Writer"
- Open With Other Application...
- Set Default Application...
- Send To
- Cut
- Copy
- Paste
- Move to Trash
- Rename...
- Create Archive...
- Copy to other qube
- Move to other qube
- Open in other qube
- Edit in disposable qube**
- View in disposable qube
- Properties...



Paul Lorem ipsum

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nunc ac faucibus odio.

Vestibulum neque massa, scelerisque sit amet ligula eu, congue molestie mi. Praesent ut varius sem. Nullam at porttitor arcu, nec lacinia nisi. Ut ac dolor vitae odio interdum condimentum. **Vivamus dapibus sodales ex, vitae malesuada ipsum cursus convallis. Maecenas sed egestas nulla, ac condimentum orci.** Mauris diam felis, vulputate ac suscipit et, iaculis non est. Curabitur semper arcu ac ligula semper, nec luctus nisi blandit. Integer lacinia ante ac libero lobortis imperdiet. *Nullam mollis convallis ipsum, ac accumsan nunc vehicula vitae.* Nulla eget justo in felis tristique fringilla. Morbi sit amet tortor quis risus auctor condimentum, Morbi in ullamcorper elit. Nulla iaculis tellus sit amet mauris tempus fringilla.



[disp1171] Confirm File Format

ⓘ This document may contain formatting or content that cannot be saved in the currently selected file format "Word 97-2003".

Use the default ODF file format to be sure that the document is saved correctly.

Ask when not saving in ODF or default format

Use ODF Format Use Word 97-2003 Format

**Lorem ip
elit. Nunc a**

ng

Vestibulum neque massa, scelerisque sit amet ligula eu, congue molestie mi. Praesent ut varius sem. Nullam at porttitor arcu, nec lacinia nisi. Ut ac dolor vitae odio interdum condimentum. **Vivamus dapibus sodales ex, vitae malesuada ipsum cursus convallis. Maecenas sed egestas nulla, ac condimentum orci.** Mauris diam felis, vulputate ac suscipit et, iaculis non est. Curabitur semper arcu ac ligula semper, nec luctus nisi blandit. Integer lacinia ante ac libero lobortis imperdiet. *Nullam mollis convallis ipsum, ac accumsan nunc vehicula vitae.* Nulla eget justo in felis tristique fringilla. Morbi sit amet tortor quis risus auctor condimentum, Morbi in ullamcorper elit. Nulla iaculis tellus sit amet mauris tempus fringilla.

[personal] Downloads - Thunar

File Edit View Go Bookmarks Help

/home/user/Downloads/

- Places**
- Computer
 - user
 - Desktop
 - Recent
 - Trash
 - Documents
 - Music
 - Pictures
 - Videos
 - Downloads**

- Devices**
- File System

- Network**
- Browse Network

Facultatea de Matematică și Informatică_files

Facultatea de Matematică și Informatică.html

myemptyfile

Use "LibreOffice Writer" to open the selected file

- Open With "LibreOffice Writer"**
- Open With Other Application...
- Set Default Application...
- Send To
- Cut
- Copy
- Paste
- Move to Trash
- Rename...
- Create Archive...
- Copy to other qube
- Move to other qube
- Open in other qube
- Edit in disposable qube
- View in disposable qube
- Properties...



Paul Lorem ipsum

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nunc ac faucibus odio.

Vestibulum neque massa, scelerisque sit amet ligula eu, congue molestie mi. Praesent ut varius sem. Nullam at porttitor arcu, nec lacinia nisi. Ut ac dolor vitae odio interdum condimentum. Vivamus dapibus sodales ex, vitae malesuada ipsum cursus convallis. Maecenas sed egestas nulla, ac condimentum orci. Mauris diam felis, vulputate ac suscipit et, iaculis non est. Curabitur semper arcu ac ligula semper, nec luctus nisi blandit. Integer lacinia ante ac libero lobortis imperdiet. Nullam mollis convallis ipsum, ac accumsan nunc vehicula vitae. Nulla eget justo in felis tristique fringilla. Morbi sit amet tortor quis risus auctor condimentum, Morbi in ullamcorper elit. Nulla iaculis tellus sit amet mauris tempus fringilla.

Maecenas mauris lectus, lobortis et purus mattis, blandit dictum tellus.

WHONIX

[Dom0] Qube Manager

System Qube View About

New qube Delete qube Start/Resume Emergency pause Shutdown Restart Settings Edit firewall App shortcuts Update Keyboard layout Open console in qube Global config

Search: Show: Running Halted Network Templates Standalone All

Name	State	Template	NetVM	Disk Usage	Internal	IP	Backup	Last backup	Default DispVM	Is
dom0		AdminVM	n/a	n/a		n/a	<input checked="" type="checkbox"/>		default (default-dvm)	
anon-whonix		whonix-workstation-17	sys-whonix	0.0 MiB		10.137.0.11	<input checked="" type="checkbox"/>		whonix-workstation-17-dvm	
debian-12-xfce		TemplateVM	default (n/a)	6218.3 MiB			<input checked="" type="checkbox"/>		default (default-dvm)	
default-dvm		fedora-38-xfce	default (sys-firewall)	0.0 MiB		10.137.0.5	<input checked="" type="checkbox"/>		default (default-dvm)	Yes
fedora-38-xfce		TemplateVM	sys-net	6798.09 MiB		10.137.0.2	<input checked="" type="checkbox"/>		default (default-dvm)	
personal		fedora-38-xfce	sys-firewall	281.8 MiB		10.137.0.15	<input checked="" type="checkbox"/>		default (default-dvm)	
sys-firewall		default-dvm	sys-net	24.58 MiB		10.138.36.223	<input checked="" type="checkbox"/>		default (default-dvm)	
sys-net		default-dvm	n/a	1022.36 MiB		10.138.10.158	<input checked="" type="checkbox"/>		default (default-dvm)	
sys-usb		default-dvm	n/a	51.14 MiB		10.138.20.11	<input checked="" type="checkbox"/>		default (default-dvm)	
sys-whonix		whonix-gateway-17	sys-firewall	16.38 MiB		10.137.0.8	<input checked="" type="checkbox"/>		default (default-dvm)	
untrusted		fedora-38-xfce	sys-firewall	0.0 MiB		10.137.0.13	<input checked="" type="checkbox"/>		default (default-dvm)	
vault		fedora-38-xfce	n/a	0.0 MiB			<input checked="" type="checkbox"/>		default (default-dvm)	
whonix-gateway-17		TemplateVM	default (n/a)	2009.09 MiB			<input checked="" type="checkbox"/>		default (default-dvm)	
whonix-workstation-17		TemplateVM	default (n/a)	3045.38 MiB			<input checked="" type="checkbox"/>		default (default-dvm)	
whonix-workstation-17-dvm		whonix-workstation-17	sys-whonix	0.0 MiB		10.137.0.10	<input checked="" type="checkbox"/>		whonix-workstation-17-dvm	Yes
work		fedora-38-xfce	sys-firewall	95.23 MiB		10.137.0.16	<input checked="" type="checkbox"/>		default (default-dvm)	

Halted

APPS TEMPLATES SERVICE

- anon-whonix**
- default-dvm
- personal
- untrusted
- vault
- whonix-workstation-17-dvm
- work

- Settings
- System Check
- Thunar File Manager
- Tor Browser (AnonDist)
- Tor Browser Downloader (AnonDist)
- Xfce Terminal

Edit firewall App shortcuts Update Keyboard layout

Templates Standalone All


Usage	Internal	IP	Backup	Last backup	De
		n/a	<input checked="" type="checkbox"/>		default (
B		10.137.0.11	<input checked="" type="checkbox"/>		whonix-v
MiB			<input checked="" type="checkbox"/>		default (
		10.137.0.5	<input checked="" type="checkbox"/>		default (
2 MiB			<input checked="" type="checkbox"/>		default (
B		10.137.0.15	<input checked="" type="checkbox"/>		default (
B		10.138.36.223	<input checked="" type="checkbox"/>		default (
MiB		10.138.10.158	<input checked="" type="checkbox"/>		default (
MiB		10.138.20.11	<input checked="" type="checkbox"/>		default (
MiB		10.137.0.8	<input checked="" type="checkbox"/>		default (
		10.137.0.13	<input checked="" type="checkbox"/>		default (
			<input checked="" type="checkbox"/>		default (
3 MiB			<input checked="" type="checkbox"/>		default (
2 MiB			<input checked="" type="checkbox"/>		default (

[anon-whonix] Congratulations. This browser is configured to use Tor. __ Tor Browser

← → ↻ 🔒 https://check.torproject.org

Tor Browser has set your display language to English based on your system's language. [Change Language...](#)

This page is also available in the following languages: English



Congratulations. This browser is configured to use Tor.

Your IP address appears to be: **192.42.116.179**

Please refer to the [Tor website](#) for further information about using Tor safely. You are now free to browse the Internet anonymously. For more information about this exit relay, see: [Relay Search](#).

DARK WEB IRC (INTERNET RELAY CHAT)

File Actions Edit View Help

```
(kali@kali)-[~/Desktop]  
└─$ suydo su
```

```
(kali@kali)-[~/Desktop]  
└─$ sudo su
```

[sudo] password for kali:

```
(root@kali)-[~/home/kali/Desktop]  
└─# apt update && apt-get install inspircd irssi tor -y  
Error: Invalid operation update
```

```
(root@kali)-[~/home/kali/Desktop]  
└─# apt update && apt-get install inspircd irssi tor -y
```

Home



```

## Uncomment this to start the process in the background... or use
## --runasdaemon 1 on the command line. This is ignored on Windows;
## see the FAQ entry if you want Tor to run as an NT service.
#RunAsDaemon 1

```

```

## The directory for keeping all the keys/etc. By default, we store
## things in $HOME/.tor on Unix, and in Application Data\tor on Windows.
#DataDirectory /var/lib/tor

```

```

## The port on which Tor will listen for local connections from Tor
## controller applications, as documented in control-spec.txt.
#ControlPort 9051
## If you enable the controlport, be sure to enable one of these
## authentication methods, to prevent attackers from accessing it.
#HashedControlPassword 16:872860B76453A77D60CA2BB8C1A7042072093276A3D701AD684053EC4C
#CookieAuthentication 1

```

This section is just for location-hidden services

```

## Once you have configured a hidden service, you can look at the
## contents of the file " ... /hidden_service/hostname" for the address
## to tell people.
##
## HiddenServicePort x y:z says to redirect requests on port x to the
## address y:z.

```

```

HiddenServiceDir /var/lib/tor/hidden_service/
HiddenServicePort 6667 127.0.0.1:6667

```

```

#HiddenServiceDir /var/lib/tor/other_hidden_service/
#HiddenServicePort 80 127.0.0.1:80
#HiddenServicePort 22 127.0.0.1:22

```

This section is just for relays

File Actions Edit View Help

GNU nano 8.0 /etc/inspircd/inspircd.motd *

```
*****  
                Salutari de la Universitatea Ovidius !!!!!!  
*****  
(The sysadmin possibly wants to edit </etc/inspircd/inspircd.motd>)
```

File System
Home

^G Help	^O Write Out	^F Where Is	^K Cut	^T Execute	^C Location	M-U Undo	M-A Set Mark	M-J To Bracket
^X Exit	^R Read File	^_ Replace	^U Paste	^J Justify	^/ Go To Line	M-E Redo	M-6 Copy	^B Where Was

File Actions Edit View Help

inspircd.service is a disabled or a static unit, not starting it.
Processing triggers for doc-base (0.11.2) ...
Processing 39 changed doc-base files, 3 added doc-base files ...
Processing triggers for libc-bin (2.38-10) ...
Processing triggers for man-db (2.12.1-1) ...
Processing triggers for kali-menu (2023.4.7) ...

(root@kali)-[/home/kali/Desktop]
nano /etc/tor/torrc

(root@kali)-[/home/kali/Desktop]
nano /etc/inspircd/inspircd.motd

(root@kali)-[/home/kali/Desktop]
systemctl start inspircd

(root@kali)-[/home/kali/Desktop]
systemctl status inspircd

inspircd.service - InspIRCd - Internet Relay Chat Daemon
Loaded: loaded (/usr/lib/systemd/system/inspircd.service; disabled; preset: disabled)
Active: active (running) since Thu 2024-06-20 17:29:18 EDT; 4s ago
Docs: man:inspircd(8)
Main PID: 3978 (inspircd)
Tasks: 1 (limit: 9440)
Memory: 1.1M (peak: 1.4M)
CPU: 5ms
CGroup: /system.slice/inspircd.service
└─3978 /usr/sbin/inspircd --nofork --nopic

Jun 20 17:29:18 kali systemd[1]: Started inspircd.service - InspIRCd - Internet Relay Chat Daemon.
Jun 20 17:29:18 kali inspircd[3978]: InspIRCd - Internet Relay Chat Daemon
Jun 20 17:29:18 kali inspircd[3978]: See /INFO for contributors & authors
Jun 20 17:29:18 kali inspircd[3978]: InspIRCd Process ID: 3978
Jun 20 17:29:18 kali inspircd[3978]: Loading core modules
Jun 20 17:29:18 kali inspircd[3978]: InspIRCd is now running as 'irc.local'[811] with 524288 max open sockets

(root@kali)-[/home/kali/Desktop]
#

File Actions Edit View Help

Irssi v1.4.5 - https://irssi.org

```

17:29 -!- For Debian specific help type "/connect OFTC" and
17:29 -!- "/join #debian" (without the quotes) and ask your
17:29 -!- question.
17:29 -!- -----
17:29 -!- Irssi: The following settings were initialized
17:29         real_name root
17:29         user_name root
17:29         nick root
17:29 -!- Irssi: Looking up 127.0.0.1
17:29 -!- Irssi: Connecting to 127.0.0.1 [127.0.0.1] port 6667
17:29 Waiting for CAP LS response ...
17:29 -!- Irssi: Connection to 127.0.0.1 established
17:29 !irc.local *** Looking up your hostname ...
17:29 !irc.local *** Could not resolve your hostname: Request timed out; using your IP address (127.0.0.1) instead.
17:29 -!- Welcome to the Localnet IRC Network root!root@127.0.0.1
17:29 -!- Your host is irc.local, running version InspIRCd-3
17:29 -!- This server was created 17:29:18 Jun 20 2024
17:29 -!- irc.local InspIRCd-3 iosw biklmnopstv bklov
17:29 -!- AWAYLEN=200 CASEMAPPING=rfc1459 CHANLIMIT=#:20 CHANMODES=b,k,l,impst CHANNELLEN=64 CHANTYPES=# ELIST=CMNTU HOSTLEN=64 KEYLEN=32 KICKLEN=255
LINELEN=512 MAXLIST=b:100 are supported by this server
17:29 -!- MAXTARGETS=20 MODES=20 NAMELEN=128 NETWORK=Localnet NICKLEN=30 PREFIX=(ov)@+ SAFELIST STATUSMSG=@+ TOPICLEN=307 USERLEN=10 USERMODES=,,s,iow WHOX
are supported by this server
17:29 -!- There are 0 users and 0 invisible on 1 servers
17:29 -!- 1 unknown connections
17:29 -!- 0 channels formed
17:29 -!- I have 0 clients and 0 servers
17:29 -!- Current local users: 0 Max: 0
17:29 -!- Current global users: 0 Max: 0
17:29 -!- irc.local message of the day
17:29 -!- *****
17:29 -!- [root]Salutari de la Universitatea Ovidius !!!!!
17:29 -!- *****
17:29 -!- (The sysadmin possibly wants to edit </etc/inspircd/inspircd.motd>)
17:29 -!- End of message of the day.
17:29 -!- Mode change [+i] for user root
[17:29] [root(+i)] [1:127 (change with ^X)]
[(status)]

```



```

root@kali: /home/kali/Desktop
File Actions Edit View Help
Jun 20 17:30:13.000 [notice] Parsing GEOIP IPv6 file /usr/sha
Jun 20 17:30:13.000 [warn] You are running Tor as root. You d
Jun 20 17:30:13.000 [notice] Bootstrapped 0% (starting): Star
Jun 20 17:30:13.000 [notice] Starting with guard context "def
Jun 20 17:30:14.000 [notice] Bootstrapped 5% (conn): Connecti
Jun 20 17:30:14.000 [notice] Bootstrapped 10% (conn_done): Co
Jun 20 17:30:14.000 [notice] Bootstrapped 14% (handshake): Ha
Jun 20 17:30:14.000 [notice] Bootstrapped 15% (handshake_done
Jun 20 17:30:14.000 [notice] Bootstrapped 20% (onehop_create)
Jun 20 17:30:14.000 [notice] Bootstrapped 25% (requesting_sta
Jun 20 17:30:14.000 [notice] Bootstrapped 30% (loading_status
Jun 20 17:30:14.000 [notice] I learned some more directory in
Jun 20 17:30:15.000 [notice] Bootstrapped 40% (loading_keys):
Jun 20 17:30:15.000 [notice] The current consensus has no exi
Jun 20 17:30:15.000 [notice] Bootstrapped 45% (requesting_des
Jun 20 17:30:15.000 [notice] I learned some more directory in
d can only build 0% of likely paths. (We have 0% of guards bw
Jun 20 17:30:15.000 [notice] Bootstrapped 50% (loading_descri
Jun 20 17:30:16.000 [notice] The current consensus contains e
Jun 20 17:30:16.000 [notice] Bootstrapped 57% (loading_descri
Jun 20 17:30:17.000 [notice] Bootstrapped 65% (loading_descri
Jun 20 17:30:17.000 [notice] Bootstrapped 70% (loading_descri
Jun 20 17:30:17.000 [notice] Bootstrapped 75% (enough_dirinfo
Jun 20 17:30:17.000 [notice] Bootstrapped 90% (ap_handshake_d
Jun 20 17:30:17.000 [notice] Bootstrapped 95% (circuit_create
Jun 20 17:30:18.000 [notice] Bootstrapped 100% (done): Done

```

```

kali@kali: ~/Desktop
File Actions Edit View Help
└─$ irssi
┌─(kali@kali)-[~/Desktop]
│$ sudo su
┌─(root@kali)-[/home/kali/Desktop]
│# irssi
┌─(root@kali)-[/home/kali/Desktop]
│# irssi
┌─(root@kali)-[/home/kali/Desktop]
│# proxychains4 irssi
[proxychains] config file found: /etc/proxychains4.conf
[proxychains] preloading /usr/lib/x86_64-linux-gnu/libproxychains.so.4
[proxychains] DLL init: proxychains-ng 4.17
┌─(root@kali)-[/home/kali/Desktop]
│#
┌─(kali@kali)-[~/Desktop]
│$ proxychains4 irssi
[proxychains] config file found: /etc/proxychains4.conf
[proxychains] preloading /usr/lib/x86_64-linux-gnu/libproxychains.so.4
[proxychains] DLL init: proxychains-ng 4.17
┌─(kali@kali)-[~/Desktop]
│$

```



```
amnesia@amnesia: ~  
Irssi v1.4.3 - https://irssi.org  
21:40 -|- This server was created 17:29:18 Jun 20 2024  
21:40 -|- irc.local InspIRCd-3 iosw biklmnopstv bklov  
21:40 -|- AWAYLEN=200 CASEMAPPING=rfc1459 CHANLIMIT=#:20 CHANMODES=b,k,l,impst  
CHANNELLEN=64 CHANTYPES=# ELIST=CMNTU HOSTLEN=64 KEYLEN=32  
KICKLEN=255 LINELEN=512 MAXLIST=b:100 are supported by this server  
21:40 -|- MAXTARGETS=20 MODES=20 NAMELEN=128 NETWORK=Localnet NICKLEN=30  
PREFIX={ov}@+ SAFELIST STATUSMSG=@+ TOPICLEN=307 USERLEN=10  
USERMODES=,,s,iow WHOX are supported by this server  
21:40 -|- There are 0 users and 1 invisible on 1 servers  
21:40 -|- 1 unknown connections  
21:40 -|- 0 channels formed  
21:40 -|- I have 1 clients and 0 servers  
21:40 -|- Current local users: 1 Max: 1  
21:40 -|- Current global users: 1 Max: 1  
21:40 -|- irc.local message of the day  
21:40 -|- *****  
21:40 -|- [!!!!]Salutari de la Universitatea Ovidius !!!!!  
21:40 -|- *****  
21:40 -|- (The sysadmin possibly wants to edit </etc/inspircd/inspircd.motd>)  
21:40 -|- End of message of the day.  
21:40 -|- Mode change [+i] for user amnesia  
21:41 |amnesia(+i)| |1:3vyojh4wtpevuws2gyy1fwj627xap4xulilxtdc7qrrmkvte633yz  
[[status]]
```

Start Tor Browser

View Tor Circuits

THANK YOU FOR YOUR ATTENTION!
